

Roche Cobas c & Roche e/c, 1XX, X000, Elec series	4	135 - 155	P 144.7	2.0	10 - 30	C 20.0	22.4	-	-	-	6
Initial Grouping by Reagent											
Abbott Architect	5	134 - 154	P 144.2	2.6	9 - 29	C 19.0	0.0	-	-	-	5
Beckman Coulter	6	134 - 154	P 144.0	1.2	44 - 64	C 53.5	29.2	-	-	-	4
Beckman Coulter DXC	7	134 - 154	P 144.2	2.4	63 - 83	C 72.8	6.3	-	-	-	6
Beckman Olympus	8	134 - 154	P 144.2	8.8	35 - 55	C 45.0	36.7	-	-	-	6
Roche Cobas c	9	135 - 155	P 144.7	2.0	10 - 30	C 20.0	22.4	-	-	-	6
Initial Grouping by Sensitivity or Principle											
CMIA	10	134 - 154	P 144.2	2.6	9 - 29	C 19.0	0.0	-	-	-	5
Beckman	11	134 - 154	P 144.1	5.6	48 - 68	C 58.4	29.0	-	-	-	16
Colorimetric/Immunoturb	12	135 - 155	P 144.7	2.0	10 - 30	C 20.0	22.4	-	-	-	6
Total Population											
Whole Population	13	134 - 154	P 144.0	4.5	33 - 53	C 43.1	30.3	-	-	-	30