Sex Hormone Binding Globulin/Testosterone

Name	Line No.	Specimen 6 Range & Type	Specimen 6 Mean	Specimen 6 SD	Specimen 7 Range & Type	Specimen 7 Mean	Specimen 7 SD	Specimen 8 Range & Type	Specimen 8 Mean	Specimen 8 SD	Specimen 9 Range & Type	Specimen 9 Mean	Specimen 9 SD	Specimen 10 Range & Type	Specimen 10 Mean	Specimen 10 SD	No. of Labs
Sex Hormone Binding Globulin																	
Initial Grouping by Reagent																	
Beckman Coulter Access	1	30.1 - 56.0	P 43.04	3.06	23.8 - 44.3	P 34.05	2.42	-			-			-			11
Initial Grouping by Sensitivity or Principle																	
Luminometric	2	31.1 - 57.7	P 44.38	4.13	24.5 - 45.5	P 35.03	3.25	-			-			-			21
Total Population																	
Whole Population	3	30.4 - 56.5	P 43.48	4.53	24.3 - 45.1	P 34.71	3.3	-			-			-			27
Testosterone																	
Initial Grouping by Reagent																	
Beckman Coulter Access	1	555 - 1032	P 793.5	40.6	334 - 620	P 476.6	27.5	-			-			-			10
Initial Grouping by Sensitivity or Principle																	
Luminometric	2	597 - 1108	P 852.4	114.3	360 - 668	P 514.0	66.5	-			-			-			16
Total Population																	
Whole Population	3	609 - 1131	P 870.0	126.1	365 - 678	P 521.5	62.7	-			-			-			23
Testosterone, Bioavailable																	
Total Population																	
Whole Population	1	284.5 - 528.3	P 406.38	89.56	179.9 - 334.1	P 257.02	47.19	-			-			-			9
Testosterone, Free																	
Initial Grouping by Reagent																	
Albumin equal to 4.3 mg/dL	1	12.1 - 22.4	P 17.22	2.18	8.0 - 14.8	P 11.4	1.74	-			-			-			10
Initial Grouping by Sensitivity or Principle																	
All other methods	2	12.1 - 22.4	P 17.22	2.18	8.0 - 14.8	P 11.4	1.74	-			-			-			10
Total Population																	
Whole Population	3	11.8 - 22.0	P 16.89	2.3	7.8 - 14.5	P 11.14	1.86	-			-			-			11