Sex Hormone Binding Globulin/Testosterone

Name	Line No.	Specimen 1 Range & Type	Specimen 1 Mean	Specimen 1 SD	Specimen 2 Range & Type	Specimen 2 Mean	Specimen 2 SD	Specimen 3 Range & Type	Specimen 3 Mean	Specimen 3 SD	Specimen 4 Range & Type	Specimen 4 Mean	Specimen 4 SD	Specimen 5 Range & Type	Specimen 5 Mean	Specimen 5 SD	No. of Labs
Sex Hormone Binding Globulin																	
Initial Grouping by Reagent																	
Beckman Coulter Access	1	31.3 - 58.1	P 44.73	3.68	27.6 - 51.2	P 39.39	3.21	-			-			-			12
Initial Grouping by Sensitivity or Principle																	
Luminometric	2	32.1 - 59.5	P 45.79	4.18	27.9 - 51.8	P 39.87	3.13	-			-			-			20
Total Population																	
Whole Population	3	31.9 - 59.1	P 45.5	3.91	27.3 - 50.7	P 39.03	3.37	-			-			-			26
Testosterone																	
Initial Grouping by Reagent																	
Beckman Coulter Access	1	722 - 1341	P 1031.6	76.1	532 - 988	P 759.8	54.9	-			-			-			10
Initial Grouping by Sensitivity or Principle																	
Luminometric	2	760 - 1412	P 1086.3	110.0	563 - 1045	P 804.2	90.9	-			-			-			15
Total Population																	
Whole Population	3	793 - 1473	P 1132.7	125.3	568 - 1056	P 812.0	80.2	-			-			-			20
Testosterone, Bioavailable																	
Total Population																	
Whole Population	1	365.1 - 678.0	P 521.57	79.33	263.3 - 489.0	P 376.19	63.37	-			-			-			7
Testosterone, Free																	
Initial Grouping by Reagent																	
Albumin equal to 4.3 mg/dL	1	16.4 - 30.4	P 23.42	3.33	11.9 - 22.1	P 16.99	2.04	-			-			-			10
Initial Grouping by Sensitivity or Principle																	
All other methods	2	16.4 - 30.4	P 23.42	3.33	11.9 - 22.1	P 16.99	2.04	-			-			-			10
Total Population																	
Whole Population	3	16.4 - 30.4	P 23.42	3.33	11.9 - 22.1	P 16.99	2.04	-			-			-			10