



## Coagulation

Name	Line No.	Specimen 1			Specimen 2			Specimen 3			Specimen 4			Specimen 5			No. of Labs
		Range & Type	Mean	SD	Range & Type	Mean	SD	Range & Type	Mean	SD	Range & Type	Mean	SD	Range & Type	Mean	SD	
<b>Prothrombin Time, Seconds</b>																	
<b>Initial Grouping by Reagent and Instrument</b>																	
Diag Stago STA-Neopl CI+ & Dia Stago STA Compact, CT	1	26.0 - 35.1	P 30.56	1.29	19.6 - 26.5	P 23.08	0.6	11.2 - 15.1	P 13.14	0.4	19.6 - 26.5	P 23.05	0.27	11.6 - 15.7	P 13.62	0.51	5
Diag Stago STA-Neopl CI+ & Diagn Stago STA Satellite	2	26.0 - 35.2	P 30.6	0.96	20.2 - 27.3	P 23.77	1.45	11.4 - 15.4	P 13.4	0.17	19.4 - 26.2	P 22.78	0.57	11.6 - 15.7	P 13.65	0.3	6
HemosIL PT-Fibrinogen & IL ACL Elite,E.Pro, 8-10000	3	17.2 - 23.3	P 20.25	0.55	17.1 - 23.2	P 20.15	0.78	10.2 - 13.8	P 12.0	0.37	14.5 - 19.6	P 17.05	0.54	11.0 - 14.9	P 12.97	0.54	4
HemosIL PT-Fibrinogen & IL ACL series 100 - 7000	4	17.3 - 23.5	P 20.4	0.74	17.1 - 23.1	P 20.1	1.45	10.3 - 14.0	P 12.14	0.39	14.3 - 19.3	P 16.79	0.62	10.8 - 14.7	P 12.75	0.56	27
HemosIL PT-Fibrinogen HS + & IL ACL series 100 - 7000	5	27.8 - 37.5	P 32.65	0.43	22.6 - 30.6	P 26.64	0.51	11.1 - 15.0	P 13.05	0.2	20.3 - 27.4	P 23.83	0.5	12.1 - 16.3	P 14.18	0.2	6
HemosIL RecombiPlasTin 2G & IL ACL Elite,E.Pro, 8-10000	6	25.9 - 35.0	P 30.42	1.37	19.3 - 26.2	P 22.75	1.64	8.9 - 12.1	P 10.52	0.21	18.8 - 25.4	P 22.08	0.9	10.3 - 13.9	P 12.11	0.29	26
HemosIL RecombiPlasTin 2G & IL ACL TOP	7	27.3 - 36.9	P 32.13	1.72	20.3 - 27.5	P 23.9	0.85	9.0 - 12.2	P 10.63	0.25	19.3 - 26.1	P 22.66	1.39	10.0 - 13.6	P 11.8	0.27	7
Pacific Hemostasis D & MLA Electra series	8	16.6 - 22.5	P 19.54	1.34	16.6 - 22.4	P 19.52	0.67	10.9 - 14.8	P 12.84	0.4	14.3 - 19.4	P 16.86	0.7	11.3 - 15.3	P 13.3	0.39	5
Siemens Innovin & Siemens BFT	9	23.3 - 31.5	P 27.42	1.39	16.0 - 21.6	P 18.77	1.47	8.8 - 12.0	P 10.4	0.43	15.9 - 21.6	P 18.75	1.49	8.6 - 11.7	P 10.15	0.43	4
Siemens Innovin & Siemens/Sysmex CA series	10	21.9 - 29.7	P 25.81	1.03	16.5 - 22.3	P 19.38	1.18	9.4 - 12.7	P 11.06	0.44	16.2 - 21.9	P 19.07	0.69	9.4 - 12.8	P 11.11	0.35	97
Siemens Innovin & Sysmex CA series	11	21.9 - 29.7	P 25.8	0.76	16.4 - 22.2	P 19.33	0.97	9.5 - 12.9	P 11.18	0.26	16.4 - 22.1	P 19.25	0.47	9.5 - 12.8	P 11.15	0.21	4
<b>Initial Grouping by Reagent</b>																	
Diag Stago STA-Neopl CI+	12	26.9 - 36.5	P 31.7	2.26	20.5 - 27.7	P 24.11	1.7	11.2 - 15.2	P 13.18	0.34	19.8 - 26.9	P 23.35	0.97	11.6 - 15.7	P 13.66	0.37	15
HemosIL PT-Fibrinogen	13	17.3 - 23.4	P 20.33	0.76	17.1 - 23.1	P 20.06	1.38	10.3 - 13.9	P 12.09	0.42	14.3 - 19.3	P 16.79	0.63	10.8 - 14.7	P 12.76	0.56	32
HemosIL PT-Fibrinogen HS +	14	27.8 - 37.5	P 32.65	0.43	22.6 - 30.6	P 26.64	0.51	11.1 - 15.0	P 13.05	0.2	20.3 - 27.4	P 23.83	0.5	12.1 - 16.3	P 14.18	0.2	6
HemosIL RecombiPlasTin 2G	15	25.9 - 35.0	P 30.47	2.04	19.5 - 26.3	P 22.91	1.57	8.9 - 12.1	P 10.49	0.31	18.7 - 25.3	P 22.01	1.27	10.2 - 13.8	P 11.97	0.43	35
Pacific Hemostasis D	16	16.5 - 22.3	P 19.39	1.21	16.1 - 21.8	P 18.96	1.04	10.5 - 14.2	P 12.38	0.89	13.9 - 18.8	P 16.36	0.92	10.9 - 14.8	P 12.83	0.83	9
Siemens Innovin	17	22.0 - 29.8	P 25.88	1.07	16.5 - 22.3	P 19.37	1.18	9.4 - 12.7	P 11.04	0.44	16.2 - 21.9	P 19.08	0.74	9.4 - 12.7	P 11.07	0.39	109
Trinity TriniCLOT PT Excel	18	15.5 - 20.9	P 18.18	0.58	15.3 - 20.6	P 17.95	0.8	9.7 - 13.1	P 11.4	0.72	13.2 - 17.9	P 15.58	0.72	10.2 - 13.8	P 11.98	0.56	4
<b>Initial Grouping by Sensitivity or Principle</b>																	
High sens/wide normal range	19	26.2 - 35.5	P 30.84	2.18	19.8 - 26.7	P 23.25	1.7	9.6 - 13.0	P 11.31	1.28	19.0 - 25.8	P 22.4	1.34	10.6 - 14.3	P 12.47	0.88	50
Low sens/high normal range	20	17.1 - 23.1	P 20.12	0.96	16.9 - 22.8	P 19.84	1.39	10.3 - 14.0	P 12.15	0.56	14.2 - 19.2	P 16.7	0.73	10.9 - 14.7	P 12.78	0.62	41
High sens/short normal rang	21	22.8 - 30.9	P 26.86	7.11	19.4 - 26.2	P 22.78	4.37	10.5 - 14.2	P 12.39	0.94	17.5 - 23.6	P 20.53	4.09	11.3 - 15.3	P 13.3	1.15	10
High sens/mod normal range	22	22.0 - 29.8	P 25.88	1.07	16.5 - 22.3	P 19.37	1.18	9.4 - 12.7	P 11.04	0.44	16.2 - 21.9	P 19.08	0.74	9.4 - 12.7	P 11.07	0.39	109
<b>Total Population</b>																	
Whole Population	23	22.1 - 29.9	P 26.01	4.11	17.5 - 23.7	P 20.6	2.52	9.7 - 13.1	P 11.42	1.03	16.5 - 22.4	P 19.47	2.44	10.1 - 13.6	P 11.86	1.04	212

## INR

<b>Initial Grouping by Reagent and Instrument</b>																	
Diag Stago STA-Neopl CI+ & Dia Stago STA Compact, CT	1	2.34 - 3.51	P 2.928	0.204	1.62 - 2.43	P 2.026	0.079	0.79 - 1.19	P 0.99	0.028	1.63 - 2.44	P 2.035	0.034	0.82 - 1.24	P 1.03	0.044	5
Diag Stago STA-Neopl CI+ & Diagn Stago STA Satellite	2	2.37 - 3.55	P 2.957	0.164	1.71 - 2.57	P 2.143	0.147	0.83 - 1.25	P 1.038	0.038	1.62 - 2.43	P 2.025	0.09	0.84 - 1.26	P 1.053	0.041	6
HemosIL PT-Fibrinogen & IL ACL Elite,E.Pro, 8-10000	3	2.09 - 3.14	P 2.617	0.185	1.94 - 2.91	P 2.427	0.207	0.85 - 1.27	P 1.057	0.113	1.56 - 2.33	P 1.945	0.197	0.86 - 1.3	P 1.08	0.04	4
HemosIL PT-Fibrinogen & IL ACL series 100 - 7000	4	2.06 - 3.1	P 2.581	0.21	1.92 - 2.88	P 2.403	0.288	0.82 - 1.24	P 1.031	0.07	1.46 - 2.2	P 1.83	0.145	0.89 - 1.34	P 1.115	0.078	26
HemosIL PT-Fibrinogen HS + & IL ACL series 100 - 7000	5	2.2 - 3.31	P 2.755	0.161	1.77 - 2.65	P 2.207	0.156	0.76 - 1.14	P 0.953	0.056	1.53 - 2.3	P 1.917	0.129	0.84 - 1.26	P 1.052	0.068	6
HemosIL RecombiPlasTin 2G & IL ACL Elite,E.Pro, 8-10000	6	2.23 - 3.34	P 2.785	0.161	1.66 - 2.49	P 2.077	0.184	0.76 - 1.14	P 0.953	0.035	1.61 - 2.42	P 2.014	0.113	0.88 - 1.32	P 1.096	0.048	25
HemosIL RecombiPlasTin 2G & IL ACL TOP	7	2.27 - 3.4	P 2.833	0.119	1.7 - 2.54	P 2.12	0.104	0.76 - 1.14	P 0.949	0.037	1.6 - 2.4	P 2.0	0.112	0.84 - 1.26	P 1.051	0.038	7
Pacific Hemostasis D & MLA Electra series	8	2.02 - 3.03	P 2.523	0.406	1.91 - 2.87	P 2.393	0.152	0.85 - 1.27	P 1.06	0.056	1.49 - 2.24	P 1.863	0.169	0.92 - 1.39	P 1.155	0.053	4
Siemens Innovin & Siemens BFT	9	2.04 - 3.06	P 2.553	0.071	1.48 - 2.21	P 1.845	0.197	0.88 - 1.32	P 1.1	0.041	1.48 - 2.21	P 1.845	0.215	0.87 - 1.3	P 1.083	0.093	4
Siemens Innovin & Siemens/Sysmex CA series	10	1.99 - 2.99	P 2.492	0.127	1.5 - 2.25	P 1.876	0.128	0.86 - 1.29	P 1.075	0.056	1.47 - 2.21	P 1.841	0.094	0.87 - 1.3	P 1.083	0.042	98
<b>Initial Grouping by Reagent</b>																	

Diag Stago STA-Neopl CI+	11	2.39 - 3.59	P 2.991	0.205	1.76 - 2.64	P 2.203	0.227	0.81 - 1.21	P 1.01	0.044	1.65 - 2.47	P 2.061	0.096	0.84 - 1.26	P 1.051	0.048	15
HemosIL PT-Fibrinogen	12	2.06 - 3.09	P 2.574	0.214	1.92 - 2.88	P 2.397	0.277	0.82 - 1.24	P 1.03	0.081	1.47 - 2.21	P 1.838	0.16	0.89 - 1.33	P 1.11	0.076	31
HemosIL PT-Fibrinogen HS +	13	2.2 - 3.31	P 2.755	0.161	1.77 - 2.65	P 2.207	0.156	0.76 - 1.14	P 0.953	0.056	1.53 - 2.3	P 1.917	0.129	0.84 - 1.26	P 1.052	0.068	6
HemosIL RecombiPlasTin 2G	14	2.22 - 3.32	P 2.77	0.181	1.67 - 2.5	P 2.082	0.167	0.76 - 1.14	P 0.95	0.037	1.6 - 2.4	P 1.997	0.124	0.87 - 1.3	P 1.082	0.053	34
Pacific Hemostasis D	15	2.09 - 3.13	P 2.609	0.324	1.99 - 2.99	P 2.491	0.209	0.86 - 1.29	P 1.073	0.074	1.49 - 2.23	P 1.861	0.118	0.92 - 1.38	P 1.151	0.046	9
Siemens Innovin	16	2.0 - 3.0	P 2.496	0.124	1.5 - 2.25	P 1.879	0.129	0.86 - 1.29	P 1.077	0.054	1.48 - 2.21	P 1.845	0.1	0.87 - 1.3	P 1.083	0.044	109

#### Initial Grouping bySensitivityor Principle

High sens/wide normal range	17	2.27 - 3.4	P 2.833	0.213	1.7 - 2.54	P 2.119	0.195	0.77 - 1.16	P 0.968	0.048	1.61 - 2.42	P 2.015	0.12	0.86 - 1.29	P 1.072	0.053	48
Low sens/high normal range	18	2.07 - 3.1	P 2.582	0.243	1.94 - 2.9	P 2.419	0.266	0.83 - 1.25	P 1.039	0.081	1.48 - 2.21	P 1.844	0.151	0.9 - 1.34	P 1.119	0.072	40
High sens/short normal rang	19	2.1 - 3.16	P 2.631	0.259	1.76 - 2.64	P 2.203	0.137	0.77 - 1.15	P 0.96	0.051	1.48 - 2.23	P 1.856	0.158	0.85 - 1.27	P 1.057	0.06	8
High sens/mod normal range	20	2.0 - 3.0	P 2.496	0.124	1.5 - 2.25	P 1.879	0.129	0.86 - 1.29	P 1.077	0.054	1.48 - 2.21	P 1.845	0.1	0.87 - 1.3	P 1.083	0.044	109
<b>Total Population</b>																	
Whole Population	21	2.08 - 3.13	P 2.606	0.252	1.65 - 2.48	P 2.067	0.323	0.83 - 1.25	P 1.042	0.093	1.51 - 2.26	P 1.887	0.159	0.87 - 1.31	P 1.089	0.067	209

#### ISI - INR Calculation

##### Initial Grouping byReagent and Instrument

HemosIL PT-Fibrinogen & IL ACL series 100 - 7000	1	1.51 - 1.91	C 1.71	0.017	-	-	-	-	-	-	-	-	-	-	-	-	4
Siemens Innovin & Siemens/Sysmex CA series	2	0.8 - 1.2	C 0.995	0.025	-	-	-	-	-	-	-	-	-	-	-	-	18

##### Initial Grouping byReagent

Diag Stago STA-Neopl CI+	3	1.07 - 1.47	C 1.265	0.026	-	-	-	-	-	-	-	-	-	-	-	-	4
HemosIL PT-Fibrinogen	4	1.53 - 1.93	C 1.727	0.044	-	-	-	-	-	-	-	-	-	-	-	-	6
Siemens Innovin	5	0.8 - 1.2	C 0.996	0.025	-	-	-	-	-	-	-	-	-	-	-	-	20

##### Initial Grouping bySensitivityor Principle

High sens/wide normal range	6	0.8 - 1.52	S 1.163	0.12	-	-	-	-	-	-	-	-	-	-	-	-	7
Low sens/high normal range	7	1.53 - 1.93	C 1.734	0.045	-	-	-	-	-	-	-	-	-	-	-	-	7
Other	8	0.16 - 2.27	S 1.211	0.351	-	-	-	-	-	-	-	-	-	-	-	-	81
High sens/mod normal range	9	0.8 - 1.2	C 0.996	0.025	-	-	-	-	-	-	-	-	-	-	-	-	20
<b>Total Population</b>																	
Whole Population	10	0.13 - 2.3	S 1.215	0.361	-	-	-	-	-	-	-	-	-	-	-	-	116

#### Normal Mean (GMNPT)

##### Initial Grouping byReagent and Instrument

Siemens Innovin & Siemens/Sysmex CA series	1	8.3 - 12.3	C 10.26	0.29	-	-	-	-	-	-	-	-	-	-	-	-	16
--	---	------------	---------	------	---	---	---	---	---	---	---	---	---	---	---	---	----

##### Initial Grouping byReagent

Diag Stago STA-Neopl CI+	2	10.9 - 14.9	C 12.88	0.31	-	-	-	-	-	-	-	-	-	-	-	-	4
Siemens Innovin	3	8.3 - 12.3	C 10.26	0.28	-	-	-	-	-	-	-	-	-	-	-	-	18

##### Initial Grouping bySensitivityor Principle

High sens/wide normal range	4	9.2 - 15.2	S 12.2	1.01	-	-	-	-	-	-	-	-	-	-	-	-	6
Low sens/high normal range	5	9.7 - 13.7	C 11.65	0.21	-	-	-	-	-	-	-	-	-	-	-	-	4
Other	6	8.2 - 13.8	S 10.99	0.93	-	-	-	-	-	-	-	-	-	-	-	-	70
High sens/mod normal range	7	8.3 - 12.3	C 10.26	0.28	-	-	-	-	-	-	-	-	-	-	-	-	18
<b>Total Population</b>																	
Whole Population	8	8.1 - 13.9	S 10.98	0.96	-	-	-	-	-	-	-	-	-	-	-	-	99

#### Activated Partial Thromboplastin Time, Seconds

##### Initial Grouping byReagent and Instrument

Diag Stago STA-PTT-A & Dia Stago STA Compact, CT	1	38.4 - 51.9	P 45.16	0.41	46.6 - 63.0	P 54.78	1.48	25.6 - 34.7	P 30.14	0.42	31.5 - 42.6	P 37.02	2.19	24.6 - 33.2	P 28.9	0.63	5
Diag Stago STA-PTT-A & Diagn Stago STA Satellite	2	40.5 - 54.8	P 47.67	2.75	50.6 - 68.5	P 59.57	3.64	27.4 - 37.0	P 32.18	1.7	33.2 - 45.0	P 39.1	1.8	25.0 - 33.9	P 29.47	2.22	6
HemosIL APTT-SP & IL ACL Elite,E.Pro, 8-10000	3	38.0 - 51.4	P 44.73	3.05	48.4 - 65.4	P 56.9	3.76	25.2 - 34.1	P 29.67	1.98	32.7 - 44.2	P 38.45	1.98	26.7 - 36.1	P 31.38	1.67	11
HemosIL APTT-SP & IL ACL series 100 - 7000	4	36.6 - 49.5	P 43.06	1.77	45.5 - 61.5	P 53.51	3.84	24.5 - 33.2	P 28.86	1.36	31.2 - 42.2	P 36.73	1.27	25.2 - 34.1	P 29.67	1.36	23
HemosIL SynthASil w/CaCl2 & IL ACL Elite,E.Pro, 8-10000	5	36.6 - 49.5	P 43.07	1.0	39.7 - 53.7	P 46.71	3.39	35.0 - 47.4	P 41.18	1.92	31.9 - 43.2	P 37.56	1.19	25.0 - 33.9	P 29.46	0.94	17
HemosIL SynthASil w/CaCl2 & IL ACL TOP	6	40.2 - 54.3	P 47.24	2.17	39.6 - 53.6	P 46.61	4.66	38.9 - 52.6	P 45.78	1.65	34.3 - 46.4	P 40.36	1.46	26.7 - 36.1	P 31.36	0.93	7
Siemens Actin Activated & Siemens/Sysmex CA series	7	36.7 - 49.6	P 43.12	5.63	43.8 - 59.3	P 51.57	5.65	19.0 - 25.7	P 22.38	1.65	31.3 - 42.4	P 36.88	4.51	22.8 - 30.8	P 26.8	2.25	6
Siemens Actin FS & Siemens/Sysmex CA series	8	34.2 - 46.3	P 40.28	3.22	39.1 - 52.9	P 46.03	4.67	22.0 - 29.8	P 25.88	4.68	27.7 - 37.5	P 32.6	3.8	21.2 - 28.7	P 24.96	0.84	5
Siemens FSL Activated & Siemens/Sysmex CA series	9	32.7 - 44.3	P 38.51	1.14	41.4 - 56.0	P 48.68	4.71	20.2 - 27.3	P 23.72	0.43	28.2 - 38.1	P 33.12	0.92	20.9 - 28.2	P 24.55	0.67	75

##### Initial Grouping byReagent

Diag Stago STA-PTT-A	10	39.8 - 53.8	P 46.77	2.56	49.5 - 66.9	P 58.18	4.97	26.6 - 35.9	P 31.25	1.82	32.3 - 43.7	P 37.98	2.23	25.0 - 33.8	P 29.37	1.95	13
HemosIL APTT-SP	11	37.0 - 50.1	P 43.53	2.48	46.3 - 62.6	P 54.47	4.57	24.8 - 33.5	P 29.16	1.6	31.7 - 42.9	P 37.34	1.78	25.7 - 34.8	P 30.29	1.67	36
HemosIL SynthASil w/CaCl2	12	37.2 - 50.3	P 43.73	3.09	39.6 - 53.5	P 46.56	4.19	35.4 - 47.9	P 41.65	3.73	32.4 - 43.8	P 38.07	2.07	25.2 - 34.0	P 29.6	2.09	26

Siemens Actin Activated	13	35.9 - 48.6	P 42.28	5.47	45.6 - 61.7	P 53.68	6.11	19.2 - 25.9	P 22.53	1.56	30.8 - 41.7	P 36.23	4.37	22.5 - 30.4	P 26.43	2.27	7
Siemens Actin FS	14	33.3 - 45.0	P 39.15	3.87	39.8 - 53.9	P 46.88	4.51	21.7 - 29.3	P 25.47	4.37	27.6 - 37.3	P 32.43	3.49	21.1 - 28.5	P 24.78	0.86	6
Siemens FSL Activated	15	32.7 - 44.3	P 38.51	1.11	41.7 - 56.4	P 49.04	4.73	20.1 - 27.2	P 23.69	0.43	28.1 - 38.1	P 33.11	0.89	20.9 - 28.2	P 24.53	0.66	81
<b>Initial Grouping bySensitivity or Principle</b>																	
Very high sensvty reagents	16	39.8 - 53.8	P 46.77	2.56	49.5 - 66.9	P 58.18	4.97	26.6 - 35.9	P 31.25	1.82	32.3 - 43.7	P 37.98	2.23	25.0 - 33.8	P 29.37	1.95	13
High sensitivity reagents	17	36.4 - 49.3	P 42.87	3.06	45.6 - 61.8	P 53.7	5.15	24.2 - 32.7	P 28.46	2.63	31.2 - 42.1	P 36.65	2.66	25.1 - 34.0	P 29.53	2.44	44
All other methods	18	36.9 - 50.0	P 43.46	3.7	40.4 - 54.6	P 47.51	5.1	31.9 - 43.1	P 37.47	8.6	32.1 - 43.4	P 37.72	2.75	24.6 - 33.3	P 28.93	2.49	33
Moderate sensivty reagents	19	32.8 - 44.3	P 38.55	1.22	41.8 - 56.6	P 49.2	4.85	20.3 - 27.5	P 23.87	1.76	28.1 - 38.0	P 33.08	0.96	20.9 - 28.3	P 24.62	1.1	83
<b>Total Population</b>																	
Whole Population	20	35.1 - 47.5	P 41.33	3.87	43.5 - 58.8	P 51.15	8.69	24.1 - 32.6	P 28.34	6.77	30.1 - 40.7	P 35.4	3.12	23.0 - 31.1	P 27.06	3.03	177

## Fibrinogen

### Initial Grouping byReagent and Instrument

HemosIL PT-Fibrinogen & IL ACL series 100 - 7000	1	295 - 443	P 368.8	15.0	111 - 166	P 138.3	8.1	230 - 346	P 288.0	9.4	267 - 401	P 334.0	18.3	240 - 359	P 299.5	10.6	4
HemosIL RecombiPlasTin 2G & IL ACL Elite,E.Pro, 8-10000	2	261 - 391	P 326.0	4.5	94 - 141	P 117.3	8.1	185 - 278	P 231.7	11.1	241 - 362	P 301.3	4.6	196 - 294	P 245.0	20.1	3
Siemens thrombin & Siemens/Sysmex CA series	3	207 - 310	P 258.6	15.0	90 - 134	P 112.0	6.1	296 - 445	P 370.5	13.3	205 - 308	P 256.6	12.7	211 - 316	P 263.3	15.0	7
<b>Initial Grouping byReagent</b>																	
Diag Stago STA-Fibrinogen	4	204 - 306	P 255.3	13.1	78 - 117	P 97.8	4.3	335 - 503	P 419.3	15.8	195 - 292	P 243.3	24.4	200 - 300	P 250.3	29.9	4
HemosIL PT-Fibrinogen	5	278 - 417	P 347.5	35.3	99 - 149	P 124.2	21.6	219 - 329	P 274.3	21.9	257 - 385	P 320.7	24.7	230 - 345	P 287.3	19.7	6
HemosIL RecombiPlasTin 2G	6	261 - 391	P 326.0	4.5	94 - 141	P 117.3	8.1	185 - 278	P 231.7	11.1	241 - 362	P 301.3	4.6	196 - 294	P 245.0	20.1	3
Siemens thrombin	7	206 - 309	P 257.5	14.3	88 - 132	P 110.2	6.9	295 - 443	P 369.0	12.8	204 - 306	P 255.0	12.6	210 - 315	P 262.6	14.2	8
<b>Initial Grouping bySensitivity or Principle</b>																	
Siemens series	8	205 - 308	P 256.8	14.0	84 - 126	P 105.2	8.6	310 - 465	P 387.3	27.9	201 - 301	P 251.1	18.3	207 - 310	P 258.5	21.6	12
Moderate recovery methods	9	272 - 408	P 340.3	30.7	98 - 146	P 121.9	18.5	208 - 312	P 260.1	27.7	251 - 377	P 314.2	22.3	219 - 328	P 273.2	28.1	9
<b>Total Population</b>																	
Whole Population	10	234 - 352	P 293.0	46.1	98 - 147	P 122.3	51.4	267 - 401	P 333.8	81.9	224 - 337	P 280.5	37.8	214 - 321	P 267.4	27.7	22