



Hematology With Diff A

Name	Line No.	Specimen 1			Specimen 2			Specimen 3			Specimen 4			Specimen 5			No. of Labs
		Range & Type	Mean	SD	Range & Type	Mean	SD	Range & Type	Mean	SD	Range & Type	Mean	SD	Range & Type	Mean	SD	
Leukocytes - Module A																	
Initial Grouping by Reagent																	
Abbott Cell-Dyn Emerald	1	16.6 - 22.5	P 19.53	0.54	6.6 - 8.9	P 7.75	0.24	1.8 - 2.4	P 2.07	0.11	16.6 - 22.5	P 19.53	0.61	1.8 - 2.4	P 2.09	0.1	87
Horiba ABX Micros	2	17.3 - 23.5	P 20.41	0.5	6.6 - 8.9	P 7.73	0.21	1.7 - 2.2	P 1.95	0.07	17.3 - 23.4	P 20.32	0.46	1.7 - 2.3	P 1.96	0.08	96
Abbott Cell-Dyn 1800 ser	3	16.8 - 22.8	P 19.79	0.59	6.4 - 8.6	P 7.48	0.24	1.6 - 2.1	P 1.86	0.09	16.8 - 22.7	P 19.77	0.89	1.6 - 2.2	P 1.89	0.1	41
Coulter Ac*T Diff 2	4	18.2 - 24.6	P 21.37	0.76	7.0 - 9.5	P 8.23	0.32	1.9 - 2.5	P 2.21	0.15	18.2 - 24.6	P 21.38	0.55	1.9 - 2.6	P 2.23	0.16	104
Medonic M-Series	5	17.4 - 23.5	P 20.44	0.52	6.4 - 8.7	P 7.56	0.24	1.5 - 2.1	P 1.81	0.07	17.4 - 23.5	P 20.47	0.48	1.5 - 2.1	P 1.82	0.08	64
Coulter Ac*T diff	6	18.1 - 24.6	P 21.35	0.63	6.9 - 9.4	P 8.17	0.26	1.8 - 2.4	P 2.11	0.08	18.2 - 24.6	P 21.4	0.56	1.8 - 2.5	P 2.14	0.09	40
Abbott Cell-Dyn 1700/2000	7	18.5 - 25.1	P 21.8	0.84	7.3 - 9.9	P 8.58	0.41	1.9 - 2.5	P 2.2	0.11	18.5 - 25.1	P 21.82	0.92	1.9 - 2.6	P 2.23	0.12	44
Abbott Cell-Dyn 1600	8	18.4 - 24.9	P 21.68	1.12	7.2 - 9.8	P 8.48	0.28	2.2 - 2.9	P 2.55	0.07	18.5 - 25.0	P 21.72	1.05	2.2 - 2.9	P 2.55	0.07	10
Drew D3	9	16.8 - 22.7	P 19.76	0.86	6.6 - 8.9	P 7.76	0.38	1.8 - 2.4	P 2.06	0.09	16.7 - 22.6	P 19.61	0.88	1.8 - 2.4	P 2.06	0.11	16
Coulter JR/JS/JT	10	18.3 - 24.8	P 21.58	0.86	6.9 - 9.3	P 8.09	0.28	1.7 - 2.3	P 1.99	0.11	18.2 - 24.6	P 21.41	0.92	1.8 - 2.4	P 2.08	0.12	14
Initial Grouping by Sensitivity or Principle																	
Hor ABX 3 part non 8-9000	11	17.3 - 23.5	P 20.41	0.5	6.6 - 8.9	P 7.73	0.21	1.7 - 2.2	P 1.95	0.07	17.3 - 23.4	P 20.32	0.46	1.7 - 2.3	P 1.96	0.08	96
Abbott Cell-Dyn other imped	12	17.8 - 24.1	P 20.94	1.26	6.9 - 9.3	P 8.1	0.63	1.8 - 2.4	P 2.1	0.25	17.8 - 24.1	P 20.93	1.37	1.8 - 2.4	P 2.12	0.24	95
Coulter/Nova impedance only	13	18.2 - 24.6	P 21.39	0.75	7.0 - 9.4	P 8.2	0.31	1.8 - 2.5	P 2.16	0.15	18.2 - 24.6	P 21.39	0.6	1.9 - 2.5	P 2.19	0.15	162
Other automated diff-based	14	17.4 - 23.6	P 20.48	0.56	6.4 - 8.7	P 7.56	0.25	1.5 - 2.1	P 1.81	0.07	17.4 - 23.5	P 20.47	0.5	1.5 - 2.1	P 1.82	0.09	73
Danam/Infolab DC/EXCELL	15	16.8 - 22.8	P 19.82	0.83	6.6 - 9.0	P 7.79	0.37	1.8 - 2.4	P 2.06	0.09	16.7 - 22.6	P 19.67	0.86	1.8 - 2.4	P 2.06	0.1	19
Total Population																	
Whole Population	16	17.6 - 23.7	P 20.65	1.02	6.7 - 9.1	P 7.92	0.44	1.7 - 2.3	P 2.04	0.2	17.5 - 23.7	P 20.62	1.02	1.8 - 2.4	P 2.06	0.2	534
Erythrocytes - Module A																	
Initial Grouping by Reagent																	
Abbott Cell-Dyn Emerald	1	5.11 - 5.76	P 5.438	0.175	4.16 - 4.69	P 4.421	0.125	2.1 - 2.36	P 2.231	0.073	5.12 - 5.77	P 5.447	0.163	2.1 - 2.37	P 2.237	0.063	86
Horiba ABX Micros	2	5.34 - 6.02	P 5.678	0.135	4.28 - 4.82	P 4.551	0.107	2.12 - 2.39	P 2.256	0.051	5.32 - 6.0	P 5.656	0.128	2.11 - 2.38	P 2.248	0.051	96
Abbott Cell-Dyn 1800 ser	3	5.16 - 5.82	P 5.491	0.119	4.24 - 4.78	P 4.506	0.087	2.19 - 2.47	P 2.328	0.066	5.14 - 5.79	P 5.464	0.174	2.21 - 2.49	P 2.347	0.082	42
Coulter Ac*T Diff 2	4	5.37 - 6.05	P 5.711	0.143	4.36 - 4.91	P 4.635	0.12	2.18 - 2.45	P 2.315	0.061	5.35 - 6.03	P 5.693	0.141	2.18 - 2.46	P 2.324	0.054	103
Medonic M-Series	5	5.48 - 6.18	P 5.832	0.092	4.39 - 4.94	P 4.665	0.068	2.16 - 2.43	P 2.296	0.038	5.48 - 6.18	P 5.829	0.087	2.15 - 2.43	P 2.29	0.04	64
Coulter Ac*T diff	6	5.43 - 6.12	P 5.776	0.173	4.39 - 4.95	P 4.673	0.138	2.19 - 2.47	P 2.328	0.059	5.44 - 6.13	P 5.783	0.134	2.18 - 2.46	P 2.324	0.06	39
Abbott Cell-Dyn 1700/2000	7	5.3 - 5.97	P 5.636	0.143	4.32 - 4.88	P 4.6	0.117	2.19 - 2.47	P 2.332	0.055	5.32 - 6.0	P 5.656	0.134	2.18 - 2.46	P 2.324	0.066	44
Abbott Cell-Dyn 1600	8	5.31 - 5.98	P 5.645	0.121	4.37 - 4.92	P 4.644	0.112	2.21 - 2.49	P 2.35	0.072	5.34 - 6.02	P 5.682	0.134	2.21 - 2.49	P 2.351	0.084	10
Drew D3	9	5.3 - 5.98	P 5.641	0.166	4.27 - 4.82	P 4.544	0.16	2.16 - 2.44	P 2.299	0.087	5.23 - 5.9	P 5.569	0.227	2.18 - 2.46	P 2.321	0.052	16
Coulter JR/JS/JT	10	5.4 - 6.09	P 5.745	0.144	4.37 - 4.92	P 4.646	0.085	2.16 - 2.43	P 2.297	0.049	5.37 - 6.05	P 5.71	0.166	2.16 - 2.43	P 2.295	0.048	13
Initial Grouping by Sensitivity or Principle																	
Hor ABX 3 part non 8-9000	11	5.34 - 6.02	P 5.678	0.135	4.28 - 4.82	P 4.551	0.107	2.12 - 2.39	P 2.256	0.051	5.32 - 6.0	P 5.656	0.128	2.11 - 2.38	P 2.248	0.051	96
Abbott Cell-Dyn other imped	12	5.24 - 5.91	P 5.575	0.149	4.29 - 4.84	P 4.564	0.117	2.19 - 2.47	P 2.332	0.062	5.24 - 5.91	P 5.574	0.182	2.2 - 2.48	P 2.337	0.076	96
Coulter/Nova impedance only	13	5.39 - 6.08	P 5.734	0.156	4.37 - 4.93	P 4.648	0.124	2.18 - 2.46	P 2.317	0.06	5.37 - 6.06	P 5.718	0.145	2.18 - 2.46	P 2.322	0.056	158
Other automated diff-based	14	5.47 - 6.17	P 5.822	0.102	4.37 - 4.93	P 4.65	0.1	2.15 - 2.43	P 2.292	0.042	5.47 - 6.17	P 5.818	0.095	2.15 - 2.43	P 2.288	0.042	73
Danam/Infolab DC/EXCELL	15	5.3 - 5.97	P 5.636	0.154	4.28 - 4.83	P 4.553	0.149	2.16 - 2.44	P 2.301	0.081	5.24 - 5.91	P 5.579	0.212	2.18 - 2.46	P 2.322	0.051	19
Total Population																	
Whole Population	16	5.32 - 6.0	P 5.656	0.191	4.3 - 4.85	P 4.575	0.142	2.15 - 2.43	P 2.291	0.07	5.31 - 5.98	P 5.646	0.189	2.16 - 2.43	P 2.293	0.07	531
Hemoglobin - Module A																	
Initial Grouping by Reagent																	
Abbott Cell-Dyn Emerald	1	16.9 - 19.4	P 18.13	0.32	12.5 - 14.4	P 13.42	0.23	5.5 - 6.3	P 5.91	0.14	16.9 - 19.5	P 18.18	0.33	5.5 - 6.4	P 5.94	0.13	88
Horiba ABX Micros	2	16.8 - 19.4	P 18.11	0.34	12.5 - 14.4	P 13.43	0.26	5.6 - 6.4	P 5.98	0.13	16.8 - 19.4	P 18.11	0.32	5.6 - 6.4	P 6.0	0.11	97
Abbott Cell-Dyn 1800 ser	3	17.2 - 19.7	P 18.45	0.37	12.7 - 14.6	P 13.64	0.26	5.7 - 6.5	P 6.09	0.16	17.2 - 19.8	P 18.52	0.42	5.7 - 6.6	P 6.13	0.21	42
Coulter Ac*T Diff 2	4	16.9 - 19.4	P 18.15	0.41	12.5 - 14.4	P 13.46	0.27	5.5 - 6.4	P 5.96	0.15	16.9 - 19.5	P 18.2	0.35	5.6 - 6.4	P 5.97	0.15	104
Medonic M-Series	5	16.9 - 19.5	P 18.22	0.26	12.5 - 14.3	P 13.4	0.17	5.6 - 6.4	P 6.0	0.08	17.0 - 19.5	P 18.24	0.22	5.6 - 6.4	P 6.0	0.09	64

Coulter Ac*T diff	6	16.9 - 19.5	P 18.19	0.43	12.5 - 14.4	P 13.48	0.35	5.5 - 6.4	P 5.96	0.12	17.0 - 19.6	P 18.32	0.4	5.5 - 6.4	P 5.96	0.14	40
Abbott Cell-Dyn 1700/2000	7	17.0 - 19.5	P 18.25	0.44	12.6 - 14.5	P 13.58	0.32	5.7 - 6.6	P 6.18	0.2	17.0 - 19.6	P 18.31	0.35	5.8 - 6.6	P 6.2	0.18	44
Abbott Cell-Dyn 1600	8	17.0 - 19.5	P 18.27	0.45	12.7 - 14.6	P 13.64	0.3	5.8 - 6.7	P 6.23	0.25	17.2 - 19.8	P 18.53	0.52	5.8 - 6.6	P 6.21	0.27	10
Drew D3	9	16.9 - 19.4	P 18.14	0.5	12.5 - 14.3	P 13.41	0.32	5.5 - 6.3	P 5.88	0.17	16.8 - 19.3	P 18.07	0.63	5.5 - 6.3	P 5.91	0.17	16
Coulter JR/JS/JT	10	16.9 - 19.5	P 18.18	0.48	12.5 - 14.4	P 13.47	0.14	5.3 - 6.2	P 5.75	0.14	17.0 - 19.5	P 18.24	0.31	5.3 - 6.2	P 5.75	0.16	13
Initial Grouping bySensitivityor Principle																	
Hor ABX 3 part non 8-9000	11	16.8 - 19.4	P 18.11	0.34	12.5 - 14.4	P 13.43	0.26	5.6 - 6.4	P 5.98	0.13	16.8 - 19.4	P 18.11	0.32	5.6 - 6.4	P 6.0	0.11	97
Abbott Cell-Dyn other imped	12	17.1 - 19.6	P 18.34	0.42	12.7 - 14.6	P 13.61	0.3	5.7 - 6.6	P 6.14	0.2	17.1 - 19.7	P 18.42	0.42	5.7 - 6.6	P 6.17	0.21	96
Coulter/Nova impedance only	13	16.9 - 19.4	P 18.16	0.43	12.5 - 14.4	P 13.47	0.29	5.5 - 6.4	P 5.95	0.15	17.0 - 19.5	P 18.24	0.37	5.5 - 6.4	P 5.95	0.16	160
Other automated diff-based	14	16.9 - 19.5	P 18.2	0.28	12.4 - 14.3	P 13.37	0.18	5.6 - 6.4	P 5.99	0.09	16.9 - 19.5	P 18.2	0.26	5.6 - 6.4	P 5.99	0.09	73
Danam/Infolab DC/EXCELL	15	16.9 - 19.4	P 18.15	0.46	12.5 - 14.4	P 13.43	0.3	5.5 - 6.3	P 5.91	0.17	16.8 - 19.4	P 18.11	0.59	5.5 - 6.4	P 5.94	0.18	19
Total Population																	
Whole Population	16	16.9 - 19.5	P 18.18	0.39	12.5 - 14.4	P 13.46	0.27	5.6 - 6.4	P 5.99	0.17	17.0 - 19.5	P 18.23	0.37	5.6 - 6.4	P 6.0	0.17	535

Hematocrit - Module A

Initial Grouping byReagent																	
Abbott Cell-Dyn Emerald	1	49.5 - 55.8	P 52.66	1.84	36.9 - 41.6	P 39.25	1.11	16.7 - 18.8	P 17.76	0.59	49.6 - 55.9	P 52.74	1.56	16.8 - 18.9	P 17.82	0.51	87
Horiba ABX Micros	2	47.5 - 53.6	P 50.53	1.27	34.7 - 39.1	P 36.89	0.89	15.0 - 16.9	P 15.93	0.39	47.2 - 53.2	P 50.21	1.29	14.9 - 16.8	P 15.89	0.38	96
Abbott Cell-Dyn 1800 ser	3	49.3 - 55.6	P 52.44	1.53	36.8 - 41.5	P 39.12	1.26	16.8 - 18.9	P 17.83	0.65	48.9 - 55.2	P 52.05	1.98	16.9 - 19.0	P 17.94	0.78	42
Coulter Ac*T Diff 2	4	48.7 - 55.0	P 51.84	1.45	36.3 - 40.9	P 38.58	1.01	16.3 - 18.3	P 17.31	0.5	48.5 - 54.7	P 51.6	1.43	16.3 - 18.4	P 17.36	0.51	103
Medonic M-Series	5	48.8 - 55.0	P 51.93	1.16	34.9 - 39.3	P 37.08	0.77	15.2 - 17.2	P 16.19	0.34	48.7 - 54.9	P 51.78	1.14	15.2 - 17.2	P 16.2	0.32	64
Coulter Ac*T diff	6	49.3 - 55.6	P 52.45	1.38	36.6 - 41.3	P 38.95	1.13	16.4 - 18.5	P 17.43	0.46	49.4 - 55.7	P 52.52	1.24	16.4 - 18.5	P 17.43	0.49	40
Abbott Cell-Dyn 1700/2000	7	49.1 - 55.4	P 52.26	1.28	36.7 - 41.4	P 39.05	1.06	16.5 - 18.6	P 17.55	0.56	49.3 - 55.6	P 52.49	1.35	16.4 - 18.5	P 17.47	0.54	44
Abbott Cell-Dyn 1600	8	48.3 - 54.5	P 51.42	1.43	36.9 - 41.6	P 39.21	1.39	16.5 - 18.6	P 17.5	0.51	48.9 - 55.2	P 52.03	1.48	16.4 - 18.5	P 17.48	0.66	10
Drew D3	9	49.8 - 56.2	P 53.0	1.45	37.0 - 41.8	P 39.41	0.9	16.9 - 19.0	P 17.94	0.7	49.1 - 55.3	P 52.21	2.16	17.0 - 19.2	P 18.09	0.31	16
Coulter JR/JS/JT	10	48.6 - 54.8	P 51.71	1.34	35.9 - 40.5	P 38.24	0.68	16.1 - 18.1	P 17.09	0.31	48.5 - 54.6	P 51.55	1.53	16.0 - 18.1	P 17.06	0.34	13
Initial Grouping bySensitivityor Principle																	
Hor ABX 3 part non 8-9000	11	47.5 - 53.6	P 50.53	1.27	34.7 - 39.1	P 36.89	0.89	15.0 - 16.9	P 15.93	0.39	47.2 - 53.2	P 50.21	1.29	14.9 - 16.8	P 15.89	0.38	96
Abbott Cell-Dyn other imped	12	49.1 - 55.4	P 52.25	1.44	36.8 - 41.4	P 39.1	1.19	16.6 - 18.7	P 17.67	0.61	49.1 - 55.4	P 52.25	1.68	16.6 - 18.7	P 17.68	0.7	96
Coulter/Nova impedance only	13	48.9 - 55.1	P 52.02	1.47	36.3 - 41.0	P 38.66	1.04	16.3 - 18.4	P 17.33	0.48	48.7 - 55.0	P 51.84	1.44	16.3 - 18.4	P 17.36	0.5	159
Other automated diff-based	14	48.7 - 55.0	P 51.86	1.3	34.8 - 39.2	P 37.0	0.83	15.2 - 17.1	P 16.17	0.38	48.6 - 54.8	P 51.68	1.32	15.2 - 17.2	P 16.19	0.33	71
Danam/Infolab DC/EXCELL	15	49.7 - 56.1	P 52.92	1.37	37.0 - 41.8	P 39.41	0.83	16.8 - 19.0	P 17.9	0.65	49.2 - 55.4	P 52.29	2.02	17.0 - 19.1	P 18.06	0.34	19
Total Population																	
Whole Population	16	48.8 - 55.0	P 51.91	1.63	36.0 - 40.6	P 38.32	1.41	16.0 - 18.1	P 17.07	0.89	48.7 - 54.9	P 51.77	1.7	16.1 - 18.1	P 17.09	0.91	532

Platelets - Module A

Initial Grouping byReagent																	
Abbott Cell-Dyn Emerald	1	376 - 627	P 501.6	32.3	195 - 325	P 260.0	18.1	57 - 96	P 76.4	13.4	375 - 626	P 500.6	32.8	58 - 97	P 77.4	14.9	88
Horiba ABX Micros	2	382 - 638	P 510.0	19.0	197 - 329	P 263.1	13.7	59 - 98	P 78.6	7.3	382 - 637	P 509.7	22.7	58 - 97	P 77.8	7.3	96
Abbott Cell-Dyn 1800 ser	3	411 - 686	P 548.5	27.3	197 - 329	P 263.0	12.7	52 - 87	P 69.7	3.9	409 - 681	P 545.2	30.9	52 - 87	P 69.8	3.8	42
Coulter Ac*T Diff 2	4	398 - 664	P 530.8	25.3	198 - 329	P 263.4	13.8	54 - 90	P 72.3	5.2	391 - 651	P 520.7	67.4	55 - 91	P 72.8	5.8	104
Medonic M-Series	5	354 - 590	P 471.9	20.5	175 - 292	P 233.7	9.9	49 - 82	P 65.5	4.1	354 - 589	P 471.5	18.8	48 - 80	P 64.2	3.7	64
Coulter Ac*T diff	6	402 - 669	P 535.4	24.5	196 - 327	P 261.7	16.5	53 - 88	P 70.7	4.6	404 - 673	P 538.5	24.8	53 - 89	P 71.2	5.7	39
Abbott Cell-Dyn 1700/2000	7	417 - 695	P 555.9	39.6	198 - 330	P 264.3	23.4	50 - 83	P 66.1	6.0	418 - 697	P 557.5	39.0	49 - 83	P 66.0	5.3	44
Abbott Cell-Dyn 1600	8	422 - 703	P 562.5	25.3	211 - 352	P 281.3	12.4	54 - 91	P 72.6	5.7	434 - 723	P 578.7	25.5	55 - 91	P 72.9	4.8	10
Drew D3	9	381 - 635	P 508.1	31.1	198 - 329	P 263.6	16.9	58 - 96	P 77.0	9.0	387 - 646	P 516.4	28.0	58 - 97	P 77.6	10.4	16
Coulter JR/JS/JT	10	405 - 674	P 539.4	18.3	199 - 332	P 265.6	12.9	55 - 92	P 73.4	3.8	397 - 662	P 529.9	20.0	54 - 90	P 71.9	3.2	14
Initial Grouping bySensitivityor Principle																	
Hor ABX 3 part non 8-9000	11	382 - 638	P 510.0	19.0	197 - 329	P 263.1	13.7	59 - 98	P 78.6	7.3	382 - 637	P 509.7	22.7	58 - 97	P 77.8	7.3	96
Abbott Cell-Dyn other imped	12	415 - 692	P 553.3	33.6	199 - 332	P 265.6	19.2	51 - 85	P 68.4	5.7	416 - 693	P 554.3	35.8	51 - 85	P 68.4	5.2	96
Coulter/Nova impedance only	13	400 - 666	P 533.0	24.8	197 - 329	P 263.3	14.4	54 - 90	P 72.0	5.0	394 - 657	P 525.9	56.6	54 - 90	P 72.3	5.6	160
Other automated diff-based	14	355 - 591	P 472.9	20.9	176 - 293	P 234.1	10.4	49 - 82	P 65.5	4.2	353 - 589	P 471.3	19.0	48 - 80	P 64.4	4.5	73
Danam/Infolab DC/EXCELL	15	379 - 632	P 505.5	31.2	195 - 325	P 260.2	17.6	56 - 94	P 75.2	9.7	384 - 641	P 512.6	30.0	57 - 95	P 76.0	10.7	19
Total Population																	
Whole Population	16	389 - 648	P 518.1	36.9	194 - 324	P 259.1	18.5	54 - 91	P 72.4	8.8	387 - 645	P 516.0	46.4	54 - 91	P 72.4	9.4	534

Lymphocyte % - Module A

Initial Grouping byReagent																	
Abbott Cell-Dyn Emerald	1	10.9 - 16.8	S 13.87	0.98	26.4 - 32.6	S 29.52	1.03	48.8 - 61.4	S 55.1	2.09	10.8 - 17.0	S 13.91	1.03	49.0 - 60.0	S 54.51	1.82	86
Horiba ABX Micros	2	8.5 - 14.5	S 11.53	1.0	17.6 - 31.4	S 24.49	2.3	31.2 - 58.9	S 45.08	4.62	8.5 - 14.5	S 11.47	1.0	31.1 - 58.8	S 44.95	4.61	95
Coulter Ac*T Diff 2	3	12.6 - 15.7	S 14.13	0.52	29.9 - 35.2	S 32.52	0.88	57.6 - 67.2	S 62.4	1.61	12.6 - 15.8	S 14.21	0.53	57.4 - 67.1	S 62.25	1.62	101

Medonic M-Series	4	13.1 - 16.3	S 14.7	0.54	29.8 - 36.2	S 33.0	1.07	55.5 - 67.7	S 61.63	2.03	13.1 - 16.6	S 14.87	0.58	54.4 - 67.1	S 60.74	2.11	63
Coulter Ac*T diff	5	13.2 - 15.5	S 14.34	0.39	29.9 - 35.7	S 32.78	0.97	57.7 - 67.0	S 62.33	1.54	13.4 - 15.3	S 14.38	0.32	57.3 - 67.1	S 62.21	1.64	40
Abbott Cell-Dyn 1800 ser	6	9.1 - 12.1	S 10.62	0.51	20.8 - 28.5	S 24.62	1.28	40.1 - 54.2	S 47.13	2.35	9.0 - 12.4	S 10.73	0.57	39.4 - 53.7	S 46.55	2.4	39
Abbott Cell-Dyn 1700/2000	7	10.0 - 14.1	S 12.09	0.68	24.0 - 33.0	S 28.5	1.52	46.1 - 62.6	S 54.34	2.75	9.7 - 15.0	S 12.35	0.89	44.1 - 63.0	S 53.56	3.16	43
Drew D3	8	11.0 - 16.9	S 13.92	0.98	25.9 - 34.4	S 30.18	1.41	50.4 - 64.4	S 57.38	2.33	11.4 - 16.2	S 13.77	0.79	49.1 - 66.1	S 57.6	2.84	16
Coulter JR/JS/JT	9	12.0 - 16.5	S 14.23	0.75	28.6 - 37.3	S 32.95	1.43	58.0 - 67.0	S 62.49	1.51	10.9 - 17.1	S 14.01	1.04	57.1 - 67.5	S 62.26	1.73	12
Initial Grouping bySensitivityor Principle																	
Hor ABX 3 part non 8-9000	10	8.5 - 14.5	S 11.53	1.0	17.6 - 31.4	S 24.49	2.3	31.2 - 58.9	S 45.08	4.62	8.5 - 14.5	S 11.47	1.0	31.1 - 58.8	S 44.95	4.61	95
Coulter/Nova impedance only	11	12.3 - 16.0	S 14.17	0.62	29.2 - 35.9	S 32.56	1.12	56.5 - 68.1	S 62.27	1.94	12.3 - 16.1	S 14.21	0.64	56.5 - 67.8	S 62.15	1.88	156
Other automated diff-based	12	12.8 - 16.7	S 14.76	0.64	29.9 - 36.3	S 33.12	1.06	55.5 - 67.9	S 61.73	2.06	13.1 - 16.8	S 14.94	0.63	54.7 - 67.0	S 60.85	2.04	72
Abbott Cell-Dyn other imped	13	8.5 - 14.4	S 11.42	0.98	19.6 - 33.7	S 26.66	2.34	38.0 - 64.0	S 51.01	4.34	8.4 - 14.8	S 11.59	1.08	37.2 - 63.5	S 50.34	4.39	89
Danam/Infolab DC/EXCELL	14	10.0 - 18.7	S 14.39	1.45	24.7 - 37.1	S 30.87	2.07	50.2 - 65.8	S 57.97	2.6	10.0 - 18.5	S 14.27	1.41	49.4 - 66.8	S 58.14	2.9	19
Total Population																	
Whole Population	15	8.4 - 18.1	S 13.24	1.61	18.5 - 40.6	S 29.56	3.69	33.9 - 77.5	S 55.72	7.27	8.4 - 18.2	S 13.3	1.64	33.5 - 77.1	S 55.3	7.27	521

Md/Mid/Mixed/Monocyte/Other % - Module A

Initial Grouping byReagent																	
Abbott Cell-Dyn Emerald	1	1.9 - 3.4	S 2.65	0.24	4.0 - 8.3	S 6.17	0.71	6.7 - 15.9	S 11.3	1.52	1.9 - 3.4	S 2.66	0.25	6.6 - 16.1	S 11.35	1.57	85
Horiba ABX Micros	2	3.0 - 4.9	S 3.94	0.32	6.1 - 13.7	S 9.9	1.28	11.3 - 29.3	S 20.32	3.0	2.9 - 5.1	S 4.0	0.37	11.1 - 29.8	S 20.48	3.11	93
Coulter Ac*T Diff 2	3	2.9 - 5.3	S 4.08	0.4	4.6 - 8.7	S 6.64	0.69	2.3 - 10.5	S 6.39	1.36	2.9 - 5.2	S 4.05	0.4	3.2 - 9.8	S 6.49	1.09	98
Medonic M-Series	4	3.7 - 6.8	S 5.25	0.53	4.9 - 9.3	S 7.11	0.72	3.8 - 14.9	S 9.35	1.84	3.6 - 6.8	S 5.2	0.53	3.2 - 15.3	S 9.25	2.03	64
Coulter Ac*T diff	5	3.0 - 5.1	S 4.03	0.34	4.7 - 8.6	S 6.65	0.66	3.8 - 9.4	S 6.61	0.92	3.0 - 5.2	S 4.08	0.36	2.6 - 10.3	S 6.47	1.29	40
Abbott Cell-Dyn 1800 ser	6	5.2 - 7.4	S 6.28	0.36	10.3 - 14.5	S 12.41	0.71	13.5 - 24.8	S 19.15	1.89	5.2 - 7.4	S 6.32	0.36	13.1 - 24.8	S 18.98	1.95	40
Abbott Cell-Dyn 1700/2000	7	3.9 - 6.0	S 4.96	0.34	7.3 - 11.0	S 9.18	0.61	8.3 - 17.6	S 12.95	1.56	4.0 - 5.9	S 4.96	0.31	7.3 - 18.0	S 12.67	1.79	43
Drew D3	8	2.4 - 3.4	S 2.87	0.16	4.2 - 7.7	S 5.97	0.58	3.7 - 16.6	S 10.12	2.15	1.9 - 4.0	S 2.96	0.35	5.1 - 13.8	S 9.49	1.45	16
Coulter JR/JS/JT	9	2.4 - 5.0	S 3.71	0.44	2.8 - 8.2	S 5.49	0.9	2.0 - 8.5	S 5.23	1.09	2.6 - 5.5	S 4.05	0.5	1.3 - 9.7	S 5.5	1.41	12
Initial Grouping bySensitivityor Principle																	
Hor ABX 3 part non 8-9000	10	3.0 - 4.9	S 3.94	0.32	6.1 - 13.7	S 9.9	1.28	11.3 - 29.3	S 20.32	3.0	2.9 - 5.1	S 4.0	0.37	11.1 - 29.8	S 20.48	3.11	93
Coulter/Nova impedance only	11	2.8 - 5.3	S 4.04	0.41	4.2 - 8.9	S 6.55	0.77	2.5 - 10.2	S 6.35	1.28	2.9 - 5.3	S 4.07	0.4	2.8 - 10.0	S 6.4	1.2	150
Other automated diff-based	12	3.7 - 6.9	S 5.29	0.55	4.9 - 9.3	S 7.09	0.75	3.9 - 14.7	S 9.29	1.8	3.6 - 6.9	S 5.25	0.56	3.1 - 15.3	S 9.18	2.04	73
Abbott Cell-Dyn other imped	13	2.7 - 8.1	S 5.41	0.91	4.8 - 16.1	S 10.47	1.89	4.8 - 26.4	S 15.6	3.59	2.7 - 8.2	S 5.44	0.92	4.5 - 26.4	S 15.42	3.65	91
Danam/Infolab DC/EXCELL	14	1.8 - 4.3	S 3.03	0.41	4.2 - 8.0	S 6.12	0.63	3.7 - 16.1	S 9.87	2.06	1.5 - 4.7	S 3.12	0.53	5.2 - 13.5	S 9.37	1.38	19
Total Population																	
Whole Population	15	0.9 - 7.4	S 4.18	1.08	1.6 - 14.2	S 7.87	2.11	0 - 28.6	S 11.92	5.57	1.0 - 7.4	S 4.2	1.08	0 - 28.8	S 11.93	5.61	513

Neut/Gran % - Module A

Initial Grouping byReagent																	
Abbott Cell-Dyn Emerald	1	80.4 - 86.7	S 83.54	1.04	60.1 - 68.4	S 64.26	1.38	29.3 - 37.9	S 33.6	1.44	79.4 - 87.3	S 83.35	1.3	29.9 - 38.5	S 34.16	1.43	88
Horiba ABX Micros	2	81.7 - 87.3	S 84.51	0.92	61.4 - 69.9	S 65.61	1.42	28.1 - 40.8	S 34.48	2.12	81.7 - 87.2	S 84.47	0.92	28.6 - 40.4	S 34.49	1.96	95
Coulter Ac*T Diff 2	3	79.8 - 83.8	S 81.79	0.67	58.3 - 63.5	S 60.89	0.87	27.0 - 35.3	S 31.19	1.39	60.8 - 100.8	S 80.8	6.68	26.9 - 35.6	S 31.22	1.45	101
Medonic M-Series	4	77.9 - 82.2	S 80.03	0.73	56.3 - 63.6	S 59.93	1.21	21.2 - 36.9	S 29.02	2.62	78.0 - 82.0	S 79.99	0.67	20.8 - 39.3	S 30.06	3.09	64
Coulter Ac*T diff	5	80.1 - 83.2	S 81.65	0.5	58.4 - 62.8	S 60.61	0.75	27.1 - 35.1	S 31.06	1.33	80.1 - 83.0	S 81.54	0.49	27.2 - 35.3	S 31.25	1.36	40
Abbott Cell-Dyn 1800 ser	6	81.2 - 85.0	S 83.07	0.64	59.9 - 66.2	S 63.05	1.04	29.4 - 38.1	S 33.77	1.46	81.1 - 84.9	S 82.99	0.65	30.1 - 39.3	S 34.73	1.53	40
Abbott Cell-Dyn 1700/2000	7	80.7 - 85.2	S 82.99	0.75	58.3 - 66.3	S 62.33	1.33	27.1 - 38.2	S 32.66	1.86	77.6 - 87.4	S 82.51	1.63	26.8 - 40.6	S 33.7	2.29	43
Drew D3	8	79.6 - 86.7	S 83.12	1.19	60.3 - 67.1	S 63.69	1.12	28.3 - 36.5	S 32.37	1.37	80.5 - 86.0	S 83.25	0.91	27.3 - 37.8	S 32.52	1.75	15
Coulter JR/JS/JT	9	79.6 - 84.5	S 82.07	0.82	57.1 - 65.7	S 61.42	1.44	28.3 - 36.2	S 32.28	1.32	78.8 - 85.1	S 81.95	1.06	28.4 - 36.1	S 32.24	1.28	12
Initial Grouping bySensitivityor Principle																	
Hor ABX 3 part non 8-9000	10	81.7 - 87.3	S 84.51	0.92	61.4 - 69.9	S 65.61	1.42	28.1 - 40.8	S 34.48	2.12	81.7 - 87.2	S 84.47	0.92	28.6 - 40.4	S 34.49	1.96	95
Coulter/Nova impedance only	11	79.8 - 83.7	S 81.78	0.65	58.1 - 63.6	S 60.85	0.92	27.1 - 35.4	S 31.25	1.4	64.7 - 97.4	S 81.08	5.45	27.0 - 35.6	S 31.31	1.43	154
Other automated diff-based	12	77.2 - 82.7	S 79.95	0.92	56.0 - 63.6	S 59.82	1.26	21.2 - 36.7	S 28.97	2.59	56.2 - 101.7	S 78.96	7.59	21.3 - 38.8	S 30.05	2.92	73
Abbott Cell-Dyn other imped	13	80.4 - 86.0	S 83.18	0.93	58.3 - 67.6	S 62.95	1.54	27.3 - 39.8	S 33.52	2.08	78.8 - 87.1	S 82.93	1.38	27.6 - 41.3	S 34.46	2.28	91
Danam/Infolab DC/EXCELL	14	76.9 - 88.1	S 82.46	1.87	56.3 - 69.4	S 62.83	2.19	27.3 - 36.7	S 32.02	1.56	76.9 - 88.1	S 82.53	1.86	26.5 - 37.7	S 32.11	1.87	18
Total Population																	
Whole Population	15	77.5 - 87.7	S 82.59	1.71	55.3 - 69.9	S 62.59	2.43	24.5 - 40.2	S 32.35	2.62	68.4 - 95.9	S 82.17	4.57	24.9 - 40.7	S 32.78	2.64	520