



Hematology With Diff A

Name	Line No.	Specimen 1			Specimen 2			Specimen 3			Specimen 4			Specimen 5			No. of Labs
		Range & Type	Mean	SD	Range & Type	Mean	SD	Range & Type	Mean	SD	Range & Type	Mean	SD	Range & Type	Mean	SD	
Leukocytes - Module A																	
Initial Grouping by Reagent																	
Coulter Ac*T Diff 2	1	1.9 - 2.5	P 2.18	0.1	17.8 - 24.1	P 20.96	0.5	6.7 - 9.1	P 7.93	0.2	17.9 - 24.2	P 21.01	0.5	6.8 - 9.2	P 7.96	0.2	96
Abbott Cell-Dyn Emerald	2	1.8 - 2.4	P 2.1	0.08	16.6 - 22.5	P 19.55	0.83	6.5 - 8.8	P 7.66	0.33	16.7 - 22.5	P 19.59	0.76	6.5 - 8.8	P 7.65	0.35	65
Abbott Cell-Dyn 1800 ser	3	1.7 - 2.4	P 2.05	0.14	17.8 - 24.1	P 20.92	0.97	6.6 - 8.9	P 7.76	0.32	17.6 - 23.8	P 20.7	0.76	6.7 - 9.0	P 7.86	0.37	26
Medonic M-Series	4	1.7 - 2.2	P 1.95	0.07	17.9 - 24.2	P 21.08	0.53	6.5 - 8.8	P 7.67	0.24	17.9 - 24.2	P 21.01	0.45	6.5 - 8.9	P 7.7	0.25	74
Coulter Ac*T diff	5	1.8 - 2.4	P 2.1	0.12	17.8 - 24.0	P 20.89	0.49	6.7 - 9.0	P 7.83	0.2	17.8 - 24.1	P 20.92	0.57	6.7 - 9.1	P 7.88	0.23	33
Coulter JR/JS/JT	6	1.8 - 2.4	P 2.12	0.16	18.6 - 25.2	P 21.92	0.66	6.9 - 9.3	P 8.12	0.28	18.7 - 25.4	P 22.05	0.74	6.9 - 9.3	P 8.13	0.29	13
Abbott Cell-Dyn 1700/2000	7	1.9 - 2.6	P 2.24	0.1	18.4 - 24.9	P 21.67	0.78	7.1 - 9.6	P 8.32	0.34	18.4 - 24.8	P 21.6	0.87	7.1 - 9.6	P 8.39	0.28	36
Abbott Cell-Dyn 1600	8	2.2 - 2.9	P 2.54	0.11	18.7 - 25.3	P 22.03	0.88	7.2 - 9.7	P 8.45	0.23	18.7 - 25.2	P 21.95	0.6	7.2 - 9.7	P 8.44	0.25	11
Horiba ABX Micros	9	1.7 - 2.4	P 2.05	0.07	17.4 - 23.6	P 20.52	0.46	6.6 - 8.9	P 7.71	0.21	17.5 - 23.7	P 20.57	0.47	6.5 - 8.8	P 7.67	0.17	90
Initial Grouping by Sensitivity or Principle																	
Coulter/Nova impedance only	10	1.8 - 2.5	P 2.15	0.12	17.9 - 24.2	P 21.04	0.59	6.7 - 9.1	P 7.92	0.22	17.9 - 24.3	P 21.1	0.63	6.8 - 9.1	P 7.95	0.23	146
Other automated diff-based	11	1.7 - 2.2	P 1.95	0.08	17.9 - 24.2	P 21.05	0.58	6.5 - 8.8	P 7.66	0.26	17.9 - 24.2	P 21.02	0.5	6.5 - 8.9	P 7.7	0.27	82
Abbott Cell-Dyn other imped	12	1.9 - 2.6	P 2.22	0.2	18.2 - 24.7	P 21.46	0.96	6.9 - 9.4	P 8.14	0.43	18.1 - 24.5	P 21.34	0.93	7.0 - 9.4	P 8.21	0.4	73
Hor ABX 3 part non 8-9000	13	1.7 - 2.4	P 2.05	0.07	17.4 - 23.6	P 20.52	0.46	6.6 - 8.9	P 7.71	0.21	17.5 - 23.7	P 20.57	0.47	6.5 - 8.8	P 7.67	0.17	90
Total Population																	
Whole Population	14	1.8 - 2.4	P 2.1	0.15	17.7 - 23.9	P 20.77	0.9	6.7 - 9.0	P 7.83	0.34	17.7 - 23.9	P 20.79	0.86	6.7 - 9.0	P 7.85	0.34	472
Erythrocytes - Module A																	
Initial Grouping by Reagent																	
Coulter Ac*T Diff 2	1	2.22 - 2.5	P 2.357	0.073	5.32 - 6.0	P 5.663	0.149	4.45 - 5.02	P 4.733	0.117	5.35 - 6.03	P 5.689	0.196	4.45 - 5.02	P 4.737	0.115	94
Abbott Cell-Dyn Emerald	2	2.17 - 2.45	P 2.309	0.063	5.17 - 5.83	P 5.504	0.153	4.34 - 4.89	P 4.617	0.122	5.19 - 5.86	P 5.525	0.143	4.35 - 4.9	P 4.624	0.101	64
Abbott Cell-Dyn 1800 ser	3	2.24 - 2.53	P 2.387	0.071	5.21 - 5.88	P 5.547	0.109	4.35 - 4.91	P 4.628	0.102	5.17 - 5.84	P 5.505	0.138	4.38 - 4.94	P 4.657	0.107	26
Medonic M-Series	4	2.18 - 2.45	P 2.316	0.035	5.46 - 6.16	P 5.807	0.084	4.46 - 5.03	P 4.744	0.06	5.45 - 6.15	P 5.802	0.093	4.47 - 5.04	P 4.755	0.069	74
Coulter Ac*T diff	5	2.21 - 2.49	P 2.35	0.078	5.37 - 6.05	P 5.709	0.125	4.47 - 5.04	P 4.759	0.1	5.37 - 6.05	P 5.708	0.104	4.47 - 5.04	P 4.752	0.114	33
Coulter JR/JS/JT	6	2.21 - 2.49	P 2.353	0.049	5.4 - 6.09	P 5.747	0.092	4.52 - 5.1	P 4.81	0.077	5.43 - 6.12	P 5.775	0.117	4.5 - 5.08	P 4.791	0.071	13
Abbott Cell-Dyn 1700/2000	7	2.23 - 2.51	P 2.372	0.075	5.32 - 6.0	P 5.662	0.168	4.45 - 5.02	P 4.736	0.1	5.31 - 5.99	P 5.652	0.125	4.46 - 5.03	P 4.744	0.105	36
Abbott Cell-Dyn 1600	8	2.26 - 2.55	P 2.402	0.053	5.36 - 6.04	P 5.698	0.095	4.52 - 5.1	P 4.807	0.058	5.3 - 5.98	P 5.643	0.129	4.51 - 5.08	P 4.794	0.088	12
Horiba ABX Micros	9	2.15 - 2.43	P 2.288	0.054	5.27 - 5.94	P 5.607	0.117	4.38 - 4.94	P 4.662	0.098	5.28 - 5.96	P 5.619	0.116	4.37 - 4.93	P 4.651	0.101	90
Initial Grouping by Sensitivity or Principle																	
Coulter/Nova impedance only	10	2.21 - 2.5	P 2.354	0.072	5.34 - 6.02	P 5.681	0.141	4.46 - 5.03	P 4.746	0.112	5.36 - 6.04	P 5.701	0.173	4.46 - 5.03	P 4.744	0.113	143
Other automated diff-based	11	2.18 - 2.46	P 2.317	0.038	5.45 - 6.15	P 5.799	0.099	4.45 - 5.02	P 4.738	0.08	5.45 - 6.14	P 5.794	0.11	4.46 - 5.03	P 4.742	0.096	82
Abbott Cell-Dyn other imped	12	2.24 - 2.52	P 2.382	0.071	5.29 - 5.97	P 5.628	0.152	4.43 - 4.99	P 4.709	0.115	5.26 - 5.93	P 5.599	0.148	4.44 - 5.01	P 4.722	0.115	74
Hor ABX 3 part non 8-9000	13	2.15 - 2.43	P 2.288	0.054	5.27 - 5.94	P 5.607	0.117	4.38 - 4.94	P 4.662	0.098	5.28 - 5.96	P 5.619	0.116	4.37 - 4.93	P 4.651	0.101	90
Total Population																	
Whole Population	14	2.19 - 2.47	P 2.333	0.074	5.31 - 5.99	P 5.653	0.159	4.42 - 4.98	P 4.702	0.117	5.32 - 6.0	P 5.659	0.166	4.42 - 4.99	P 4.704	0.116	468
Hemoglobin - Module A																	
Initial Grouping by Reagent																	
Coulter Ac*T Diff 2	1	5.4 - 6.2	P 5.84	0.11	16.8 - 19.3	P 18.03	0.33	12.6 - 14.5	P 13.53	0.26	16.8 - 19.3	P 18.07	0.32	12.6 - 14.5	P 13.57	0.25	96
Abbott Cell-Dyn Emerald	2	5.4 - 6.2	P 5.77	0.14	16.6 - 19.1	P 17.89	0.33	12.5 - 14.4	P 13.44	0.24	16.7 - 19.2	P 17.92	0.3	12.5 - 14.4	P 13.42	0.21	65
Abbott Cell-Dyn 1800 ser	3	5.6 - 6.4	P 5.98	0.18	17.1 - 19.7	P 18.44	0.26	12.8 - 14.7	P 13.72	0.2	17.1 - 19.7	P 18.42	0.29	12.9 - 14.8	P 13.82	0.25	26
Medonic M-Series	4	5.5 - 6.3	P 5.9	0.08	17.0 - 19.5	P 18.25	0.24	12.6 - 14.5	P 13.52	0.19	17.0 - 19.5	P 18.24	0.29	12.6 - 14.5	P 13.52	0.18	74
Coulter Ac*T diff	5	5.4 - 6.2	P 5.76	0.21	16.8 - 19.3	P 18.08	0.37	12.5 - 14.4	P 13.48	0.29	16.8 - 19.3	P 18.06	0.34	12.6 - 14.4	P 13.5	0.27	33
Coulter JR/JS/JT	6	5.2 - 6.0	P 5.63	0.15	17.0 - 19.5	P 18.26	0.16	12.7 - 14.6	P 13.65	0.15	17.0 - 19.5	P 18.27	0.22	12.6 - 14.5	P 13.54	0.11	13
Abbott Cell-Dyn 1700/2000	7	5.6 - 6.4	P 5.98	0.17	16.9 - 19.4	P 18.16	0.25	12.7 - 14.6	P 13.65	0.24	16.9 - 19.4	P 18.17	0.26	12.7 - 14.6	P 13.66	0.22	36
Abbott Cell-Dyn 1600	8	5.6 - 6.4	P 5.99	0.26	17.0 - 19.5	P 18.24	0.43	12.8 - 14.7	P 13.75	0.36	17.0 - 19.5	P 18.25	0.55	12.9 - 14.8	P 13.82	0.33	11
Horiba ABX Micros	9	5.4 - 6.3	P 5.85	0.11	16.7 - 19.2	P 17.93	0.31	12.6 - 14.5	P 13.55	0.2	16.7 - 19.2	P 17.99	0.26	12.6 - 14.5	P 13.53	0.22	89

Initial Grouping bySensitivityor Principle

Coulter/Nova impedance only	10	5.4 - 6.2	P 5.8	0.16	16.8 - 19.3	P 18.06	0.33	12.6 - 14.5	P 13.52	0.26	16.8 - 19.3	P 18.08	0.32	12.6 - 14.5	P 13.55	0.24	146
Other automated diff-based	11	5.5 - 6.3	P 5.91	0.08	17.0 - 19.5	P 18.25	0.26	12.6 - 14.5	P 13.51	0.2	17.0 - 19.5	P 18.24	0.3	12.6 - 14.4	P 13.5	0.2	82
Abbott Cell-Dyn other impeded	12	5.6 - 6.4	P 5.98	0.19	17.0 - 19.5	P 18.27	0.32	12.7 - 14.6	P 13.69	0.25	17.0 - 19.5	P 18.27	0.35	12.8 - 14.7	P 13.74	0.26	73
Hor ABX 3 part non 8-9000	13	5.4 - 6.3	P 5.85	0.11	16.7 - 19.2	P 17.93	0.31	12.6 - 14.5	P 13.55	0.2	16.7 - 19.2	P 17.99	0.26	12.6 - 14.5	P 13.53	0.22	89
Total Population																	
Whole Population	14	5.4 - 6.3	P 5.85	0.16	16.8 - 19.3	P 18.07	0.35	12.6 - 14.5	P 13.54	0.26	16.8 - 19.4	P 18.1	0.35	12.6 - 14.5	P 13.55	0.25	472

Hematocrit - Module A**Initial Grouping byReagent**

Coulter Ac*T Diff 2	1	16.0 - 18.1	P 17.06	0.56	48.2 - 54.4	P 51.32	1.66	36.6 - 41.3	P 38.98	1.18	48.4 - 54.6	P 51.53	1.55	36.6 - 41.3	P 38.96	1.1	95
Abbott Cell-Dyn Emerald	2	16.6 - 18.7	P 17.65	0.56	49.7 - 56.1	P 52.92	1.67	37.7 - 42.5	P 40.1	1.25	49.9 - 56.3	P 53.12	1.64	37.7 - 42.5	P 40.12	1.21	64
Abbott Cell-Dyn 1800 ser	3	16.4 - 18.5	P 17.45	0.88	49.1 - 55.4	P 52.22	1.99	36.9 - 41.6	P 39.24	1.08	49.0 - 55.2	P 52.11	1.48	37.3 - 42.1	P 39.71	1.4	26
Medonic M-Series	4	14.8 - 16.7	P 15.72	0.39	47.9 - 54.0	P 50.91	1.35	34.8 - 39.3	P 37.06	0.98	48.1 - 54.3	P 51.19	1.26	35.0 - 39.5	P 37.24	0.93	74
Coulter Ac*T diff	5	16.0 - 18.1	P 17.04	0.58	48.7 - 54.9	P 51.79	1.22	36.9 - 41.6	P 39.21	0.7	48.7 - 54.9	P 51.78	1.08	36.7 - 41.4	P 39.06	0.99	33
Coulter JR/JS/JT	6	15.9 - 17.9	P 16.9	0.44	48.4 - 54.6	P 51.48	1.04	36.8 - 41.5	P 39.17	0.85	48.7 - 54.9	P 51.78	1.47	36.5 - 41.2	P 38.84	0.7	13
Abbott Cell-Dyn 1700/2000	7	15.9 - 17.9	P 16.88	0.61	48.5 - 54.7	P 51.61	1.74	36.8 - 41.5	P 39.14	1.45	48.6 - 54.8	P 51.71	1.44	36.9 - 41.6	P 39.22	1.04	36
Abbott Cell-Dyn 1600	8	15.9 - 18.0	P 16.95	0.69	48.5 - 54.7	P 51.56	1.33	37.1 - 41.8	P 39.42	1.16	48.0 - 54.1	P 51.08	1.79	37.0 - 41.8	P 39.4	1.21	11
Horiba ABX Micros	9	14.7 - 16.6	P 15.67	0.38	46.7 - 52.6	P 49.65	1.24	35.0 - 39.5	P 37.28	0.84	46.8 - 52.8	P 49.84	1.16	34.9 - 39.3	P 37.09	0.8	90

Initial Grouping bySensitivityor Principle

Coulter/Nova impedance only	10	16.0 - 18.0	P 17.02	0.56	48.3 - 54.5	P 51.41	1.54	36.7 - 41.4	P 39.03	1.08	48.5 - 54.7	P 51.58	1.48	36.6 - 41.3	P 38.95	1.07	144
Other automated diff-based	11	14.8 - 16.7	P 15.75	0.46	47.9 - 54.0	P 50.92	1.45	34.9 - 39.3	P 37.08	1.04	48.1 - 54.3	P 51.2	1.34	35.0 - 39.4	P 37.2	0.99	82
Abbott Cell-Dyn other impeded	12	16.1 - 18.1	P 17.1	0.78	48.7 - 54.9	P 51.82	1.81	36.9 - 41.6	P 39.22	1.29	48.7 - 54.9	P 51.76	1.55	37.1 - 41.8	P 39.42	1.22	73
Hor ABX 3 part non 8-9000	13	14.7 - 16.6	P 15.67	0.38	46.7 - 52.6	P 49.65	1.24	35.0 - 39.5	P 37.28	0.84	46.8 - 52.8	P 49.84	1.16	34.9 - 39.3	P 37.09	0.8	90
Total Population																	
Whole Population	14	15.6 - 17.6	P 16.64	0.94	48.2 - 54.3	P 51.24	1.84	36.2 - 40.8	P 38.51	1.56	48.3 - 54.5	P 51.39	1.74	36.2 - 40.8	P 38.51	1.55	468

Platelets - Module A**Initial Grouping byReagent**

Coulter Ac*T Diff 2	1	54 - 89	P 71.4	6.8	411 - 684	P 547.5	25.3	202 - 336	P 268.7	14.1	414 - 690	P 552.1	26.9	200 - 334	P 266.8	13.5	96
Abbott Cell-Dyn Emerald	2	53 - 88	P 70.5	11.0	383 - 638	P 510.4	29.8	198 - 331	P 264.5	17.5	383 - 639	P 511.3	33.3	199 - 332	P 265.7	21.2	65
Abbott Cell-Dyn 1800 ser	3	50 - 83	P 66.6	6.0	429 - 715	P 571.9	35.4	201 - 335	P 267.6	15.1	426 - 710	P 568.3	31.2	204 - 340	P 271.8	15.6	26
Medonic M-Series	4	47 - 78	P 62.6	5.4	374 - 623	P 498.3	22.0	182 - 304	P 243.3	12.0	372 - 621	P 496.5	23.0	183 - 305	P 244.3	11.9	73
Coulter Ac*T diff	5	51 - 85	P 67.7	4.1	411 - 684	P 547.5	25.5	200 - 333	P 266.1	10.2	411 - 685	P 548.1	18.1	197 - 328	P 262.5	16.1	33
Coulter JR/JS/JT	6	53 - 88	P 70.4	4.5	413 - 689	P 551.0	32.1	199 - 331	P 265.1	16.6	418 - 696	P 556.8	32.7	200 - 333	P 266.4	16.8	14
Abbott Cell-Dyn 1700/2000	7	48 - 80	P 63.8	5.8	420 - 701	P 560.6	42.3	201 - 335	P 268.2	21.3	421 - 701	P 560.7	41.8	203 - 338	P 270.2	23.1	36
Abbott Cell-Dyn 1600	8	51 - 85	P 68.1	6.8	435 - 726	P 580.5	36.5	207 - 345	P 276.1	17.6	417 - 695	P 556.1	18.3	202 - 337	P 269.5	24.0	11
Horiba ABX Micros	9	55 - 92	P 73.9	6.5	378 - 631	P 504.6	18.6	192 - 321	P 256.6	12.6	379 - 632	P 505.5	23.4	193 - 321	P 257.0	11.4	90

Initial Grouping bySensitivityor Principle

Coulter/Nova impedance only	10	53 - 88	P 70.4	6.3	411 - 686	P 548.4	27.3	201 - 335	P 267.8	13.6	414 - 689	P 551.4	25.9	200 - 333	P 266.2	15.4	146
Other automated diff-based	11	47 - 79	P 63.0	5.7	374 - 624	P 498.8	23.2	183 - 305	P 243.9	12.3	373 - 621	P 496.7	23.6	184 - 306	P 244.7	12.1	81
Abbott Cell-Dyn other impeded	12	49 - 82	P 65.5	6.2	426 - 710	P 567.7	39.8	202 - 336	P 269.2	19.0	422 - 704	P 562.8	35.8	203 - 338	P 270.6	21.0	73
Hor ABX 3 part non 8-9000	13	55 - 92	P 73.9	6.5	378 - 631	P 504.6	18.6	192 - 321	P 256.6	12.6	379 - 632	P 505.5	23.4	193 - 321	P 257.0	11.4	90
Total Population																	
Whole Population	14	52 - 86	P 68.9	8.1	396 - 660	P 528.3	38.2	196 - 326	P 260.9	17.3	396 - 660	P 528.3	38.1	196 - 326	P 261.0	18.4	470

Lymphocyte % - Module A**Initial Grouping byReagent**

Coulter Ac*T Diff 2	1	53.2 - 63.5	S 58.34	1.71	12.6 - 15.6	S 14.1	0.5	29.3 - 34.7	S 32.0	0.9	12.7 - 15.5	S 14.13	0.46	29.5 - 34.3	S 31.93	0.81	90
Abbott Cell-Dyn Emerald	2	45.5 - 57.4	S 51.49	1.98	8.9 - 18.5	S 13.69	1.6	25.3 - 32.3	S 28.82	1.17	9.5 - 17.8	S 13.69	1.38	25.1 - 32.4	S 28.78	1.22	64
Abbott Cell-Dyn 1800 ser	3	34.5 - 51.9	S 43.18	2.9	7.4 - 12.8	S 10.06	0.9	17.9 - 28.5	S 23.17	1.77	7.5 - 13.0	S 10.27	0.91	17.2 - 30.1	S 23.63	2.15	26
Medonic M-Series	4	52.6 - 65.7	S 59.13	2.19	13.5 - 16.8	S 15.11	0.55	28.3 - 34.3	S 31.33	1.0	13.6 - 16.5	S 15.08	0.49	27.8 - 34.9	S 31.31	1.18	74
Coulter Ac*T diff	5	53.9 - 63.5	S 58.67	1.6	13.1 - 15.1	S 14.09	0.33	30.0 - 34.6	S 32.31	0.78	13.3 - 15.2	S 14.26	0.32	30.6 - 34.4	S 32.5	0.64	33
Coulter JR/JS/JT	6	52.5 - 65.3	S 58.88	2.12	12.1 - 16.0	S 14.05	0.65	28.8 - 36.2	S 32.5	1.23	11.8 - 16.8	S 14.28	0.83	27.8 - 35.7	S 31.75	1.31	12
Abbott Cell-Dyn 1700/2000	7	44.2 - 57.7	S 50.97	2.26	9.6 - 13.7	S 11.65	0.69	22.9 - 32.5	S 27.69	1.59	10.0 - 13.6	S 11.83	0.61	23.4 - 32.2	S 27.76	1.47	35
Horiba ABX Micros	8	25.8 - 55.9	S 40.86	5.02	7.0 - 14.6	S 10.82	1.27	14.9 - 31.8	S 23.38	2.82	7.4 - 14.3	S 10.88	1.15	14.9 - 31.4	S 23.15	2.75	90

Initial Grouping bySensitivityor Principle

Coulter/Nova impedance only	9	52.2 - 64.6	S 58.38	2.06	12.6 - 15.5	S 14.09	0.48	28.9 - 35.2	S 32.08	1.05	12.7 - 15.6	S 14.17	0.49	29.1 - 35.0	S 32.01	0.98	137
Other automated diff-based	10	52.9 - 65.5	S 59.21	2.11	13.5 - 16.8	S 15.12	0.55	28.2 - 34.7	S 31.45	1.08	13.1 - 17.2	S 15.16	0.68	26.5 - 36.6	S 31.53	1.68	82
Abbott Cell-Dyn other impeded	11	33.3 - 62.5	S 47.89	4.86	7.3 - 14.6	S 10.97	1.23	16.9 - 34.7	S 25.78	2.96	7.6 - 14.7	S 11.16	1.18	17.3 - 34.8	S 26.04	2.93	70
Hor ABX 3 part non 8-9000	12	25.8 - 55.9	S 40.86	5.02	7.0 - 14.6	S 10.82	1.27	14.9 - 31.8	S 23.38	2.82	7.4 - 14.3	S 10.88	1.15	14.9 - 31.4	S 23.15	2.75	90

Total Population																	
Whole Population																	
	13	28.9 - 75.8	S 52.33	7.81	7.1 - 19.0	S 13.05	1.99	16.8 - 40.7	S 28.75	3.97	7.3 - 19.0	S 13.14	1.94	16.6 - 40.8	S 28.72	4.03	459
Md/Mid/Mixed/Monocyte/Other % - Module A																	
Initial Grouping by Reagent																	
Coulter Ac*T Diff 2	1	2.6 - 10.8	S 6.7	1.37	2.9 - 6.4	S 4.65	0.59	2.0 - 7.5	S 4.75	0.92	2.9 - 6.2	S 4.56	0.55	1.6 - 8.0	S 4.81	1.07	88
Abbott Cell-Dyn Emerald	2	6.5 - 16.8	S 11.67	1.71	1.7 - 4.1	S 2.86	0.4	3.1 - 9.3	S 6.2	1.04	1.7 - 4.1	S 2.9	0.4	3.4 - 9.0	S 6.23	0.93	64
Abbott Cell-Dyn 1800 ser	3	14.4 - 26.8	S 20.58	2.08	5.2 - 8.9	S 7.05	0.63	9.6 - 15.4	S 12.5	0.96	5.1 - 9.1	S 7.09	0.66	9.9 - 15.0	S 12.42	0.85	26
Medonic M-Series	4	3.1 - 14.0	S 8.59	1.81	3.1 - 7.7	S 5.39	0.78	3.2 - 12.2	S 7.71	1.49	3.3 - 7.8	S 5.55	0.73	3.3 - 11.7	S 7.49	1.41	74
Coulter Ac*T diff	5	2.2 - 10.8	S 6.49	1.43	3.3 - 5.9	S 4.63	0.44	3.0 - 7.1	S 5.09	0.68	3.2 - 5.9	S 4.54	0.46	3.2 - 7.1	S 5.14	0.65	33
Coulter JR/JS/JT	6	1.8 - 9.8	S 5.8	1.33	0.8 - 7.4	S 4.07	1.1	0.8 - 6.5	S 3.66	0.96	0.5 - 6.9	S 3.67	1.07	0.9 - 6.7	S 3.78	0.96	12
Abbott Cell-Dyn 1700/2000	7	8.3 - 19.3	S 13.81	1.83	4.8 - 6.5	S 5.63	0.28	6.5 - 11.4	S 8.97	0.82	4.8 - 6.5	S 5.69	0.28	6.5 - 11.2	S 8.86	0.78	35
Horiba ABX Micros	8	11.3 - 32.9	S 22.08	3.6	3.2 - 5.9	S 4.59	0.45	6.4 - 15.6	S 10.96	1.54	3.1 - 6.0	S 4.55	0.48	6.1 - 15.8	S 10.92	1.62	89
Initial Grouping by Sensitivity or Principle																	
Coulter/Nova impedance only	9	2.4 - 10.8	S 6.57	1.4	2.7 - 6.5	S 4.6	0.64	1.9 - 7.6	S 4.72	0.96	2.5 - 6.4	S 4.48	0.65	1.7 - 7.9	S 4.8	1.03	134
Other automated diff-based	10	3.4 - 13.8	S 8.61	1.74	2.8 - 8.2	S 5.48	0.91	3.3 - 12.1	S 7.72	1.46	3.1 - 8.1	S 5.61	0.84	3.2 - 11.7	S 7.43	1.42	82
Abbott Cell-Dyn other imped	11	4.1 - 28.1	S 16.12	4.0	3.0 - 9.0	S 6.0	1.0	3.9 - 16.3	S 10.1	2.08	2.8 - 9.1	S 5.99	1.05	3.7 - 16.3	S 9.99	2.09	70
Hor ABX 3 part non 8-9000	12	11.3 - 32.9	S 22.08	3.6	3.2 - 5.9	S 4.59	0.45	6.4 - 15.6	S 10.96	1.54	3.1 - 6.0	S 4.55	0.48	6.1 - 15.8	S 10.92	1.62	89
Total Population																	
Whole Population																	
	13	0 - 31.5	S 12.24	6.41	1.1 - 8.3	S 4.7	1.19	0 - 16.2	S 7.58	2.86	1.1 - 8.3	S 4.67	1.21	0 - 16.0	S 7.53	2.82	454
Neut/Gran % - Module A																	
Initial Grouping by Reagent																	
Coulter Ac*T Diff 2	1	29.2 - 41.0	S 35.11	1.98	79.1 - 83.4	S 81.27	0.72	59.5 - 67.1	S 63.31	1.27	78.5 - 84.4	S 81.45	1.0	59.4 - 67.1	S 63.26	1.28	91
Abbott Cell-Dyn Emerald	2	33.1 - 40.8	S 36.92	1.28	78.2 - 88.7	S 83.46	1.74	59.8 - 69.8	S 64.8	1.68	78.5 - 88.4	S 83.45	1.65	61.6 - 68.4	S 64.96	1.13	64
Abbott Cell-Dyn 1800 ser	3	31.2 - 41.2	S 36.2	1.66	79.6 - 86.2	S 82.89	1.09	60.2 - 68.5	S 64.33	1.38	79.2 - 86.0	S 82.59	1.13	58.1 - 69.8	S 63.95	1.97	26
Medonic M-Series	4	23.8 - 40.8	S 32.32	2.83	76.0 - 82.7	S 79.39	1.12	55.6 - 66.2	S 60.92	1.77	76.0 - 82.6	S 79.33	1.1	55.4 - 67.0	S 61.2	1.93	74
Coulter Ac*T diff	5	29.5 - 39.7	S 34.56	1.7	79.7 - 82.9	S 81.28	0.52	59.9 - 65.3	S 62.6	0.91	79.7 - 82.7	S 81.2	0.5	59.9 - 64.7	S 62.28	0.8	33
Coulter JR/JS/JT	6	29.0 - 41.5	S 35.24	2.07	78.4 - 85.4	S 81.88	1.16	58.7 - 69.0	S 63.84	1.71	78.5 - 85.6	S 82.05	1.17	59.7 - 69.3	S 64.48	1.61	12
Abbott Cell-Dyn 1700/2000	7	31.0 - 39.3	S 35.15	1.38	80.4 - 85.1	S 82.73	0.78	59.5 - 67.2	S 63.35	1.28	80.3 - 84.6	S 82.47	0.72	59.9 - 66.7	S 63.33	1.14	35
Horiba ABX Micros	8	30.8 - 43.4	S 37.06	2.1	81.6 - 87.5	S 84.58	0.98	61.7 - 70.0	S 65.82	1.38	81.9 - 87.2	S 84.57	0.88	61.9 - 70.1	S 66.02	1.38	89
Initial Grouping by Sensitivity or Principle																	
Coulter/Nova impedance only	9	29.2 - 40.8	S 34.99	1.93	79.1 - 83.6	S 81.33	0.75	59.3 - 67.1	S 63.2	1.3	78.6 - 84.3	S 81.44	0.94	59.1 - 67.2	S 63.13	1.35	137
Other automated diff-based	10	24.1 - 40.4	S 32.22	2.72	75.7 - 82.9	S 79.31	1.21	55.3 - 66.2	S 60.79	1.82	75.0 - 83.3	S 79.19	1.38	54.2 - 67.9	S 61.04	2.27	82
Abbott Cell-Dyn other imped	11	29.3 - 42.7	S 35.96	2.24	79.2 - 86.9	S 83.03	1.28	58.5 - 69.7	S 64.12	1.87	78.8 - 86.8	S 82.81	1.32	57.9 - 70.0	S 63.96	2.01	70
Hor ABX 3 part non 8-9000	12	30.8 - 43.4	S 37.06	2.1	81.6 - 87.5	S 84.58	0.98	61.7 - 70.0	S 65.82	1.38	81.9 - 87.2	S 84.57	0.88	61.9 - 70.1	S 66.02	1.38	89
Total Population																	
Whole Population																	
	13	27.2 - 43.5	S 35.33	2.71	75.8 - 88.7	S 82.22	2.15	56.8 - 70.6	S 63.68	2.3	75.6 - 88.8	S 82.19	2.19	56.7 - 70.8	S 63.72	2.35	458