



Hematology With Diff E

| Name | Line No. | Specimen 1 | | | Specimen 2 | | | Specimen 3 | | | Specimen 4 | | | Specimen 5 | | | No. of Labs |
|---|----------|--------------|---------|-------|--------------|---------|-------|--------------|---------|-------|--------------|---------|-------|--------------|---------|-------|-------------|
| | | Range & Type | Mean | SD | Range & Type | Mean | SD | Range & Type | Mean | SD | Range & Type | Mean | SD | Range & Type | Mean | SD | |
| Leukocytes - Module E | | | | | | | | | | | | | | | | | |
| Initial Grouping by Reagent | | | | | | | | | | | | | | | | | |
| Sysmex XS-800i, 1000i | 1 | 3.1 - 4.2 | P 3.67 | 0.11 | 17.7 - 24.0 | P 20.88 | 0.39 | 6.6 - 8.9 | P 7.72 | 0.17 | 17.8 - 24.1 | P 20.92 | 0.59 | 6.5 - 8.8 | P 7.69 | 0.15 | 38 |
| Sysmex XN series | 2 | 3.0 - 4.1 | P 3.56 | 0.09 | 17.1 - 23.1 | P 20.11 | 0.28 | 6.3 - 8.5 | P 7.41 | 0.14 | 17.1 - 23.1 | P 20.1 | 0.29 | 6.3 - 8.5 | P 7.43 | 0.13 | 35 |
| Initial Grouping by Sensitivity or Principle | | | | | | | | | | | | | | | | | |
| Sysmex XS/XN series | 3 | 3.1 - 4.2 | P 3.61 | 0.11 | 17.4 - 23.5 | P 20.42 | 0.62 | 6.4 - 8.7 | P 7.57 | 0.22 | 17.4 - 23.5 | P 20.45 | 0.7 | 6.4 - 8.7 | P 7.56 | 0.19 | 79 |
| Sysmex XE/XT series | 4 | 3.1 - 4.2 | P 3.61 | 0.12 | 16.8 - 22.7 | P 19.77 | 0.65 | 6.4 - 8.7 | P 7.58 | 0.22 | 16.8 - 22.7 | P 19.73 | 0.7 | 6.4 - 8.7 | P 7.54 | 0.23 | 21 |
| Total Population | | | | | | | | | | | | | | | | | |
| Whole Population | 5 | 3.1 - 4.2 | P 3.61 | 0.11 | 17.2 - 23.3 | P 20.29 | 0.67 | 6.4 - 8.7 | P 7.57 | 0.21 | 17.3 - 23.4 | P 20.31 | 0.75 | 6.4 - 8.7 | P 7.55 | 0.2 | 106 |
| Erythrocytes - Module E | | | | | | | | | | | | | | | | | |
| Initial Grouping by Reagent | | | | | | | | | | | | | | | | | |
| Sysmex XS-800i, 1000i | 1 | 2.26 - 2.54 | P 2.399 | 0.03 | 5.31 - 5.99 | P 5.654 | 0.058 | 4.33 - 4.88 | P 4.605 | 0.051 | 5.32 - 6.0 | P 5.658 | 0.051 | 4.33 - 4.88 | P 4.608 | 0.052 | 37 |
| Sysmex XN series | 2 | 2.23 - 2.52 | P 2.373 | 0.034 | 5.34 - 6.02 | P 5.682 | 0.052 | 4.33 - 4.88 | P 4.603 | 0.039 | 5.34 - 6.02 | P 5.681 | 0.043 | 4.32 - 4.87 | P 4.599 | 0.046 | 35 |
| Initial Grouping by Sensitivity or Principle | | | | | | | | | | | | | | | | | |
| Sysmex XS/XN series | 3 | 2.24 - 2.53 | P 2.384 | 0.035 | 5.33 - 6.01 | P 5.669 | 0.057 | 4.33 - 4.88 | P 4.603 | 0.046 | 5.33 - 6.01 | P 5.673 | 0.05 | 4.33 - 4.88 | P 4.604 | 0.049 | 78 |
| Sysmex XE/XT series | 4 | 2.32 - 2.62 | P 2.472 | 0.036 | 5.31 - 5.99 | P 5.654 | 0.106 | 4.39 - 4.94 | P 4.665 | 0.074 | 5.33 - 6.02 | P 5.675 | 0.074 | 4.39 - 4.95 | P 4.671 | 0.077 | 21 |
| Total Population | | | | | | | | | | | | | | | | | |
| Whole Population | 5 | 2.26 - 2.55 | P 2.401 | 0.049 | 5.33 - 6.01 | P 5.67 | 0.072 | 4.34 - 4.89 | P 4.616 | 0.057 | 5.34 - 6.02 | P 5.676 | 0.057 | 4.34 - 4.9 | P 4.618 | 0.061 | 106 |
| Hemoglobin - Module E | | | | | | | | | | | | | | | | | |
| Initial Grouping by Reagent | | | | | | | | | | | | | | | | | |
| Sysmex XS-800i, 1000i | 1 | 5.5 - 6.3 | P 5.88 | 0.09 | 16.3 - 18.7 | P 17.51 | 0.18 | 12.2 - 14.1 | P 13.17 | 0.14 | 16.3 - 18.8 | P 17.54 | 0.16 | 12.2 - 14.1 | P 13.17 | 0.14 | 38 |
| Sysmex XN series | 2 | 5.5 - 6.4 | P 5.94 | 0.09 | 16.2 - 18.7 | P 17.45 | 0.15 | 12.2 - 14.1 | P 13.17 | 0.11 | 16.3 - 18.7 | P 17.49 | 0.14 | 12.3 - 14.1 | P 13.2 | 0.14 | 35 |
| Initial Grouping by Sensitivity or Principle | | | | | | | | | | | | | | | | | |
| Sysmex XS/XN series | 3 | 5.5 - 6.3 | P 5.91 | 0.09 | 16.3 - 18.7 | P 17.48 | 0.17 | 12.2 - 14.1 | P 13.17 | 0.12 | 16.3 - 18.7 | P 17.52 | 0.15 | 12.3 - 14.1 | P 13.19 | 0.14 | 79 |
| Sysmex XE/XT series | 4 | 5.6 - 6.4 | P 6.01 | 0.08 | 16.3 - 18.7 | P 17.49 | 0.19 | 12.2 - 14.1 | P 13.17 | 0.14 | 16.2 - 18.7 | P 17.46 | 0.19 | 12.3 - 14.1 | P 13.21 | 0.18 | 21 |
| Total Population | | | | | | | | | | | | | | | | | |
| Whole Population | 5 | 5.5 - 6.3 | P 5.93 | 0.09 | 16.3 - 18.7 | P 17.48 | 0.17 | 12.2 - 14.1 | P 13.17 | 0.13 | 16.3 - 18.7 | P 17.5 | 0.16 | 12.3 - 14.1 | P 13.19 | 0.15 | 106 |
| Hematocrit - Module E | | | | | | | | | | | | | | | | | |
| Initial Grouping by Reagent | | | | | | | | | | | | | | | | | |
| Sysmex XS-800i, 1000i | 1 | 17.6 - 19.8 | P 18.68 | 0.3 | 49.8 - 56.2 | P 53.02 | 0.84 | 37.5 - 42.3 | P 39.86 | 0.6 | 49.9 - 56.3 | P 53.09 | 0.73 | 37.5 - 42.2 | P 39.85 | 0.57 | 38 |
| Sysmex XN series | 2 | 16.9 - 19.1 | P 17.98 | 0.35 | 48.8 - 55.1 | P 51.95 | 0.79 | 36.8 - 41.5 | P 39.14 | 0.56 | 48.9 - 55.1 | P 51.98 | 0.8 | 36.7 - 41.4 | P 39.08 | 0.47 | 35 |
| Initial Grouping by Sensitivity or Principle | | | | | | | | | | | | | | | | | |
| Sysmex XS/XN series | 3 | 17.2 - 19.5 | P 18.35 | 0.47 | 49.4 - 55.7 | P 52.55 | 0.96 | 37.2 - 41.9 | P 39.53 | 0.67 | 49.4 - 55.8 | P 52.6 | 0.92 | 37.1 - 41.9 | P 39.51 | 0.65 | 79 |
| Sysmex XE/XT series | 4 | 17.9 - 20.2 | P 19.05 | 0.31 | 49.5 - 55.8 | P 52.66 | 0.96 | 37.7 - 42.5 | P 40.07 | 0.75 | 49.5 - 55.9 | P 52.7 | 0.91 | 37.7 - 42.5 | P 40.08 | 0.75 | 21 |
| Total Population | | | | | | | | | | | | | | | | | |
| Whole Population | 5 | 17.4 - 19.6 | P 18.46 | 0.53 | 49.4 - 55.7 | P 52.56 | 0.94 | 37.3 - 42.0 | P 39.63 | 0.71 | 49.4 - 55.7 | P 52.59 | 0.91 | 37.2 - 42.0 | P 39.61 | 0.7 | 106 |
| Platelets - Module E | | | | | | | | | | | | | | | | | |
| Initial Grouping by Reagent | | | | | | | | | | | | | | | | | |
| Sysmex XS-800i, 1000i | 1 | 45 - 75 | P 59.9 | 2.7 | 312 - 520 | P 416.3 | 15.0 | 163 - 272 | P 217.8 | 6.4 | 313 - 522 | P 417.3 | 15.2 | 164 - 273 | P 218.2 | 7.2 | 38 |
| Sysmex XN series | 2 | 42 - 70 | P 55.8 | 3.6 | 327 - 546 | P 436.6 | 13.5 | 165 - 275 | P 220.2 | 6.8 | 328 - 546 | P 437.2 | 14.4 | 164 - 274 | P 219.3 | 6.0 | 34 |
| Initial Grouping by Sensitivity or Principle | | | | | | | | | | | | | | | | | |
| Sysmex XS/XN series | 3 | 43 - 72 | P 57.8 | 3.8 | 320 - 533 | P 426.4 | 17.4 | 164 - 274 | P 219.2 | 7.0 | 321 - 534 | P 427.5 | 18.6 | 165 - 274 | P 219.4 | 7.4 | 78 |
| Sysmex XE/XT series | 4 | 47 - 78 | P 62.1 | 4.6 | 325 - 541 | P 433.1 | 26.7 | 167 - 279 | P 223.3 | 11.4 | 330 - 550 | P 440.3 | 27.5 | 169 - 281 | P 225.0 | 10.7 | 21 |
| Total Population | | | | | | | | | | | | | | | | | |

| | | | | | | | | | | | | | | | | | |
|------------------|---|---------|--------|-----|-----------|---------|------|-----------|---------|-----|-----------|---------|------|-----------|---------|-----|-----|
| Whole Population | 5 | 44 - 73 | P 58.3 | 4.4 | 321 - 535 | P 427.9 | 19.5 | 165 - 275 | P 220.0 | 8.3 | 323 - 538 | P 430.7 | 21.1 | 165 - 275 | P 220.3 | 8.4 | 106 |
|------------------|---|---------|--------|-----|-----------|---------|------|-----------|---------|-----|-----------|---------|------|-----------|---------|-----|-----|

Neutrophil % - Module E

Initial Grouping by Reagent

| | | | | | | | | | | | | | | | | | |
|-----------------------|---|-------------|---------|------|-------------|---------|------|-------------|---------|------|-------------|---------|------|-------------|---------|------|----|
| Sysmex XS-800i, 1000i | 1 | 54.9 - 61.4 | S 58.16 | 1.09 | 44.8 - 76.3 | S 60.55 | 5.25 | 42.9 - 56.5 | S 49.68 | 2.26 | 46.8 - 74.3 | S 60.51 | 4.58 | 43.2 - 55.8 | S 49.5 | 2.11 | 38 |
| Sysmex XN series | 2 | 43.8 - 88.6 | S 66.19 | 7.46 | 47.6 - 84.6 | S 66.11 | 6.16 | 35.5 - 74.5 | S 55.01 | 6.49 | 48.1 - 85.3 | S 66.7 | 6.21 | 34.2 - 75.7 | S 54.95 | 6.91 | 35 |

Initial Grouping by Sensitivity or Principle

| | | | | | | | | | | | | | | | | | |
|---------------------|---|-------------|---------|------|-------------|---------|------|-------------|---------|------|-------------|---------|------|-------------|---------|------|----|
| Sysmex XS/XN series | 3 | 42.4 - 80.9 | S 61.65 | 6.41 | 44.5 - 81.4 | S 62.94 | 6.15 | 36.0 - 68.2 | S 52.06 | 5.37 | 44.8 - 81.4 | S 63.13 | 6.09 | 35.0 - 68.8 | S 51.86 | 5.64 | 79 |
| Sysmex XE/XT series | 4 | 59.8 - 71.5 | S 65.62 | 1.95 | 50.8 - 70.1 | S 60.44 | 3.23 | 43.6 - 62.3 | S 52.97 | 3.12 | 50.0 - 72.3 | S 61.19 | 3.71 | 44.3 - 61.4 | S 52.82 | 2.84 | 20 |

Total Population

| | | | | | | | | | | | | | | | | | |
|------------------|---|-------------|---------|------|-------------|---------|------|-------------|---------|-----|-------------|---------|------|-------------|--------|------|-----|
| Whole Population | 5 | 43.3 - 82.9 | S 63.12 | 6.61 | 44.3 - 81.7 | S 63.01 | 6.24 | 35.5 - 70.3 | S 52.88 | 5.8 | 44.5 - 82.1 | S 63.32 | 6.26 | 34.8 - 70.6 | S 52.7 | 5.96 | 105 |
|------------------|---|-------------|---------|------|-------------|---------|------|-------------|---------|-----|-------------|---------|------|-------------|--------|------|-----|

Lymphocyte % - Module E

Initial Grouping by Reagent

| | | | | | | | | | | | | | | | | | |
|-----------------------|---|-------------|---------|------|-------------|---------|------|-------------|---------|------|-------------|---------|-----|-------------|---------|------|----|
| Sysmex XS-800i, 1000i | 1 | 12.5 - 20.7 | S 16.63 | 1.37 | 11.6 - 19.5 | S 15.52 | 1.32 | 20.7 - 34.5 | S 27.61 | 2.29 | 11.0 - 20.0 | S 15.54 | 1.5 | 20.6 - 35.4 | S 27.97 | 2.46 | 38 |
| Sysmex XN series | 2 | 12.8 - 20.5 | S 16.62 | 1.28 | 10.2 - 22.7 | S 16.45 | 2.09 | 18.6 - 34.1 | S 26.32 | 2.58 | 9.9 - 21.9 | S 15.88 | 2.0 | 19.6 - 33.4 | S 26.46 | 2.3 | 35 |

Initial Grouping by Sensitivity or Principle

| | | | | | | | | | | | | | | | | | |
|---------------------|---|-------------|---------|------|-------------|---------|------|-------------|---------|-----|-------------|---------|------|-------------|---------|------|----|
| Sysmex XS/XN series | 3 | 12.0 - 21.3 | S 16.64 | 1.56 | 10.5 - 21.3 | S 15.86 | 1.8 | 18.6 - 35.4 | S 27.0 | 2.8 | 10.3 - 21.1 | S 15.67 | 1.8 | 18.8 - 35.9 | S 27.35 | 2.85 | 79 |
| Sysmex XE/XT series | 4 | 11.8 - 23.7 | S 17.77 | 1.98 | 15.2 - 29.9 | S 22.54 | 2.46 | 20.1 - 41.7 | S 30.87 | 3.6 | 12.5 - 31.4 | S 21.91 | 3.15 | 19.6 - 43.6 | S 31.63 | 4.01 | 20 |

Total Population

| | | | | | | | | | | | | | | | | | |
|------------------|---|-------------|---------|------|------------|---------|------|-------------|---------|------|------------|---------|------|-------------|---------|------|-----|
| Whole Population | 5 | 11.7 - 21.9 | S 16.79 | 1.71 | 7.6 - 26.7 | S 17.16 | 3.19 | 17.7 - 37.8 | S 27.71 | 3.35 | 7.4 - 26.4 | S 16.88 | 3.17 | 17.2 - 38.8 | S 28.01 | 3.59 | 105 |
|------------------|---|-------------|---------|------|------------|---------|------|-------------|---------|------|------------|---------|------|-------------|---------|------|-----|

Monocyte % - Module E

Initial Grouping by Reagent

| | | | | | | | | | | | | | | | | | |
|-----------------------|---|---------|--------|------|---------|--------|------|----------|--------|------|---------|--------|------|----------|--------|------|----|
| Sysmex XS-800i, 1000i | 1 | 0 - 3.0 | S 1.04 | 0.66 | 0 - 5.3 | S 1.63 | 1.23 | 0 - 7.2 | S 2.22 | 1.66 | 0 - 4.8 | S 1.5 | 1.09 | 0 - 6.9 | S 2.15 | 1.59 | 38 |
| Sysmex XN series | 2 | 0 - 3.7 | S 1.72 | 0.65 | 0 - 6.3 | S 2.61 | 1.22 | 0 - 10.6 | S 4.39 | 2.06 | 0 - 6.6 | S 2.88 | 1.23 | 0 - 10.4 | S 4.32 | 2.01 | 35 |

Initial Grouping by Sensitivity or Principle

| | | | | | | | | | | | | | | | | | |
|---------------------|---|-----------|--------|------|-----------|--------|------|-----------|--------|------|-----------|--------|------|-----------|--------|------|----|
| Sysmex XS/XN series | 3 | 0 - 3.6 | S 1.32 | 0.75 | 0 - 5.9 | S 2.03 | 1.29 | 0 - 9.5 | S 3.12 | 2.13 | 0 - 6.0 | S 2.08 | 1.32 | 0 - 9.3 | S 3.09 | 2.07 | 79 |
| Sysmex XE/XT series | 4 | 0.4 - 2.6 | S 1.5 | 0.37 | 0.2 - 4.3 | S 2.24 | 0.67 | 1.2 - 4.9 | S 3.03 | 0.62 | 0.6 - 3.6 | S 2.08 | 0.51 | 0.9 - 5.2 | S 3.03 | 0.71 | 20 |

Total Population

| | | | | | | | | | | | | | | | | | |
|------------------|---|---------|--------|------|---------|--------|------|---------|--------|------|---------|--------|------|---------|--------|------|-----|
| Whole Population | 5 | 0 - 3.5 | S 1.39 | 0.69 | 0 - 5.9 | S 2.15 | 1.25 | 0 - 9.0 | S 3.15 | 1.95 | 0 - 5.8 | S 2.15 | 1.23 | 0 - 9.0 | S 3.18 | 1.92 | 105 |
|------------------|---|---------|--------|------|---------|--------|------|---------|--------|------|---------|--------|------|---------|--------|------|-----|

Eosinophil % - Module E

Initial Grouping by Reagent

| | | | | | | | | | | | | | | | | | |
|-----------------------|---|------------|---------|------|------------|---------|------|-------------|---------|------|------------|--------|------|-------------|---------|------|----|
| Sysmex XS-800i, 1000i | 1 | 7.0 - 25.2 | S 16.14 | 3.03 | 6.7 - 21.7 | S 14.21 | 2.51 | 10.8 - 16.6 | S 13.68 | 0.97 | 8.7 - 20.3 | S 14.5 | 1.94 | 10.5 - 16.7 | S 13.61 | 1.04 | 39 |
| Sysmex XN series | 2 | 0 - 26.8 | S 11.64 | 5.04 | 0 - 28.7 | S 10.26 | 6.14 | 0 - 26.3 | S 9.95 | 5.45 | 0 - 28.3 | S 9.81 | 6.18 | 0 - 26.4 | S 10.0 | 5.46 | 34 |

Initial Grouping by Sensitivity or Principle

| | | | | | | | | | | | | | | | | | |
|---------------------|---|------------|---------|------|-------------|---------|------|-------------|---------|------|-------------|---------|------|-------------|---------|-----|----|
| Sysmex XS/XN series | 3 | 0.6 - 27.7 | S 14.16 | 4.53 | 0 - 27.2 | S 12.6 | 4.85 | 0 - 24.4 | S 12.08 | 4.12 | 0 - 27.4 | S 12.56 | 4.94 | 0 - 24.3 | S 12.02 | 4.1 | 79 |
| Sysmex XE/XT series | 4 | 4.6 - 23.6 | S 14.1 | 3.17 | 11.6 - 16.2 | S 13.87 | 0.77 | 10.6 - 14.7 | S 12.64 | 0.68 | 11.5 - 16.1 | S 13.82 | 0.76 | 10.7 - 14.3 | S 12.53 | 0.6 | 20 |

Total Population

| | | | | | | | | | | | | | | | | | |
|------------------|---|----------|--------|------|----------|---------|------|----------|---------|------|----------|--------|------|----------|---------|------|-----|
| Whole Population | 5 | 0 - 27.5 | S 13.7 | 4.61 | 0 - 27.0 | S 12.36 | 4.88 | 0 - 24.4 | S 11.69 | 4.24 | 0 - 27.1 | S 12.3 | 4.94 | 0 - 24.3 | S 11.63 | 4.22 | 105 |
|------------------|---|----------|--------|------|----------|---------|------|----------|---------|------|----------|--------|------|----------|---------|------|-----|

Basophil % - Module E

Initial Grouping by Reagent

| | | | | | | | | | | | | | | | | | |
|-----------------------|---|----------|--------|------|----------|--------|------|----------|--------|------|----------|--------|------|----------|--------|------|----|
| Sysmex XS-800i, 1000i | 1 | 0 - 16.7 | S 7.7 | 3.0 | 0 - 17.5 | S 7.98 | 3.16 | 0 - 14.8 | S 6.77 | 2.69 | 0 - 16.8 | S 8.22 | 2.88 | 0 - 14.4 | S 6.55 | 2.63 | 38 |
| Sysmex XN series | 2 | 0 - 10.3 | S 2.99 | 2.43 | 0 - 10.5 | S 3.03 | 2.49 | 0 - 10.2 | S 2.94 | 2.43 | 0 - 10.1 | S 2.86 | 2.41 | 0 - 10.2 | S 2.94 | 2.4 | 35 |

Initial Grouping by Sensitivity or Principle

| | | | | | | | | | | | | | | | | | |
|---------------------|---|-------------|---------|------|-------------|---------|------|-------------|---------|------|-------------|---------|------|-------------|---------|------|----|
| Sysmex XS/XN series | 3 | 0 - 16.4 | S 5.67 | 3.57 | 0 - 17.0 | S 5.84 | 3.73 | 0 - 14.5 | S 5.11 | 3.14 | 0 - 16.9 | S 5.85 | 3.7 | 0 - 14.2 | S 5.0 | 3.05 | 79 |
| Sysmex XE/XT series | 4 | 70.1 - 94.8 | S 82.43 | 4.12 | 78.6 - 95.1 | S 86.85 | 2.76 | 68.4 - 74.8 | S 71.58 | 1.06 | 76.2 - 98.6 | S 87.41 | 3.73 | 68.6 - 74.5 | S 71.55 | 0.98 | 20 |

Total Population

| | | | | | | | | | | | | | | | | | |
|------------------|---|-----------|---------|-------|-----------|---------|-------|----------|---------|-------|-----------|---------|-------|----------|---------|-------|-----|
| Whole Population | 5 | 0 - 109.5 | S 19.45 | 30.01 | 0 - 117.4 | S 21.02 | 32.14 | 0 - 96.7 | S 17.56 | 26.37 | 0 - 118.2 | S 21.15 | 32.37 | 0 - 96.6 | S 17.48 | 26.39 | 105 |
|------------------|---|-----------|---------|-------|-----------|---------|-------|----------|---------|-------|-----------|---------|-------|----------|---------|-------|-----|

Immature Granulocytes

Initial Grouping by Reagent

| | | | | | | | | | | | | | | | | | |
|------------------|---|-------------|---------|------|-------------|---------|------|-------------|---------|------|-------------|--------|------|-------------|---------|------|----|
| Sysmex XN series | 1 | 0 - 30.3 | S 8.47 | 7.29 | 0 - 29.5 | S 9.35 | 6.72 | 0 - 24.6 | S 7.78 | 5.62 | 0 - 29.9 | S 9.44 | 6.82 | 0 - 25.2 | S 7.73 | 5.81 | 26 |
| Sysmex XT 4000i | 2 | 14.3 - 22.0 | S 18.17 | 1.29 | 13.6 - 18.5 | S 16.07 | 0.82 | 10.0 - 18.8 | S 14.4 | 1.48 | 15.5 - 18.7 | S 17.1 | 0.54 | 11.0 - 18.2 | S 14.57 | 1.2 | 3 |
| Sysmex XN-L | 3 | 12.5 - 20.6 | S 16.56 | 1.34 | 14.2 - 18.9 | S 16.52 | 0.78 | 12.5 - 15.6 | S 14.02 | 0.52 | 12.2 - 19.2 | S 15.7 | 1.15 | 11.0 - 16.8 | S 13.9 | 0.95 | 5 |
| Sysmex SF-3000 | 4 | 0 - 1.7 | C 0.73 | 0.09 | 0 - 1.9 | C 0.9 | 0.0 | 0 - 1.9 | C 0.93 | 0.12 | 0 - 1.9 | C 0.87 | 0.05 | 0 - 2.0 | C 0.97 | 0.09 | 3 |

Initial Grouping by Sensitivity or Principle

| | | | | | | | | | | | | | | | | | |
|-------------------------|---|-------------|---------|------|-------------|---------|------|------------|---------|------|-------------|---------|------|------------|---------|------|----|
| System XS/XN series | 5 | 0 - 31.8 | S 9.77 | 7.33 | 0 - 30.6 | S 10.5 | 6.7 | 0 - 25.7 | S 8.79 | 5.63 | 0 - 30.5 | S 10.45 | 6.67 | 0 - 26.1 | S 8.73 | 5.79 | 31 |
| System XE/XT series | 6 | 10.4 - 23.3 | S 16.85 | 2.14 | 10.5 - 19.6 | S 15.05 | 1.5 | 7.8 - 19.1 | S 13.48 | 1.88 | 11.4 - 20.6 | S 15.98 | 1.53 | 8.1 - 19.2 | S 13.67 | 1.85 | 6 |
| Other | 7 | 0 - 21.5 | S 4.5 | 5.68 | 0 - 23.6 | S 6.5 | 5.69 | 0 - 18.1 | S 4.85 | 4.41 | 0 - 22.7 | S 6.13 | 5.52 | 0 - 18.1 | S 4.88 | 4.42 | 4 |
| System SF | 8 | 0 - 1.7 | C 0.73 | 0.09 | 0 - 1.9 | C 0.9 | 0.0 | 0 - 1.9 | C 0.93 | 0.12 | 0 - 1.9 | C 0.87 | 0.05 | 0 - 2.0 | C 0.97 | 0.09 | 3 |
| Total Population | | | | | | | | | | | | | | | | | |
| Whole Population | 9 | 0 - 32.2 | S 9.64 | 7.5 | 0 - 30.3 | S 10.1 | 6.73 | 0 - 25.8 | S 8.54 | 5.76 | 0 - 30.6 | S 10.16 | 6.82 | 0 - 26.2 | S 8.52 | 5.89 | 44 |