



Hemoglobin and Hematocrit, waived

| Name | Line No. | Specimen 1 | | | Specimen 2 | | | No. of Labs | | |
|---|----------|--------------|------|-------|--------------|-------------|----|-------------|------|----|
| | | Range & Type | Mean | SD | Range & Type | Mean | SD | | | |
| Hemoglobin - waived | | | | | | | | | | |
| Initial Grouping by Method | | | | | | | | | | |
| Stanbio HemoPoint H2 | 1 | 17.1 - 19.6 | P | 18.34 | 0.39 | 12.8 - 14.7 | P | 13.75 | 0.30 | 11 |
| HemoCue 201 | 2 | 16.7 - 19.2 | P | 17.93 | 0.33 | 12.5 - 14.4 | P | 13.47 | 0.40 | 24 |
| Initial Grouping by Sensitivity or Principle | | | | | | | | | | |
| Nonstd metHb-neg biased | 3 | 16.6 - 19.1 | P | 17.90 | 0.93 | 12.7 - 14.6 | P | 13.64 | 0.98 | 42 |
| Total Population | | | | | | | | | | |
| Whole Population | 4 | 16.7 - 19.2 | P | 17.94 | 0.94 | 12.7 - 14.6 | P | 13.65 | 0.94 | 46 |
| Hematocrit - waived | | | | | | | | | | |
| Whole Population | 1 | 45.5 - 51.3 | P | 48.40 | 3.79 | 32.8 - 37.0 | P | 34.92 | 2.53 | 5 |