



PARTICIPANT STATISTICS

SECOND QUADRIMESTER 2016

GENITAL CULTURE

GC Culture

| Method | Specimen 1 | | Specimen 2 | | Specimen 3 | | Specimen 4 | | Specimen 5 | |
|--|------------|----------|------------|----------|------------|----------|------------|----------|------------|----------|
| | Labs | Flagging | Labs | Flagging | Labs | Flagging | Labs | Flagging | Labs | Flagging |
| Negative for Gram negative diplococci | 0 | *** | 1 | | 1 | | 1 | | 0 | *** |
| Positive for Gram negative diplococci | 2 | | 0 | *** | 0 | *** | 0 | *** | 2 | |
| Negative for Neisseria gonorrhoeae by direct antigen | 0 | *** | 0 | | 0 | | 0 | | 0 | *** |
| Positive for Neisseria gonorrhoeae by direct antigen | 0 | | 0 | *** | 0 | *** | 0 | *** | 0 | |
| Negative for Neisseria Species | 0 | *** | 1 | | 1 | | 1 | | 0 | *** |
| Positive for Neisseria species | 1 | | 0 | *** | 0 | *** | 0 | *** | 1 | |
| Negative for Neisseria gonorrhoeae by culture | 0 | *** | 8 | | 9 | | 8 | | 0 | *** |
| Positive for Neisseria gonorrhoeae by culture | 6 | | 0 | *** | 0 | *** | 0 | *** | 6 | |
| Positive for Neisseria gonorrhoeae (beta-lactamase) | 3 | | 0 | *** | 0 | *** | 0 | *** | 3 | |
| No aerobic growth | 0 | *** | 2 | | 1 | | 2 | | 0 | *** |
| Total Population | 12 | | 12 | | 12 | | 12 | | 12 | |

Group B Strep

| Method | Specimen 1 | | Specimen 2 | | Specimen 3 | | Specimen 4 | | Specimen 5 | |
|-------------------------|------------|----------|------------|------------|------------|----------|------------|------------|------------|----------|
| | Pos | Neg | Pos | Neg | Pos | Neg | Pos | Neg | Pos | Neg |
| Total Population | 0 | 2 | 2 | 0 | 0 | 2 | 2 | 0 | 0 | 2 |
| Flagging | *** | | | *** | *** | | | *** | *** | |

Correct responses are defined as those reflecting agreement among 80% or more of all participants or referees. Unacceptable responses are indicated by "*****" on the Flagging line of each specimen.