



HEMATOLOGY WITH DIFF E

Name	Line No.	Specimen 1			Specimen 2			Specimen 3			Specimen 4			Specimen 5			No. of Labs
		Range & Type	Mean	SD	Range & Type	Mean	SD	Range & Type	Mean	SD	Range & Type	Mean	SD	Range & Type	Mean	SD	
Leukocytes - Module E																	
Initial Grouping by Reagent																	
Sysmex XS-800i, 1000i	1	3.4 - 4.6	P 3.96	0.11	6.6 - 9.0	P 7.79	0.17	20.8 - 28.1	P 24.47	0.56	6.6 - 8.9	P 7.76	0.16	3.4 - 4.6	P 3.96	0.08	60
Sysmex XE-2100	2	3.3 - 4.4	P 3.85	0.23	6.3 - 8.5	P 7.38	0.5	19.2 - 25.9	P 22.55	1.23	6.2 - 8.5	P 7.35	0.44	3.3 - 4.4	P 3.85	0.17	4
Sysmex XT 2000i	3	3.2 - 4.3	P 3.77	0.09	6.4 - 8.7	P 7.57	0.13	19.4 - 26.3	P 22.84	0.7	6.4 - 8.7	P 7.54	0.17	3.2 - 4.4	P 3.82	0.12	10
Sysmex XT 4000i	4	3.3 - 4.5	P 3.9	0.12	6.5 - 8.7	P 7.6	0.15	19.6 - 26.5	P 23.08	0.95	6.4 - 8.7	P 7.56	0.21	3.2 - 4.3	P 3.78	0.15	9
Sysmex XN-1000	5	3.2 - 4.4	P 3.81	0.08	6.2 - 8.4	P 7.33	0.16	19.7 - 26.6	P 23.13	0.38	6.2 - 8.4	P 7.29	0.17	3.2 - 4.4	P 3.79	0.1	15
Sysmex XT 1800i	6	3.2 - 4.3	P 3.78	0.15	6.4 - 8.6	P 7.52	0.21	19.1 - 25.9	P 22.5	0.87	6.4 - 8.7	P 7.58	0.32	3.3 - 4.4	P 3.86	0.08	5
Initial Grouping by Sensitivity or Principle																	
Sysmex XS series	7	3.4 - 4.6	P 3.96	0.11	6.6 - 9.0	P 7.79	0.17	20.8 - 28.1	P 24.47	0.56	6.6 - 8.9	P 7.76	0.16	3.4 - 4.6	P 3.96	0.08	60
Sysmex XE/XT/XN series	8	3.2 - 4.4	P 3.81	0.15	6.4 - 8.6	P 7.48	0.25	19.5 - 26.4	P 22.92	0.81	6.3 - 8.6	P 7.45	0.27	3.2 - 4.4	P 3.82	0.13	46
Total Population																	
Whole Population	9	3.3 - 4.5	P 3.89	0.15	6.5 - 8.8	P 7.66	0.26	20.2 - 27.4	P 23.81	1.02	6.4 - 8.7	P 7.56	0.71	3.3 - 4.5	P 3.9	0.13	107
Erythrocytes - Module E																	
Initial Grouping by Reagent																	
Sysmex XS-800i, 1000i	1	2.24 - 2.53	P 2.387	0.03	4.32 - 4.87	P 4.594	0.047	6.15 - 6.94	P 6.544	0.074	4.31 - 4.86	P 4.587	0.046	2.25 - 2.53	P 2.391	0.027	60
Sysmex XE-2100	2	2.32 - 2.62	P 2.468	0.04	4.36 - 4.92	P 4.643	0.04	6.01 - 6.78	P 6.395	0.235	4.38 - 4.94	P 4.663	0.038	2.32 - 2.62	P 2.468	0.026	4
Sysmex XT 2000i	3	2.33 - 2.62	P 2.474	0.041	4.39 - 4.95	P 4.672	0.067	6.17 - 6.96	P 6.568	0.129	4.38 - 4.94	P 4.662	0.093	2.33 - 2.62	P 2.474	0.038	10
Sysmex XT 4000i	4	2.33 - 2.63	P 2.484	0.026	4.42 - 4.98	P 4.7	0.037	6.26 - 7.06	P 6.664	0.074	4.45 - 5.01	P 4.73	0.029	2.34 - 2.64	P 2.492	0.037	9
Sysmex XN-1000	5	2.24 - 2.53	P 2.383	0.028	4.32 - 4.88	P 4.601	0.05	6.16 - 6.94	P 6.551	0.074	4.32 - 4.88	P 4.6	0.051	2.23 - 2.52	P 2.373	0.018	15
Sysmex XT 1800i	6	2.3 - 2.59	P 2.442	0.025	4.36 - 4.91	P 4.634	0.039	6.17 - 6.96	P 6.564	0.103	4.36 - 4.91	P 4.634	0.048	2.3 - 2.59	P 2.448	0.016	5
Initial Grouping by Sensitivity or Principle																	
Sysmex XS series	7	2.24 - 2.53	P 2.387	0.03	4.32 - 4.87	P 4.594	0.047	6.15 - 6.94	P 6.544	0.074	4.31 - 4.86	P 4.587	0.046	2.25 - 2.53	P 2.391	0.027	60
Sysmex XE/XT series	8	2.3 - 2.59	P 2.442	0.053	4.37 - 4.92	P 4.645	0.062	6.17 - 6.95	P 6.561	0.131	4.37 - 4.93	P 4.651	0.074	2.29 - 2.59	P 2.439	0.056	46
Total Population																	
Whole Population	9	2.27 - 2.55	P 2.41	0.049	4.34 - 4.89	P 4.616	0.059	6.16 - 6.95	P 6.552	0.103	4.34 - 4.89	P 4.614	0.067	2.27 - 2.56	P 2.412	0.048	107
Hemoglobin - Module E																	
Initial Grouping by Reagent																	
Sysmex XS-800i, 1000i	1	5.5 - 6.4	P 5.96	0.1	12.5 - 14.3	P 13.4	0.14	18.9 - 21.8	P 20.36	0.21	12.5 - 14.4	P 13.44	0.14	5.6 - 6.4	P 5.98	0.07	60
Sysmex XE-2100	2	5.7 - 6.6	P 6.18	0.08	12.5 - 14.4	P 13.48	0.08	19.1 - 22.0	P 20.53	0.08	12.6 - 14.4	P 13.5	0.07	5.7 - 6.6	P 6.18	0.08	4
Sysmex XT 2000i	3	5.6 - 6.4	P 6.01	0.09	12.5 - 14.3	P 13.4	0.19	18.7 - 21.5	P 20.09	0.4	12.5 - 14.4	P 13.42	0.14	5.6 - 6.4	P 6.0	0.12	10
Sysmex XT 4000i	4	5.7 - 6.5	P 6.09	0.03	12.5 - 14.3	P 13.41	0.09	18.8 - 21.6	P 20.19	0.16	12.5 - 14.4	P 13.43	0.12	5.6 - 6.5	P 6.07	0.07	9
Sysmex XN-1000	5	5.6 - 6.4	P 5.97	0.08	12.4 - 14.3	P 13.36	0.1	18.8 - 21.6	P 20.19	0.12	12.5 - 14.3	P 13.39	0.12	5.6 - 6.4	P 6.01	0.07	14
Sysmex XT 1800i	6	5.6 - 6.5	P 6.04	0.05	12.5 - 14.4	P 13.48	0.1	18.7 - 21.6	P 20.16	0.12	12.5 - 14.4	P 13.48	0.07	5.6 - 6.5	P 6.06	0.05	5
Initial Grouping by Sensitivity or Principle																	
Sysmex XS series	7	5.5 - 6.4	P 5.96	0.1	12.5 - 14.3	P 13.4	0.14	18.9 - 21.8	P 20.36	0.21	12.5 - 14.4	P 13.44	0.14	5.6 - 6.4	P 5.98	0.07	60
Sysmex XE/XT series	8	5.6 - 6.5	P 6.03	0.1	12.5 - 14.3	P 13.4	0.15	18.8 - 21.6	P 20.19	0.26	12.5 - 14.4	P 13.43	0.12	5.6 - 6.5	P 6.04	0.1	46
Total Population																	
Whole Population	9	5.6 - 6.4	P 5.99	0.11	12.5 - 14.3	P 13.4	0.14	18.9 - 21.7	P 20.29	0.25	12.5 - 14.4	P 13.44	0.13	5.6 - 6.4	P 6.0	0.09	107
Hematocrit - Module E																	
Initial Grouping by Reagent																	
Sysmex XS-800i, 1000i	1	17.4 - 19.7	P 18.55	0.25	37.7 - 42.5	P 40.1	0.63	56.5 - 63.7	P 60.06	0.98	37.6 - 42.4	P 40.04	0.6	17.5 - 19.8	P 18.64	0.27	60
Sysmex XE-2100	2	17.6 - 19.8	P 18.68	0.38	37.6 - 42.4	P 40.0	0.48	54.9 - 61.9	P 58.43	1.39	37.7 - 42.5	P 40.1	0.44	17.6 - 19.9	P 18.75	0.27	4
Sysmex XT 2000i	3	17.9 - 20.2	P 19.05	0.25	37.9 - 42.8	P 40.37	0.45	56.4 - 63.6	P 60.01	0.87	38.0 - 42.8	P 40.39	0.65	18.0 - 20.3	P 19.11	0.17	10
Sysmex XT 4000i	4	18.0 - 20.3	P 19.17	0.19	38.1 - 43.0	P 40.56	0.61	57.0 - 64.2	P 60.61	1.09	38.4 - 43.3	P 40.86	0.39	18.1 - 20.4	P 19.29	0.25	9
Sysmex XN-1000	5	17.0 - 19.1	P 18.05	0.33	37.2 - 42.0	P 39.58	0.65	56.0 - 63.2	P 59.58	0.91	37.2 - 41.9	P 39.56	0.68	17.0 - 19.1	P 18.05	0.28	15

Sysmex XT 1800i	6	17.7 - 19.9	P 18.82	0.23	37.5 - 42.3	P 39.94	0.43	56.4 - 63.6	P 59.98	0.69	37.6 - 42.4	P 39.98	0.44	17.8 - 20.1	P 18.94	0.15	5
Initial Grouping by Sensitivity or Principle																	
Sysmex XS series	7	17.4 - 19.7	P 18.55	0.25	37.7 - 42.5	P 40.1	0.63	56.5 - 63.7	P 60.06	0.98	37.6 - 42.4	P 40.04	0.6	17.5 - 19.8	P 18.64	0.27	60
Sysmex XE/XT series	8	17.6 - 19.8	P 18.68	0.55	37.6 - 42.5	P 40.05	0.68	56.2 - 63.4	P 59.84	1.13	37.7 - 42.5	P 40.13	0.74	17.6 - 19.9	P 18.73	0.56	46
Total Population																	
Whole Population	9	17.5 - 19.7	P 18.61	0.41	37.7 - 42.5	P 40.08	0.65	56.4 - 63.6	P 59.98	1.05	37.7 - 42.5	P 40.08	0.67	17.6 - 19.8	P 18.68	0.42	107

Platelets - Module E

Initial Grouping by Reagent																	
Sysmex XS-800i, 1000i	1	41 - 69	P 54.9	3.3	157 - 261	P 209.0	8.2	308 - 513	P 410.7	18.8	157 - 261	P 208.9	8.2	42 - 69	P 55.6	3.7	60
Sysmex XE-2100	2	37 - 62	P 49.3	1.3	148 - 246	P 196.8	6.6	295 - 492	P 393.5	28.7	148 - 246	P 197.0	6.9	38 - 63	P 50.5	1.5	4
Sysmex XT 2000i	3	45 - 75	P 59.7	2.1	163 - 272	P 217.7	5.8	324 - 540	P 431.8	11.6	163 - 272	P 217.5	6.7	44 - 74	P 59.0	3.0	10
Sysmex XT 4000i	4	44 - 73	P 58.1	3.7	160 - 267	P 213.9	9.1	322 - 536	P 428.9	24.7	165 - 274	P 219.6	7.0	44 - 74	P 58.9	2.8	9
Sysmex XN-1000	5	39 - 65	P 51.8	3.3	158 - 263	P 210.2	6.3	332 - 554	P 442.8	15.3	159 - 266	P 212.6	7.1	38 - 63	P 50.3	2.7	15
Sysmex XT 1800i	6	44 - 73	P 58.5	2.1	157 - 262	P 209.8	8.5	308 - 513	P 410.0	10.6	155 - 258	P 206.5	5.7	44 - 73	P 58.5	1.1	4
Initial Grouping by Sensitivity or Principle																	
Sysmex XS series	7	41 - 69	P 54.9	3.3	157 - 261	P 209.0	8.2	308 - 513	P 410.7	18.8	157 - 261	P 208.9	8.2	42 - 69	P 55.6	3.7	60
Sysmex XE/XT series	8	42 - 69	P 55.5	4.8	159 - 264	P 211.5	9.3	323 - 537	P 430.0	25.5	160 - 267	P 213.2	10.7	41 - 69	P 55.3	5.3	45
Total Population																	
Whole Population	9	41 - 69	P 55.2	4.0	158 - 263	P 210.1	8.8	314 - 524	P 419.1	23.9	158 - 263	P 210.7	9.5	42 - 69	P 55.5	4.4	107

Neutrophil - Module E

Initial Grouping by Reagent																	
Sysmex XS-800i, 1000i	1	54.0 - 64.7	S 59.39	1.78	47.1 - 54.8	S 50.98	1.29	45.4 - 69.7	S 57.57	4.05	47.2 - 55.1	S 51.19	1.31	53.0 - 65.8	S 59.42	2.13	60
Sysmex XE-2100	2	63.1 - 69.4	S 66.27	1.04	54.5 - 60.4	S 57.45	0.99	55.7 - 66.3	S 61.0	1.77	52.6 - 62.4	S 57.5	1.64	60.0 - 71.8	S 65.9	1.96	4
Sysmex XT 2000i	3	66.9 - 70.3	S 68.6	0.58	57.3 - 61.3	S 59.3	0.66	62.9 - 67.2	S 65.04	0.72	56.5 - 61.9	S 59.22	0.89	66.9 - 71.7	S 69.32	0.8	10
Sysmex XT 4000i	4	67.0 - 71.5	S 69.28	0.75	57.2 - 60.3	S 58.78	0.52	61.1 - 68.7	S 64.88	1.27	56.8 - 61.4	S 59.11	0.76	65.6 - 72.2	S 68.9	1.11	9
Sysmex XN-1000	5	55.3 - 76.5	S 65.91	3.53	46.4 - 67.0	S 56.69	3.42	52.0 - 74.5	S 63.28	3.75	47.0 - 65.5	S 56.26	3.09	55.9 - 78.6	S 67.29	3.78	15
Sysmex XT 1800i	6	65.6 - 71.6	S 68.6	1.0	56.3 - 60.9	S 58.63	0.77	59.9 - 68.3	S 64.07	1.41	57.3 - 61.1	S 59.2	0.64	66.8 - 71.3	S 69.05	0.74	5
Initial Grouping by Sensitivity or Principle																	
Sysmex XS series	7	54.0 - 64.7	S 59.39	1.78	47.1 - 54.8	S 50.98	1.29	45.4 - 69.7	S 57.57	4.05	47.2 - 55.1	S 51.19	1.31	53.0 - 65.8	S 59.42	2.13	60
Sysmex XE/XT series	8	59.4 - 75.4	S 67.41	2.66	50.8 - 65.2	S 58.01	2.41	55.2 - 72.2	S 63.72	2.83	50.5 - 65.2	S 57.85	2.47	59.9 - 76.2	S 68.03	2.72	46
Total Population																	
Whole Population	9	33.2 - 90.6	S 61.9	9.57	33.9 - 73.0	S 53.42	6.51	37.2 - 82.0	S 59.59	7.47	33.5 - 73.9	S 53.69	6.73	37.9 - 87.9	S 62.9	8.32	107

Lymphocyte % - Module E

Initial Grouping by Reagent																	
Sysmex XS-800i, 1000i	1	7.9 - 19.3	S 13.61	1.91	15.9 - 33.6	S 24.75	2.94	11.6 - 24.6	S 18.08	2.17	15.1 - 33.9	S 24.54	3.13	7.9 - 19.1	S 13.51	1.87	60
Sysmex XE-2100	2	11.6 - 19.0	S 15.3	1.24	20.9 - 30.9	S 25.88	1.66	16.2 - 26.7	S 21.48	1.76	21.4 - 27.8	S 24.63	1.07	12.2 - 20.0	S 16.1	1.31	4
Sysmex XT 2000i	3	11.8 - 16.3	S 14.07	0.75	22.0 - 24.9	S 23.46	0.48	14.3 - 21.6	S 17.97	1.21	20.8 - 26.1	S 23.42	0.88	11.0 - 15.1	S 13.08	0.68	10
Sysmex XT 4000i	4	8.4 - 17.7	S 13.04	1.55	21.1 - 26.1	S 23.63	0.83	12.3 - 24.3	S 18.3	1.98	20.3 - 26.6	S 23.46	1.04	9.6 - 18.2	S 13.9	1.44	9
Sysmex XN-1000	5	5.0 - 20.4	S 12.72	2.57	13.0 - 31.7	S 22.35	3.13	8.9 - 23.4	S 16.11	2.42	14.4 - 32.6	S 23.47	3.03	6.0 - 19.0	S 12.51	2.16	15
Sysmex XT 1800i	6	11.7 - 15.3	S 13.5	0.62	19.8 - 30.5	S 25.12	1.78	12.3 - 26.5	S 19.4	2.38	18.2 - 31.1	S 24.62	2.15	11.9 - 17.0	S 14.44	0.86	5
Initial Grouping by Sensitivity or Principle																	
Sysmex XS series	7	7.9 - 19.3	S 13.61	1.91	15.9 - 33.6	S 24.75	2.94	11.6 - 24.6	S 18.08	2.17	15.1 - 33.9	S 24.54	3.13	7.9 - 19.1	S 13.51	1.87	60
Sysmex XE/XT series	8	7.9 - 19.1	S 13.5	1.88	15.9 - 31.5	S 23.7	2.6	9.6 - 26.7	S 18.14	2.86	16.6 - 31.3	S 23.93	2.46	7.3 - 20.1	S 13.71	2.12	46
Total Population																	
Whole Population	9	6.9 - 20.3	S 13.57	2.23	13.1 - 35.0	S 24.09	3.65	9.7 - 26.3	S 17.99	2.75	13.0 - 35.1	S 24.07	3.68	7.7 - 19.5	S 13.6	1.98	107

Monocyte % - Module E

Initial Grouping by Reagent																	
Sysmex XS-800i, 1000i	1	0 - 5.7	S 1.64	1.34	0 - 8.3	S 2.55	1.93	0 - 6.5	S 1.73	1.58	0 - 10.0	S 2.91	2.36	0 - 5.4	S 1.53	1.3	60
Sysmex XE-2100	2	0.1 - 4.5	S 2.3	0.74	1.0 - 5.3	S 3.13	0.71	0.6 - 4.7	S 2.65	0.67	2.0 - 6.4	S 4.18	0.73	0 - 7.9	S 2.85	1.68	4
Sysmex XT 2000i	3	0.9 - 2.9	C 1.94	0.27	2.7 - 4.8	S 3.75	0.34	1.0 - 3.1	S 2.05	0.34	2.8 - 4.8	C 3.79	0.32	1.1 - 3.1	C 2.12	0.25	10
Sysmex XT 4000i	4	0.1 - 4.3	S 2.17	0.7	0.7 - 7.7	S 4.21	1.16	0 - 4.8	S 2.26	0.84	1.5 - 7.1	S 4.32	0.94	0 - 3.8	S 1.82	0.68	9
Sysmex XN-1000	5	0 - 9.2	S 3.61	1.88	0 - 13.2	S 5.26	2.64	0 - 14.5	S 5.19	3.1	0 - 10.8	S 4.51	2.1	0 - 9.4	S 3.35	2.02	15
Sysmex XT 1800i	6	0.9 - 2.9	C 1.94	0.26	0.9 - 6.4	S 3.62	0.91	0 - 4.5	S 1.78	0.89	0.4 - 6.8	S 3.62	1.07	0.1 - 3.5	S 1.8	0.55	5
Initial Grouping by Sensitivity or Principle																	
Sysmex XS series	7	0 - 5.7	S 1.64	1.34	0 - 8.3	S 2.55	1.93	0 - 6.5	S 1.73	1.58	0 - 10.0	S 2.91	2.36	0 - 5.4	S 1.53	1.3	60
Sysmex XE/XT series	8	0 - 6.7	S 2.53	1.39	0 - 9.8	S 4.19	1.87	0 - 10.2	S 3.13	2.36	0 - 8.5	S 4.08	1.46	0 - 6.9	S 2.45	1.49	46

Total Population																	
Whole Population	9	0 - 6.5	S 2.07	1.48	0 - 9.9	S 3.33	2.18	0 - 8.5	S 2.33	2.07	0 - 9.7	S 3.41	2.1	0 - 6.6	S 1.97	1.55	107

Eosinophil % - Module E

Initial Grouping by Reagent																	
Sysmex XS-800i, 1000i	1	2.2 - 33.4	S 17.8	5.21	6.1 - 23.3	S 14.71	2.87	12.9 - 16.8	S 14.83	0.65	6.0 - 23.4	S 14.7	2.91	0 - 35.1	S 17.19	5.98	60
Sysmex XE-2100	2	14.3 - 17.9	S 16.13	0.61	12.6 - 14.6	C 13.55	0.15	13.5 - 16.2	S 14.87	0.44	12.7 - 14.7	C 13.7	0.24	13.7 - 16.6	S 15.15	0.48	4
Sysmex XT 2000i	3	13.9 - 17.1	S 15.49	0.54	12.4 - 14.6	S 13.49	0.36	13.9 - 16.0	S 14.94	0.35	12.6 - 14.6	C 13.57	0.3	14.2 - 16.8	S 15.48	0.44	10
Sysmex XT 4000i	4	14.1 - 16.5	S 15.29	0.39	6.6 - 22.9	S 14.74	2.72	12.2 - 17.1	S 14.62	0.82	4.9 - 24.2	S 14.53	3.22	4.9 - 23.5	S 14.18	3.1	9
Sysmex XN-1000	5	8.7 - 22.6	S 15.65	2.32	6.9 - 18.1	S 12.5	1.87	0 - 21.1	S 10.57	3.52	6.4 - 18.8	S 12.59	2.07	6.5 - 22.0	S 14.23	2.58	15
Sysmex XT 1800i	6	14.6 - 16.8	S 15.7	0.35	11.6 - 14.7	S 13.14	0.52	14.0 - 16.0	C 15.0	0.24	12.3 - 14.3	C 13.3	0.19	13.5 - 16.3	S 14.88	0.46	5
Initial Grouping by Sensitivity or Principle																	
Sysmex XS series	7	2.2 - 33.4	S 17.8	5.21	6.1 - 23.3	S 14.71	2.87	12.9 - 16.8	S 14.83	0.65	6.0 - 23.4	S 14.7	2.91	0 - 35.1	S 17.19	5.98	60
Sysmex XE/XT series	8	11.3 - 19.9	S 15.6	1.42	7.9 - 18.8	S 13.35	1.83	4.8 - 22.1	S 13.45	2.87	7.4 - 19.4	S 13.42	1.99	8.4 - 21.0	S 14.7	2.11	46
Total Population																	
Whole Population	9	3.0 - 30.1	S 16.58	4.52	6.4 - 21.8	S 14.11	2.55	8.0 - 20.4	S 14.23	2.07	5.2 - 22.8	S 14.0	2.94	1.6 - 30.6	S 16.11	4.84	107

Basophil % - Module E

Initial Grouping by Reagent																	
Sysmex XS-800i, 1000i	1	0 - 18.3	S 7.48	3.6	0 - 16.3	S 6.83	3.15	0 - 17.3	S 7.58	3.24	0 - 15.3	S 6.69	2.88	0 - 17.9	S 7.41	3.5	60
Sysmex XE-2100	2	82.4 - 86.8	S 84.63	0.74	71.9 - 76.9	S 74.38	0.83	80.7 - 82.7	C 81.72	0.08	73.8 - 75.8	C 74.75	0.21	83.7 - 86.7	S 85.2	0.51	4
Sysmex XT 2000i	3	81.0 - 87.5	S 84.26	1.09	71.0 - 77.0	S 74.02	1.01	80.5 - 91.1	S 85.77	1.76	71.9 - 76.4	S 74.16	0.74	80.4 - 87.8	S 84.1	1.25	10
Sysmex XT 4000i	4	78.3 - 88.9	S 83.58	1.76	69.6 - 78.0	S 73.77	1.4	76.9 - 91.3	S 84.06	2.4	68.8 - 79.1	S 73.92	1.71	78.5 - 88.2	S 83.33	1.61	9
Sysmex XN-1000	5	0 - 8.2	S 1.74	2.15	0 - 8.0	S 1.93	2.02	0 - 8.3	S 1.68	2.21	0 - 8.0	S 1.9	2.03	0 - 8.1	S 1.72	2.13	15
Sysmex XT 1800i	6	82.1 - 86.9	S 84.5	0.78	71.2 - 75.9	S 73.58	0.78	83.9 - 85.9	C 84.94	0.28	72.6 - 75.3	S 73.94	0.45	81.6 - 86.0	S 83.82	0.72	5
Initial Grouping by Sensitivity or Principle																	
Sysmex XS series	7	0 - 18.5	S 6.32	4.08	0 - 16.5	S 5.85	3.55	0 - 18.0	S 6.4	3.86	0 - 15.7	S 5.72	3.34	0 - 18.2	S 6.27	3.99	74
Sysmex XE/XT series	8	80.1 - 88.2	S 84.15	1.35	70.7 - 77.2	S 73.97	1.09	77.7 - 90.9	S 84.3	2.19	70.9 - 77.4	S 74.15	1.08	80.1 - 88.0	S 84.07	1.32	31
Total Population																	
Whole Population	9	0 - 138.2	S 29.5	36.22	0 - 118.7	S 25.6	31.04	0 - 135.5	S 28.98	35.49	0 - 119.5	S 25.75	31.25	0 - 136.1	S 28.98	35.69	107