

Normal Mean (GMNPT)

Initial Grouping by Reagent and Instrument

Siemens Innovin & Siemens/Sysmex CA series	1	9.5 - 10.9	S 10.21	0.23	-	-	-	-	-	-	-	-	-	-	-	-	-	35
--	---	------------	---------	------	---	---	---	---	---	---	---	---	---	---	---	---	---	----

Initial Grouping by Reagent

HemosIL RecombiPlasTin 2G	2	9.8 - 12.7	S 11.27	0.48	-	-	-	-	-	-	-	-	-	-	-	-	-	10
Siemens Innovin	3	9.1 - 11.2	S 10.15	0.35	-	-	-	-	-	-	-	-	-	-	-	-	-	38

Initial Grouping by Sensitivity or Principle

High sens/wide normal range	4	9.3 - 14.4	S 11.84	0.86	-	-	-	-	-	-	-	-	-	-	-	-	-	16
TOTAL POPULATION	5	7.9 - 14.3	S 11.11	1.06	-	-	-	-	-	-	-	-	-	-	-	-	-	48
High sens/mod normal range	6	9.1 - 11.2	S 10.15	0.35	-	-	-	-	-	-	-	-	-	-	-	-	-	38

Total Population

Whole Population	7	7.8 - 14.2	S 10.98	1.07	-	-	-	-	-	-	-	-	-	-	-	-	-	112
------------------	---	------------	---------	------	---	---	---	---	---	---	---	---	---	---	---	---	---	-----

Activated Partial Thromboplastin Time, Seconds

Initial Grouping by Reagent and Instrument

HemosIL APTT-SP & IL ACL series 100 - 7000	1	34.0 - 46.0	P 40.03	1.75	23.9 - 32.3	P 28.11	1.45	39.0 - 52.8	P 45.92	1.98	25.9 - 35.0	P 30.43	1.71	27.3 - 36.9	P 32.11	1.64	21
HemosIL SynthASil w/CaCl2 & IL ACL Elite,E.Pro, 8-10000	2	33.4 - 45.3	P 39.35	2.5	23.4 - 31.7	P 27.57	0.81	39.1 - 52.9	P 46.03	2.89	36.2 - 49.0	P 42.58	3.56	26.7 - 36.1	P 31.39	1.94	14
Siemens FSL Activated & Siemens/Sysmex CA series	3	29.3 - 39.6	P 34.44	1.37	20.3 - 27.5	P 23.93	0.9	33.8 - 45.7	P 39.71	1.68	20.7 - 27.9	P 24.3	0.64	21.6 - 29.2	P 25.42	1.17	72

Initial Grouping by Reagent

Diag Stago STA-PTT-A	4	35.6 - 48.2	P 41.89	2.14	24.4 - 33.1	P 28.75	1.46	41.3 - 55.9	P 48.58	2.77	26.8 - 36.3	P 31.54	1.51	26.2 - 35.4	P 30.82	1.43	13
HemosIL APTT-SP	5	34.4 - 46.5	P 40.47	2.38	24.2 - 32.8	P 28.5	1.53	39.9 - 54.0	P 46.99	3.04	26.3 - 35.5	P 30.9	2.02	27.5 - 37.2	P 32.36	1.77	30
HemosIL SynthASil w/CaCl2	6	34.6 - 46.9	P 40.75	2.89	23.3 - 31.6	P 27.45	0.77	39.8 - 53.9	P 46.87	2.75	36.1 - 48.8	P 42.44	4.11	26.8 - 36.3	P 31.56	1.88	22
Siemens FSL Activated	7	29.2 - 39.5	P 34.36	1.38	20.3 - 27.5	P 23.89	0.9	33.7 - 45.6	P 39.61	1.69	20.6 - 27.9	P 24.27	0.64	21.5 - 29.2	P 25.35	1.19	77

Initial Grouping by Sensitivity or Principle

Very high sens/vty reagents	8	35.6 - 48.2	P 41.89	2.14	24.4 - 33.1	P 28.75	1.46	41.3 - 55.9	P 48.58	2.77	26.8 - 36.3	P 31.54	1.51	26.2 - 35.4	P 30.82	1.43	13
High sensitivity reagents	9	33.3 - 45.1	P 39.21	3.05	23.5 - 31.8	P 27.64	2.13	38.6 - 52.2	P 45.39	3.82	24.8 - 33.5	P 29.17	3.3	26.3 - 35.6	P 30.92	2.96	41
All other methods	10	34.3 - 46.4	P 40.32	3.12	23.1 - 31.3	P 27.19	1.17	39.6 - 53.5	P 46.54	3.25	34.2 - 46.3	P 40.26	6.94	26.4 - 35.7	P 31.05	2.41	25
Moderate sensitivity reagents	11	29.2 - 39.5	P 34.36	1.38	20.3 - 27.5	P 23.89	0.9	33.7 - 45.6	P 39.61	1.69	20.6 - 27.9	P 24.27	0.64	21.5 - 29.2	P 25.35	1.19	77

Total Population

Whole Population	12	31.7 - 42.8	P 37.24	3.69	21.9 - 29.7	P 25.82	2.38	36.5 - 49.4	P 42.99	4.37	24.4 - 33.0	P 28.68	6.46	24.0 - 32.4	P 28.21	3.45	158
------------------	----	-------------	---------	------	-------------	---------	------	-------------	---------	------	-------------	---------	------	-------------	---------	------	-----

Fibrinogen

Initial Grouping by Sensitivity or Principle

Siemens series	1	188 - 282	P 235.3	26.5	98 - 147	P 122.9	8.6	194 - 291	P 242.8	21.1	306 - 459	P 382.8	34.9	209 - 313	P 261.2	18.1	12
----------------	---	-----------	---------	------	----------	---------	-----	-----------	---------	------	-----------	---------	------	-----------	---------	------	----

Total Population

Whole Population	2	202 - 302	P 251.9	32.3	107 - 160	P 133.2	19.2	211 - 316	P 263.3	40.5	270 - 405	P 337.7	70.5	210 - 315	P 262.7	18.5	20
------------------	---	-----------	---------	------	-----------	---------	------	-----------	---------	------	-----------	---------	------	-----------	---------	------	----