



## Hematology With Diff G

Name	Line No.	Specimen 1			Specimen 2			Specimen 3			Specimen 4			Specimen 5			No. of Labs
		Range & Type	Mean	SD	Range & Type	Mean	SD	Range & Type	Mean	SD	Range & Type	Mean	SD	Range & Type	Mean	SD	
<b>Leukocytes - Module G</b>																	
<b>Initial Grouping by Reagent</b>																	
Coulter Ac*T 5	1	21.0 - 28.4	P 24.66	1.1	13.6 - 18.4	P 16.0	0.49	6.0 - 8.2	P 7.09	0.45	3.4 - 4.6	P 4.03	0.15	4.1 - 5.5	P 4.8	0.16	17
Horiba ABX Pentra 60 C+	2	20.9 - 28.3	P 24.61	1.36	13.6 - 18.4	P 15.99	0.32	5.9 - 8.0	P 6.97	0.27	3.4 - 4.7	P 4.05	0.11	4.1 - 5.5	P 4.78	0.11	16
Horiba ABX Pentra 80	3	20.3 - 27.5	P 23.89	0.64	13.4 - 18.2	P 15.79	0.34	6.0 - 8.1	P 7.08	0.32	3.5 - 4.7	P 4.08	0.12	4.1 - 5.5	P 4.8	0.14	17
<b>Initial Grouping by Sensitivity or Principle</b>																	
Pentra 60 / Ac*T 5	4	20.9 - 28.3	P 24.62	1.18	13.6 - 18.4	P 15.99	0.4	6.0 - 8.1	P 7.02	0.37	3.4 - 4.6	P 4.03	0.13	4.1 - 5.5	P 4.79	0.13	36
Other Instruments	5	20.3 - 27.5	P 23.89	0.64	13.4 - 18.2	P 15.79	0.34	6.0 - 8.1	P 7.08	0.32	3.5 - 4.7	P 4.08	0.12	4.1 - 5.5	P 4.8	0.14	17
<b>Total Population</b>																	
Whole Population	6	20.7 - 28.0	P 24.39	1.09	13.5 - 18.3	P 15.93	0.39	6.0 - 8.1	P 7.04	0.35	3.4 - 4.7	P 4.05	0.13	4.1 - 5.5	P 4.79	0.14	54
<b>Erythrocytes - Module G</b>																	
<b>Initial Grouping by Reagent</b>																	
Coulter Ac*T 5	1	5.58 - 6.29	P 5.937	0.131	4.07 - 4.59	P 4.331	0.091	6.0 - 6.76	P 6.381	0.134	3.7 - 4.17	P 3.938	0.101	4.64 - 5.23	P 4.932	0.099	17
Horiba ABX Pentra 60 C+	2	5.48 - 6.18	P 5.828	0.087	4.03 - 4.55	P 4.29	0.076	5.9 - 6.66	P 6.279	0.101	3.64 - 4.1	P 3.87	0.073	4.59 - 5.18	P 4.884	0.101	16
Horiba ABX Pentra 80	3	5.57 - 6.28	P 5.925	0.074	4.0 - 4.51	P 4.258	0.06	6.0 - 6.77	P 6.384	0.063	3.6 - 4.07	P 3.835	0.046	4.59 - 5.18	P 4.884	0.071	17
<b>Initial Grouping by Sensitivity or Principle</b>																	
Pentra 60 / Ac*T 5	4	5.52 - 6.23	P 5.877	0.123	4.05 - 4.56	P 4.306	0.085	5.95 - 6.71	P 6.326	0.126	3.66 - 4.13	P 3.898	0.099	4.61 - 5.2	P 4.901	0.102	36
Other Instruments	5	5.57 - 6.28	P 5.925	0.074	4.0 - 4.51	P 4.258	0.06	6.0 - 6.77	P 6.384	0.063	3.6 - 4.07	P 3.835	0.046	4.59 - 5.18	P 4.884	0.071	17
<b>Total Population</b>																	
Whole Population	6	5.52 - 6.22	P 5.87	0.197	4.03 - 4.55	P 4.29	0.081	5.96 - 6.73	P 6.345	0.112	3.65 - 4.11	P 3.878	0.09	4.6 - 5.19	P 4.895	0.093	54
<b>Hemoglobin - Module G</b>																	
<b>Initial Grouping by Reagent</b>																	
Coulter Ac*T 5	1	16.0 - 18.4	P 17.19	0.2	10.2 - 11.8	P 11.01	0.12	17.3 - 19.9	P 18.63	0.22	9.3 - 10.7	P 10.0	0.13	13.4 - 15.4	P 14.42	0.22	17
Horiba ABX Pentra 60 C+	2	16.2 - 18.6	P 17.38	0.16	10.2 - 11.7	P 10.98	0.13	17.6 - 20.2	P 18.88	0.18	9.2 - 10.6	P 9.88	0.16	13.4 - 15.4	P 14.43	0.22	16
Horiba ABX Pentra 80	3	16.2 - 18.7	P 17.43	0.15	10.2 - 11.7	P 10.93	0.12	17.6 - 20.3	P 18.94	0.17	9.2 - 10.5	P 9.84	0.09	13.4 - 15.4	P 14.43	0.12	16
<b>Initial Grouping by Sensitivity or Principle</b>																	
Pentra 60 / Ac*T 5	4	16.1 - 18.5	P 17.3	0.21	10.2 - 11.8	P 10.99	0.13	17.5 - 20.1	P 18.78	0.25	9.2 - 10.6	P 9.93	0.16	13.4 - 15.4	P 14.43	0.22	37
Other Instruments	5	16.2 - 18.7	P 17.43	0.15	10.2 - 11.7	P 10.93	0.12	17.6 - 20.3	P 18.94	0.17	9.2 - 10.5	P 9.84	0.09	13.4 - 15.4	P 14.43	0.12	16
<b>Total Population</b>																	
Whole Population	6	16.1 - 18.5	P 17.27	0.57	10.2 - 11.7	P 10.97	0.13	17.5 - 20.2	P 18.85	0.28	9.2 - 10.6	P 9.91	0.15	13.4 - 15.4	P 14.43	0.2	54
<b>Hematocrit - Module G</b>																	
<b>Initial Grouping by Reagent</b>																	
Coulter Ac*T 5	1	46.6 - 52.5	P 49.56	0.97	30.3 - 34.2	P 32.24	0.78	50.1 - 56.5	P 53.26	1.27	27.3 - 30.8	P 29.09	0.73	38.6 - 43.6	P 41.11	1.08	17
Horiba ABX Pentra 60 C+	2	46.4 - 52.4	P 49.39	0.94	30.3 - 34.2	P 32.23	0.63	50.0 - 56.4	P 53.22	0.97	27.1 - 30.5	P 28.79	0.57	38.6 - 43.5	P 41.02	0.93	15
Horiba ABX Pentra 80	3	46.4 - 52.3	P 49.34	0.66	30.4 - 34.3	P 32.32	0.58	49.8 - 56.1	P 52.97	0.68	27.3 - 30.8	P 29.05	0.36	38.5 - 43.4	P 40.99	0.63	17
<b>Initial Grouping by Sensitivity or Principle</b>																	
Pentra 60 / Ac*T 5	4	46.5 - 52.4	P 49.45	0.97	30.3 - 34.1	P 32.2	0.7	50.0 - 56.4	P 53.24	1.11	27.2 - 30.6	P 28.9	0.72	38.6 - 43.5	P 41.03	1.0	35
Other Instruments	5	46.4 - 52.3	P 49.34	0.66	30.4 - 34.3	P 32.32	0.58	49.8 - 56.1	P 52.97	0.68	27.3 - 30.8	P 29.05	0.36	38.5 - 43.4	P 40.99	0.63	17
<b>Total Population</b>																	
Whole Population	6	46.3 - 52.2	P 49.25	1.47	30.3 - 34.2	P 32.25	0.66	50.1 - 56.5	P 53.32	1.46	27.2 - 30.7	P 28.96	0.63	38.6 - 43.5	P 41.03	0.89	54
<b>Platelets - Module G</b>																	
<b>Initial Grouping by Reagent</b>																	
Coulter Ac*T 5	1	372 - 621	P 496.6	19.6	170 - 284	P 226.9	10.6	194 - 323	P 258.3	11.6	84 - 141	P 112.4	11.9	112 - 187	P 149.8	7.4	17
Horiba ABX Pentra 60 C+	2	366 - 610	P 488.0	20.4	160 - 266	P 213.1	11.2	183 - 305	P 244.1	10.2	82 - 137	P 109.4	5.5	108 - 179	P 143.5	7.8	16

Horiba ABX Pentra 80	3	368 - 614	P 490.9	16.4	162 - 270	P 215.8	10.0	191 - 318	P 254.0	8.7	82 - 136	P 109.1	6.6	110 - 183	P 146.1	6.5	17
<b>Initial Grouping bySensitivityor Principle</b>																	
Pentra 60 / Ac*T 5	4	370 - 617	P 493.3	19.9	166 - 276	P 220.9	12.8	189 - 314	P 251.5	12.6	84 - 140	P 112.1	9.8	110 - 184	P 147.3	8.1	36
Other Instruments	5	368 - 614	P 490.9	16.4	162 - 270	P 215.8	10.0	191 - 318	P 254.0	8.7	82 - 136	P 109.1	6.6	110 - 183	P 146.1	6.5	17
<b>Total Population</b>																	
Whole Population	6	369 - 616	P 492.5	18.8	164 - 274	P 219.3	12.2	189 - 315	P 252.3	11.5	83 - 139	P 111.1	9.0	110 - 184	P 146.9	7.7	54

### Neutrophil % - Module G

<b>Initial Grouping byReagent</b>																	
Coulter Ac*T 5	1	33.4 - 62.3	S 47.88	4.81	48.3 - 71.9	S 60.13	3.94	36.2 - 64.2	S 50.18	4.66	42.5 - 65.0	S 53.75	3.75	34.2 - 50.7	S 42.46	2.74	17
Horiba ABX Pentra 60 C+	2	41.5 - 62.2	S 51.87	3.45	52.3 - 75.4	S 63.89	3.85	42.3 - 64.0	S 53.14	3.62	46.6 - 66.3	S 56.44	3.29	37.5 - 60.8	S 49.15	3.87	16
Horiba ABX Pentra 80	3	35.9 - 60.2	S 48.07	4.04	56.2 - 72.6	S 64.44	2.73	35.2 - 64.2	S 49.71	4.83	43.2 - 66.0	S 54.62	3.8	33.3 - 51.6	S 42.46	3.04	17
<b>Initial Grouping bySensitivityor Principle</b>																	
Pentra 60 / Ac*T 5	4	35.9 - 63.7	S 49.8	4.63	48.7 - 76.2	S 62.44	4.58	38.5 - 64.8	S 51.64	4.4	43.5 - 67.4	S 55.46	3.98	31.7 - 59.9	S 45.78	4.71	36
Other Instruments	5	35.9 - 60.2	S 48.07	4.04	56.2 - 72.6	S 64.44	2.73	35.2 - 64.2	S 49.71	4.83	43.2 - 66.0	S 54.62	3.8	33.3 - 51.6	S 42.46	3.04	17
<b>Total Population</b>																	
Whole Population	6	35.7 - 62.8	S 49.24	4.52	50.4 - 75.7	S 63.06	4.2	37.1 - 64.9	S 51.02	4.63	43.4 - 67.0	S 55.19	3.94	31.2 - 58.2	S 44.67	4.5	54

### Lymphocyte % - Module G

<b>Initial Grouping byReagent</b>																	
Coulter Ac*T 5	1	20.6 - 57.9	S 39.26	6.22	10.1 - 36.8	S 23.44	4.46	19.5 - 45.3	S 32.42	4.31	16.5 - 39.0	S 27.75	3.74	25.8 - 49.8	S 37.82	3.99	17
Horiba ABX Pentra 60 C+	2	24.4 - 47.2	S 35.84	3.8	12.5 - 27.7	S 20.1	2.54	19.3 - 37.6	S 28.44	3.06	16.4 - 34.5	S 25.43	3.01	20.4 - 46.6	S 33.49	4.38	16
Horiba ABX Pentra 80	3	30.6 - 58.1	S 44.38	4.59	15.6 - 39.1	S 27.35	3.93	21.9 - 54.8	S 38.37	5.48	18.9 - 47.6	S 33.24	4.79	30.7 - 55.4	S 43.06	4.12	17
<b>Initial Grouping bySensitivityor Principle</b>																	
Pentra 60 / Ac*T 5	4	21.4 - 54.5	S 37.97	5.52	10.1 - 33.7	S 21.9	3.93	16.4 - 45.5	S 30.99	4.85	16.2 - 37.2	S 26.69	3.5	21.4 - 50.8	S 36.09	4.89	36
Other Instruments	5	30.6 - 58.1	S 44.38	4.59	15.6 - 39.1	S 27.35	3.93	21.9 - 54.8	S 38.37	5.48	18.9 - 47.6	S 33.24	4.79	30.7 - 55.4	S 43.06	4.12	17
<b>Total Population</b>																	
Whole Population	6	20.9 - 58.6	S 39.76	6.28	8.4 - 38.4	S 23.39	5.01	13.9 - 52.3	S 33.08	6.4	13.4 - 43.9	S 28.64	5.08	21.3 - 55.4	S 38.37	5.68	54

### Monocyte % - Module G

<b>Initial Grouping byReagent</b>																	
Coulter Ac*T 5	1	0 - 5.1	S 2.21	0.96	0 - 5.0	S 2.31	0.9	0 - 4.2	S 1.72	0.81	0 - 4.3	S 1.64	0.89	0 - 4.5	S 2.04	0.83	17
Horiba ABX Pentra 60 C+	2	0 - 6.2	S 2.69	1.17	0 - 5.2	S 2.23	1.0	0 - 4.5	S 1.98	0.84	0 - 3.7	S 1.42	0.76	0 - 4.8	S 1.73	1.02	16
Horiba ABX Pentra 80	3	0 - 4.0	S 1.69	0.76	0 - 3.7	S 1.54	0.73	0 - 3.6	S 1.33	0.77	0 - 4.4	S 1.45	1.0	0 - 3.5	S 1.39	0.7	17
<b>Initial Grouping bySensitivityor Principle</b>																	
Pentra 60 / Ac*T 5	4	0 - 5.8	S 2.47	1.09	0 - 5.1	S 2.23	0.95	0 - 4.4	S 1.89	0.85	0 - 4.0	S 1.55	0.82	0 - 4.7	S 1.87	0.93	36
Other Instruments	5	0 - 4.0	S 1.69	0.76	0 - 3.7	S 1.54	0.73	0 - 3.6	S 1.33	0.77	0 - 4.4	S 1.45	1.0	0 - 3.5	S 1.39	0.7	17
<b>Total Population</b>																	
Whole Population	6	0 - 5.4	S 2.23	1.06	0 - 4.8	S 2.02	0.94	0 - 4.5	S 1.75	0.92	0 - 4.2	S 1.52	0.88	0 - 4.4	S 1.71	0.89	54

### Eosinophil % - Module G

<b>Initial Grouping byReagent</b>																	
Coulter Ac*T 5	1	2.1 - 5.9	S 3.98	0.62	1.7 - 6.9	S 4.27	0.87	1.8 - 13.5	S 7.64	1.96	2.1 - 15.2	S 8.65	2.17	6.7 - 17.6	S 12.13	1.82	17
Horiba ABX Pentra 60 C+	2	2.7 - 5.6	S 4.11	0.49	2.2 - 6.6	S 4.4	0.73	4.1 - 14.1	S 9.07	1.66	3.6 - 14.6	S 9.11	1.85	4.7 - 17.9	S 11.26	2.2	16
Horiba ABX Pentra 80	3	1.7 - 5.8	S 3.73	0.68	1.5 - 6.9	S 4.24	0.9	3.6 - 11.8	S 7.73	1.36	2.1 - 15.2	S 8.64	2.19	6.0 - 17.5	S 11.79	1.92	17
<b>Initial Grouping bySensitivityor Principle</b>																	
Pentra 60 / Ac*T 5	4	2.3 - 5.7	S 3.99	0.58	1.8 - 6.8	S 4.3	0.83	2.1 - 14.2	S 8.18	2.02	2.6 - 15.0	S 8.78	2.06	5.7 - 17.6	S 11.68	1.98	36
Other Instruments	5	1.7 - 5.8	S 3.73	0.68	1.5 - 6.9	S 4.24	0.9	3.6 - 11.8	S 7.73	1.36	2.1 - 15.2	S 8.64	2.19	6.0 - 17.5	S 11.79	1.92	17
<b>Total Population</b>																	
Whole Population	6	1.9 - 5.8	S 3.88	0.65	1.5 - 6.9	S 4.24	0.9	2.1 - 13.8	S 7.95	1.95	1.8 - 15.4	S 8.62	2.26	5.8 - 17.6	S 11.72	1.96	54

### Basophil % - Module G

<b>Initial Grouping byReagent</b>																	
Coulter Ac*T 5	1	5.0 - 7.2	S 6.11	0.36	7.6 - 12.1	S 9.85	0.74	6.1 - 10.0	S 8.04	0.64	6.2 - 10.3	S 8.25	0.67	3.6 - 5.7	S 4.66	0.36	17
Horiba ABX Pentra 60 C+	2	0 - 11.9	S 5.66	2.09	0 - 19.8	S 9.38	3.48	0 - 15.6	S 7.38	2.74	0 - 15.9	S 7.49	2.8	0 - 9.4	S 4.37	1.67	16
Horiba ABX Pentra 80	3	0 - 9.4	S 1.91	2.49	0 - 12.8	S 2.65	3.37	0 - 13.0	S 2.86	3.38	0 - 10.0	S 2.08	2.63	0 - 6.5	S 1.3	1.72	17
<b>Initial Grouping bySensitivityor Principle</b>																	
Pentra 60 / Ac*T 5	4	0 - 11.4	S 5.57	1.94	0 - 18.6	S 9.12	3.17	0 - 15.0	S 7.31	2.55	0 - 15.3	S 7.47	2.6	0 - 8.9	S 4.27	1.53	36
Other Instruments	5	0 - 9.4	S 1.91	2.49	0 - 12.8	S 2.65	3.37	0 - 13.0	S 2.86	3.38	0 - 10.0	S 2.08	2.63	0 - 6.5	S 1.3	1.72	17
<b>Total Population</b>																	

---

Whole Population	6	0 - 12.6	S 4.3	2.77	0 - 20.4	S 6.92	4.49	0 - 16.5	S 5.78	3.56	0 - 16.6	S 5.64	3.66	0 - 9.7	S 3.24	2.14	54
------------------	---	----------	-------	------	----------	--------	------	----------	--------	------	----------	--------	------	---------	--------	------	----