



HEMATOLOGY WITH DIFF A

Name	Line No.	Specimen 1			Specimen 2			Specimen 3			Specimen 4			Specimen 5			No. of Labs
		Range & Type	Mean	SD	Range & Type	Mean	SD	Range & Type	Mean	SD	Range & Type	Mean	SD	Range & Type	Mean	SD	
Leukocytes - Module A																	
Initial Grouping by Reagent																	
Abbott Cell-Dyn 1700/2000	7	1.9 - 2.6	P 2.29	0.1	7.1 - 9.6	P 8.32	0.3	7.0 - 9.5	P 8.26	0.43	2.0 - 2.7	P 2.31	0.13	19.1 - 25.9	P 22.49	1.0	26
Abbott Cell-Dyn 1800 ser	5	1.8 - 2.4	P 2.09	0.1	6.7 - 9.1	P 7.91	0.29	6.7 - 9.1	P 7.92	0.26	1.8 - 2.4	P 2.11	0.11	19.2 - 25.9	P 22.54	0.68	84
Abbott Cell-Dyn Emerald	1	1.8 - 2.5	P 2.14	0.09	6.6 - 8.9	P 7.71	0.24	6.6 - 8.9	P 7.74	0.24	1.8 - 2.5	P 2.16	0.11	17.9 - 24.2	P 21.03	0.71	105
Coulter Ac*T Diff 2	3	1.9 - 2.6	P 2.27	0.12	7.0 - 9.4	P 8.2	0.21	7.0 - 9.5	P 8.24	0.23	2.0 - 2.7	P 2.31	0.1	19.8 - 26.8	P 23.29	0.68	131
Coulter Ac*T diff	4	1.9 - 2.5	P 2.2	0.1	6.9 - 9.4	P 8.15	0.26	7.0 - 9.4	P 8.21	0.23	1.9 - 2.6	P 2.22	0.1	20.0 - 27.0	P 23.52	0.59	47
Drew D3	8	1.9 - 2.5	P 2.18	0.14	6.6 - 9.0	P 7.79	0.23	6.6 - 8.9	P 7.77	0.21	1.9 - 2.5	P 2.19	0.06	18.1 - 24.5	P 21.33	0.38	20
Horiba ABX Micros	2	1.8 - 2.4	P 2.08	0.08	6.6 - 8.9	P 7.71	0.26	6.5 - 8.8	P 7.69	0.25	1.8 - 2.4	P 2.07	0.09	18.5 - 25.1	P 21.79	0.62	95
Medonic CA620/530	10	1.8 - 2.5	P 2.15	0.11	7.1 - 9.5	P 8.3	0.23	7.1 - 9.6	P 8.38	0.28	1.8 - 2.4	P 2.13	0.08	19.6 - 26.5	P 23.03	0.44	4
Medonic M-Series	6	1.7 - 2.3	P 2.02	0.09	6.6 - 9.0	P 7.79	0.2	6.6 - 9.0	P 7.81	0.23	1.7 - 2.3	P 2.0	0.08	19.3 - 26.2	P 22.76	0.55	69
Mindray BC-3200	9	1.9 - 2.5	P 2.18	0.04	7.1 - 9.5	P 8.3	0.26	7.1 - 9.6	P 8.34	0.22	1.9 - 2.6	P 2.24	0.05	19.7 - 26.6	P 23.14	0.94	5
Initial Grouping by Sensitivity or Principle																	
Abbott Cell-Dyn other impeded	13	1.8 - 2.5	P 2.14	0.13	6.8 - 9.2	P 8.01	0.34	6.8 - 9.2	P 8.0	0.34	1.8 - 2.5	P 2.16	0.15	19.1 - 25.9	P 22.53	0.79	113
Coulter/Nova impedance only	12	1.9 - 2.6	P 2.25	0.12	7.0 - 9.4	P 8.18	0.23	7.0 - 9.5	P 8.23	0.23	1.9 - 2.6	P 2.28	0.11	19.9 - 26.9	P 23.36	0.69	186
Danam/Infolab DC/EXCELL	15	1.9 - 2.5	P 2.18	0.12	6.7 - 9.1	P 7.9	0.31	6.7 - 9.1	P 7.89	0.31	1.9 - 2.5	P 2.2	0.08	18.5 - 25.0	P 21.76	0.93	26
Hor ABX 3 part non 8-9000	11	1.8 - 2.4	P 2.08	0.08	6.6 - 8.9	P 7.71	0.26	6.5 - 8.8	P 7.69	0.25	1.8 - 2.4	P 2.07	0.09	18.5 - 25.1	P 21.79	0.62	95
Other automated diff-based	14	1.7 - 2.3	P 2.02	0.1	6.6 - 9.0	P 7.81	0.24	6.7 - 9.0	P 7.83	0.27	1.7 - 2.3	P 2.01	0.09	19.4 - 26.2	P 22.77	0.55	79
Total Population																	
Whole Population	16	1.8 - 2.5	P 2.15	0.15	6.7 - 9.1	P 7.92	0.43	6.8 - 9.1	P 7.95	0.47	1.9 - 2.5	P 2.2	0.89	18.9 - 25.6	P 22.29	1.78	608
Erythrocytes - Module A																	
Initial Grouping by Reagent																	
Abbott Cell-Dyn 1700/2000	7	2.42 - 2.72	P 2.57	0.081	4.4 - 4.96	P 4.677	0.109	4.34 - 4.9	P 4.622	0.084	2.41 - 2.72	P 2.562	0.071	5.94 - 6.7	P 6.323	0.217	26
Abbott Cell-Dyn 1800 ser	6	2.43 - 2.74	P 2.584	0.062	4.32 - 4.87	P 4.596	0.097	4.33 - 4.88	P 4.606	0.105	2.43 - 2.74	P 2.583	0.061	5.78 - 6.51	P 6.144	0.17	83
Abbott Cell-Dyn Emerald	1	2.26 - 2.55	P 2.409	0.079	4.14 - 4.67	P 4.409	0.12	4.15 - 4.68	P 4.414	0.127	2.27 - 2.56	P 2.413	0.077	5.7 - 6.43	P 6.065	0.2	104
Coulter Ac*T Diff 2	3	2.36 - 2.66	P 2.511	0.065	4.32 - 4.88	P 4.6	0.111	4.35 - 4.9	P 4.625	0.124	2.36 - 2.66	P 2.507	0.064	5.98 - 6.74	P 6.357	0.166	130
Coulter Ac*T diff	5	2.35 - 2.65	P 2.504	0.06	4.35 - 4.91	P 4.629	0.095	4.36 - 4.91	P 4.635	0.106	2.35 - 2.65	P 2.498	0.067	6.06 - 6.83	P 6.446	0.159	47
Drew D3	8	2.31 - 2.6	P 2.454	0.061	4.23 - 4.77	P 4.498	0.081	4.22 - 4.76	P 4.49	0.08	2.31 - 2.6	P 2.457	0.046	5.84 - 6.58	P 6.209	0.105	20
Horiba ABX Micros	2	2.28 - 2.57	P 2.427	0.055	4.24 - 4.79	P 4.515	0.104	4.23 - 4.77	P 4.5	0.105	2.27 - 2.56	P 2.419	0.055	5.91 - 6.67	P 6.289	0.128	94
Medonic CA620/530	10	2.31 - 2.6	P 2.455	0.068	4.27 - 4.81	P 4.542	0.125	4.28 - 4.83	P 4.555	0.113	2.31 - 2.6	P 2.455	0.091	5.84 - 6.59	P 6.215	0.176	4
Medonic M-Series	4	2.27 - 2.56	P 2.412	0.042	4.25 - 4.79	P 4.518	0.073	4.26 - 4.8	P 4.531	0.072	2.27 - 2.56	P 2.416	0.04	5.98 - 6.74	P 6.361	0.104	69
Mindray BC-3200	9	2.39 - 2.69	P 2.54	0.099	4.43 - 5.0	P 4.718	0.078	4.41 - 4.97	P 4.69	0.088	2.38 - 2.69	P 2.536	0.053	6.12 - 6.9	P 6.514	0.145	5
Initial Grouping by Sensitivity or Principle																	
Abbott Cell-Dyn other impeded	14	2.42 - 2.73	P 2.579	0.068	4.34 - 4.89	P 4.616	0.105	4.33 - 4.89	P 4.61	0.1	2.42 - 2.73	P 2.577	0.065	5.82 - 6.56	P 6.19	0.196	112
Coulter/Nova impedance only	12	2.36 - 2.66	P 2.508	0.064	4.33 - 4.88	P 4.607	0.108	4.35 - 4.9	P 4.625	0.119	2.35 - 2.65	P 2.503	0.065	6.0 - 6.76	P 6.379	0.169	185
Danam/Infolab DC/EXCELL	15	2.32 - 2.62	P 2.471	0.076	4.27 - 4.82	P 4.544	0.118	4.26 - 4.8	P 4.527	0.113	2.32 - 2.62	P 2.471	0.058	5.9 - 6.65	P 6.277	0.167	26
Hor ABX 3 part non 8-9000	11	2.28 - 2.57	P 2.427	0.055	4.24 - 4.79	P 4.515	0.104	4.23 - 4.77	P 4.5	0.105	2.27 - 2.56	P 2.419	0.055	5.91 - 6.67	P 6.289	0.128	94
Other automated diff-based	13	2.27 - 2.56	P 2.414	0.044	4.25 - 4.79	P 4.518	0.079	4.26 - 4.8	P 4.532	0.078	2.27 - 2.56	P 2.417	0.045	5.97 - 6.73	P 6.353	0.117	79
Total Population																	
Whole Population	16	2.33 - 2.62	P 2.475	0.098	4.27 - 4.81	P 4.542	0.156	4.28 - 4.82	P 4.55	0.147	2.33 - 2.63	P 2.481	0.188	5.89 - 6.64	P 6.265	0.272	603
Hemoglobin - Module A																	
Initial Grouping by Reagent																	
Abbott Cell-Dyn 1700/2000	7	5.9 - 6.8	P 6.38	0.19	12.8 - 14.8	P 13.79	0.25	12.9 - 14.8	P 13.82	0.26	6.0 - 6.9	P 6.46	0.2	19.1 - 22.0	P 20.56	0.35	26
Abbott Cell-Dyn 1800 ser	6	5.8 - 6.7	P 6.28	0.16	12.7 - 14.6	P 13.68	0.31	12.8 - 14.7	P 13.71	0.28	5.9 - 6.8	P 6.35	0.16	19.2 - 22.0	P 20.6	0.52	84
Abbott Cell-Dyn Emerald	1	5.7 - 6.5	P 6.1	0.15	12.5 - 14.4	P 13.48	0.27	12.6 - 14.5	P 13.52	0.26	5.7 - 6.5	P 6.1	0.14	18.9 - 21.8	P 20.36	0.27	106
Coulter Ac*T Diff 2	3	5.6 - 6.5	P 6.05	0.13	12.4 - 14.3	P 13.33	0.26	12.4 - 14.3	P 13.34	0.24	5.6 - 6.5	P 6.07	0.12	18.6 - 21.4	P 19.99	0.37	130
Coulter Ac*T diff	5	5.6 - 6.4	P 6.0	0.15	12.4 - 14.3	P 13.35	0.28	12.4 - 14.3	P 13.36	0.31	5.6 - 6.5	P 6.03	0.18	18.8 - 21.6	P 20.23	0.65	47

Drew D3	8	5.8 - 6.7	P 6.25	0.19	12.6 - 14.5	P 13.55	0.21	12.6 - 14.5	P 13.58	0.29	5.8 - 6.7	P 6.28	0.15	19.0 - 21.8	P 20.41	0.7	20
Horiba ABX Micros	2	5.7 - 6.6	P 6.16	0.11	12.5 - 14.4	P 13.48	0.23	12.5 - 14.4	P 13.45	0.23	5.7 - 6.6	P 6.17	0.1	18.6 - 21.4	P 20.01	0.35	95
Medonic CA620/530	10	5.6 - 6.5	P 6.05	0.15	12.2 - 14.0	P 13.1	0.31	12.2 - 14.1	P 13.15	0.36	5.5 - 6.4	P 5.95	0.17	17.9 - 20.6	P 19.23	0.38	4
Medonic M-Series	4	5.7 - 6.6	P 6.13	0.09	12.4 - 14.3	P 13.33	0.15	12.4 - 14.3	P 13.34	0.19	5.7 - 6.6	P 6.13	0.09	18.7 - 21.5	P 20.08	0.28	69
Mindray BC-3200	9	5.7 - 6.6	P 6.16	0.27	12.5 - 14.4	P 13.48	0.42	12.6 - 14.5	P 13.52	0.48	5.6 - 6.5	P 6.06	0.16	19.3 - 22.3	P 20.8	0.57	5
Initial Grouping bySensitivityor Principle																	
Abbott Cell-Dyn other impeded	14	5.9 - 6.8	P 6.31	0.18	12.8 - 14.7	P 13.71	0.3	12.8 - 14.7	P 13.74	0.28	5.9 - 6.8	P 6.38	0.18	19.1 - 22.0	P 20.59	0.48	113
Coulter/Nova impedance only	12	5.6 - 6.5	P 6.04	0.14	12.4 - 14.3	P 13.34	0.27	12.4 - 14.3	P 13.35	0.26	5.6 - 6.5	P 6.07	0.14	18.7 - 21.5	P 20.07	0.48	185
Danam/Infolab DC/EXCELL	15	5.8 - 6.7	P 6.23	0.21	12.6 - 14.5	P 13.54	0.26	12.6 - 14.5	P 13.57	0.33	5.8 - 6.7	P 6.24	0.18	19.0 - 21.9	P 20.48	0.69	26
Hor ABX 3 part non 8-9000	11	5.7 - 6.6	P 6.16	0.11	12.5 - 14.4	P 13.48	0.23	12.5 - 14.4	P 13.45	0.23	5.7 - 6.6	P 6.17	0.1	18.6 - 21.4	P 20.01	0.35	95
Other automated diff-based	13	5.7 - 6.6	P 6.13	0.09	12.4 - 14.3	P 13.33	0.17	12.4 - 14.3	P 13.35	0.22	5.7 - 6.6	P 6.13	0.1	18.6 - 21.4	P 20.03	0.37	79
Total Population																	
Whole Population	16	5.7 - 6.6	P 6.16	0.78	12.5 - 14.4	P 13.45	0.35	12.5 - 14.4	P 13.47	0.32	5.7 - 6.6	P 6.18	0.6	18.8 - 21.6	P 20.19	0.81	609

Hematocrit - Module A

Initial Grouping byReagent																	
Abbott Cell-Dyn 1700/2000	7	17.0 - 19.2	P 18.13	0.55	36.8 - 41.5	P 39.15	0.93	36.5 - 41.1	P 38.78	0.9	17.1 - 19.2	P 18.14	0.49	54.0 - 60.9	P 57.44	1.84	26
Abbott Cell-Dyn 1800 ser	6	17.6 - 19.8	P 18.7	0.6	37.2 - 41.9	P 39.55	1.24	37.3 - 42.0	P 39.63	1.2	17.6 - 19.8	P 18.69	0.56	54.4 - 61.3	P 57.82	1.78	84
Abbott Cell-Dyn Emerald	2	17.0 - 19.2	P 18.12	0.61	36.5 - 41.1	P 38.82	1.1	36.5 - 41.2	P 38.83	1.22	17.0 - 19.2	P 18.13	0.64	54.4 - 61.3	P 57.85	2.0	105
Coulter Ac*T Diff 2	4	17.1 - 19.3	P 18.19	0.53	36.5 - 41.2	P 38.83	1.0	36.7 - 41.4	P 39.05	1.15	17.1 - 19.2	P 18.16	0.49	54.6 - 61.5	P 58.04	1.77	130
Coulter Ac*T diff	5	17.0 - 19.2	P 18.08	0.44	36.6 - 41.3	P 38.96	0.87	36.6 - 41.2	P 38.91	0.79	16.9 - 19.0	P 17.97	0.54	55.1 - 62.2	P 58.64	1.78	47
Drew D3	8	17.1 - 19.2	P 18.14	0.42	36.1 - 40.7	P 38.39	0.9	36.2 - 40.9	P 38.56	0.65	17.1 - 19.2	P 18.14	0.33	53.9 - 60.8	P 57.39	0.94	20
Horiba ABX Micros	3	15.5 - 17.5	P 16.49	0.45	34.2 - 38.6	P 36.43	0.94	34.1 - 38.5	P 36.3	0.95	15.4 - 17.4	P 16.4	0.43	52.2 - 58.8	P 55.51	1.51	94
Medonic CA620/530	10	15.5 - 17.4	P 16.45	0.25	33.6 - 37.8	P 35.7	0.42	33.7 - 37.9	P 35.8	0.07	15.4 - 17.3	P 16.33	0.29	50.3 - 56.7	P 53.5	0.29	4
Medonic M-Series	1	15.4 - 17.3	P 16.35	0.37	34.0 - 38.4	P 36.2	0.82	34.1 - 38.5	P 36.29	0.83	15.4 - 17.3	P 16.36	0.39	53.4 - 60.3	P 56.84	1.31	69
Mindray BC-3200	9	17.4 - 19.7	P 18.54	0.74	38.4 - 43.3	P 40.84	0.81	38.2 - 43.1	P 40.66	1.09	17.4 - 19.7	P 18.54	0.36	58.1 - 65.5	P 61.76	2.01	5
Initial Grouping bySensitivityor Principle																	
Abbott Cell-Dyn other impeded	14	17.4 - 19.7	P 18.55	0.65	37.1 - 41.8	P 39.44	1.17	37.1 - 41.8	P 39.42	1.18	17.4 - 19.6	P 18.53	0.61	54.2 - 61.2	P 57.7	1.79	113
Coulter/Nova impedance only	13	17.1 - 19.2	P 18.15	0.51	36.5 - 41.2	P 38.86	0.97	36.7 - 41.3	P 38.99	1.06	17.0 - 19.2	P 18.1	0.52	54.7 - 61.7	P 58.18	1.78	185
Danam/Infolab DC/EXCELL	15	17.1 - 19.3	P 18.22	0.51	36.6 - 41.2	P 38.89	1.29	36.6 - 41.3	P 38.96	1.11	17.1 - 19.3	P 18.21	0.37	54.9 - 61.9	P 58.39	2.16	26
Hor ABX 3 part non 8-9000	12	15.5 - 17.5	P 16.49	0.45	34.2 - 38.6	P 36.43	0.94	34.1 - 38.5	P 36.3	0.95	15.4 - 17.4	P 16.4	0.43	52.2 - 58.8	P 55.51	1.51	94
Other automated diff-based	11	15.4 - 17.4	P 16.37	0.38	34.1 - 38.4	P 36.24	0.87	34.1 - 38.4	P 36.27	0.8	15.4 - 17.4	P 16.37	0.39	53.3 - 60.1	P 56.74	1.69	79
Total Population																	
Whole Population	16	16.7 - 18.8	P 17.72	1.03	35.9 - 40.5	P 38.22	1.75	35.9 - 40.5	P 38.24	1.9	16.7 - 18.8	P 17.77	1.96	54.0 - 60.9	P 57.42	2.69	605

Platelets - Module A

Initial Grouping byReagent																	
Abbott Cell-Dyn 1700/2000	8	43 - 71	P 56.8	4.6	190 - 317	P 253.7	21.7	192 - 320	P 255.8	22.7	43 - 71	P 56.7	4.5	428 - 714	P 571.2	43.2	26
Abbott Cell-Dyn 1800 ser	5	44 - 74	P 59.1	5.0	192 - 320	P 255.9	12.1	192 - 320	P 255.8	15.9	45 - 75	P 60.1	4.5	428 - 714	P 571.2	32.9	84
Abbott Cell-Dyn Emerald	4	48 - 81	P 64.4	12.5	192 - 321	P 256.5	16.6	192 - 321	P 256.5	17.5	50 - 84	P 66.8	11.8	379 - 631	P 504.8	29.8	106
Coulter Ac*T Diff 2	3	44 - 73	P 58.3	5.1	183 - 305	P 244.0	12.4	184 - 307	P 245.7	11.9	44 - 73	P 58.4	4.4	387 - 645	P 516.0	23.0	130
Coulter Ac*T diff	6	42 - 70	P 55.9	4.1	183 - 305	P 243.8	10.4	184 - 307	P 245.7	10.0	42 - 70	P 56.0	3.4	386 - 644	P 514.9	24.1	47
Drew D3	9	52 - 86	P 68.9	11.6	191 - 318	P 254.4	9.8	191 - 318	P 254.2	11.4	52 - 86	P 68.7	7.2	383 - 638	P 510.3	25.5	20
Horiba ABX Micros	2	50 - 83	P 66.6	5.7	192 - 320	P 255.6	9.8	190 - 317	P 253.5	9.9	48 - 80	P 64.2	5.0	374 - 623	P 498.1	18.8	95
Medonic CA620/530	7	45 - 76	P 60.5	3.4	180 - 301	P 240.5	15.4	178 - 297	P 237.5	12.8	43 - 71	P 57.0	0.7	363 - 605	P 484.3	15.1	4
Medonic M-Series	1	40 - 67	P 53.7	4.4	170 - 283	P 226.4	9.8	170 - 284	P 227.3	11.4	40 - 66	P 53.1	4.4	350 - 584	P 466.9	20.1	69
Mindray BC-3200	10	48 - 80	P 63.6	6.8	186 - 310	P 247.8	15.6	188 - 313	P 250.6	26.3	49 - 82	P 65.4	6.3	368 - 613	P 490.6	41.2	5
Initial Grouping bySensitivityor Principle																	
Abbott Cell-Dyn other impeded	14	44 - 73	P 58.6	5.0	192 - 320	P 255.8	15.1	192 - 320	P 255.9	17.6	45 - 74	P 59.4	4.7	428 - 714	P 571.2	35.1	113
Coulter/Nova impedance only	13	43 - 72	P 57.7	5.0	183 - 305	P 244.1	12.0	184 - 307	P 245.8	11.5	43 - 72	P 57.8	4.3	387 - 645	P 516.1	23.5	185
Danam/Infolab DC/EXCELL	15	50 - 84	P 67.2	11.3	189 - 315	P 252.1	12.2	189 - 316	P 252.6	15.9	50 - 84	P 67.2	8.1	379 - 632	P 505.3	30.3	26
Hor ABX 3 part non 8-9000	12	50 - 83	P 66.6	5.7	192 - 320	P 255.6	9.8	190 - 317	P 253.5	9.9	48 - 80	P 64.2	5.0	374 - 623	P 498.1	18.8	95
Other automated diff-based	11	40 - 68	P 54.0	4.7	170 - 284	P 227.0	10.9	171 - 285	P 227.9	12.1	40 - 67	P 53.5	4.5	351 - 585	P 467.8	20.6	79
Total Population																	
Whole Population	16	46 - 77	P 61.7	25.8	186 - 310	P 248.2	18.2	186 - 311	P 248.6	19.7	46 - 77	P 61.7	20.6	385 - 642	P 513.4	50.9	607

Lymphocyte % - Module A

Initial Grouping byReagent																	
Abbott Cell-Dyn 1700/2000	8	43.2 - 56.3	S 49.77	2.18	22.9 - 31.4	S 27.15	1.41	22.5 - 31.4	S 26.96	1.49	43.3 - 56.0	S 49.65	2.11	9.4 - 12.8	S 11.11	0.57	26
Abbott Cell-Dyn 1800 ser	5	36.9 - 50.6	S 43.74	2.29	19.6 - 27.4	S 23.47	1.3	19.5 - 28.0	S 23.77	1.42	37.7 - 49.4	S 43.59	1.95	8.5 - 11.7	S 10.11	0.55	83
Abbott Cell-Dyn Emerald	4	44.4 - 57.0	S 50.69	2.1	24.0 - 32.9	S 28.47	1.48	24.6 - 32.2	S 28.43	1.26	44.9 - 56.9	S 50.89	2.0	10.9 - 15.1	S 13.02	0.69	105

Coulter Ac*T Diff 2	3	53.8 - 64.2	S 59.02	1.73	29.5 - 34.6	S 32.06	0.86	29.4 - 34.9	S 32.14	0.92	53.6 - 64.5	S 59.05	1.81	11.7 - 14.7	S 13.23	0.5	125
Coulter Ac*T diff	6	55.3 - 63.0	S 59.16	1.29	29.3 - 34.9	S 32.13	0.93	29.6 - 34.8	S 32.2	0.88	55.3 - 63.4	S 59.37	1.36	11.9 - 15.0	S 13.43	0.51	46
Drew D3	7	51.8 - 58.9	S 55.33	1.18	27.2 - 33.9	S 30.55	1.13	26.8 - 33.2	S 30.0	1.06	51.0 - 58.2	S 54.62	1.19	10.0 - 17.1	S 13.55	1.18	20
Horiba ABX Micros	1	29.3 - 49.5	S 39.43	3.36	15.8 - 29.1	S 22.44	2.22	16.3 - 28.6	S 22.45	2.04	29.2 - 49.7	S 39.42	3.41	7.8 - 13.3	S 10.55	0.93	93
Medonic CA620/530	10	59.0 - 69.2	S 64.1	1.7	32.7 - 37.6	S 35.18	0.82	30.4 - 38.7	S 34.55	1.39	61.4 - 66.9	S 64.15	0.92	15.2 - 15.5	S 15.33	0.05	4
Medonic M-Series	2	55.2 - 68.1	S 61.65	2.15	28.9 - 36.1	S 32.47	1.2	29.0 - 36.0	S 32.5	1.17	56.0 - 67.4	S 61.7	1.91	12.9 - 16.2	S 14.59	0.55	69
Mindray BC-3200	9	46.0 - 56.3	S 51.14	1.71	25.3 - 29.1	S 27.2	0.63	24.4 - 31.0	S 27.68	1.1	46.1 - 56.6	S 51.34	1.76	11.5 - 14.3	S 12.92	0.46	5
Initial Grouping bySensitivityor Principle																	
Abbott Cell-Dyn other impeded	14	34.8 - 55.8	S 45.31	3.5	18.2 - 30.6	S 24.42	2.07	18.5 - 30.7	S 24.61	2.02	35.2 - 55.1	S 45.17	3.32	8.3 - 12.4	S 10.35	0.7	111
Coulter/Nova impedance only	13	54.2 - 64.0	S 59.1	1.63	29.4 - 34.8	S 32.1	0.88	29.5 - 34.9	S 32.16	0.9	53.6 - 64.7	S 59.11	1.85	11.7 - 14.9	S 13.27	0.54	179
Danam/Infolab DC/EXCELL	15	47.9 - 61.4	S 54.67	2.25	24.2 - 36.0	S 30.09	1.96	25.1 - 34.2	S 29.66	1.52	48.2 - 60.1	S 54.12	1.98	10.0 - 17.0	S 13.5	1.15	26
Hor ABX 3 part non 8-9000	11	29.3 - 49.5	S 39.43	3.36	15.8 - 29.1	S 22.44	2.22	16.3 - 28.6	S 22.45	2.04	29.2 - 49.7	S 39.42	3.41	7.8 - 13.3	S 10.55	0.93	93
Other automated diff-based	12	55.3 - 68.2	S 61.79	2.15	28.5 - 36.7	S 32.59	1.36	28.8 - 36.4	S 32.6	1.28	55.8 - 67.9	S 61.85	2.01	13.0 - 16.3	S 14.64	0.55	78
Total Population																	
Whole Population	16	22.4 - 80.4	S 51.4	9.68	15.3 - 41.6	S 28.44	4.37	15.0 - 41.8	S 28.41	4.46	25.5 - 78.2	S 51.81	8.78	4.6 - 20.4	S 12.51	2.64	596

Md/Mid/Mixed/Monocyte/Other % - Module A

Initial Grouping byReagent																	
Abbott Cell-Dyn 1700/2000	7	10.6 - 21.0	S 15.82	1.74	8.4 - 12.7	S 10.53	0.73	8.4 - 12.9	S 10.66	0.74	11.3 - 21.0	S 16.13	1.61	5.0 - 7.6	S 6.31	0.43	26
Abbott Cell-Dyn 1800 ser	6	15.9 - 26.6	S 21.28	1.79	11.3 - 15.5	S 13.42	0.69	11.3 - 15.7	S 13.52	0.73	17.3 - 24.9	S 21.09	1.28	6.2 - 8.3	S 7.23	0.35	83
Abbott Cell-Dyn Emerald	5	8.4 - 17.6	S 12.97	1.54	5.3 - 9.1	S 7.23	0.63	5.4 - 9.1	S 7.26	0.61	9.0 - 16.9	S 12.98	1.32	2.5 - 3.8	S 3.15	0.21	103
Coulter Ac*T Diff 2	3	5.4 - 13.6	S 9.5	1.35	5.0 - 9.3	S 7.16	0.71	4.6 - 9.5	S 7.05	0.82	5.4 - 13.4	S 9.39	1.34	4.4 - 7.1	S 5.72	0.45	122
Coulter Ac*T diff	4	5.7 - 13.3	S 9.52	1.26	5.7 - 9.3	S 7.51	0.61	5.2 - 9.8	S 7.5	0.75	6.3 - 12.5	S 9.37	1.03	4.4 - 7.2	S 5.8	0.46	46
Drew D3	8	9.0 - 13.3	S 11.12	0.71	5.5 - 8.9	S 7.19	0.55	5.6 - 8.6	S 7.11	0.51	8.0 - 15.1	S 11.56	1.19	2.9 - 4.2	S 3.53	0.22	20
Horiba ABX Micros	1	16.1 - 29.0	S 22.51	2.15	8.2 - 14.4	S 11.28	1.04	8.3 - 14.4	S 11.33	1.01	16.6 - 28.5	S 22.53	1.98	3.2 - 5.5	S 4.37	0.38	91
Medonic CA620/530	9	2.6 - 13.8	S 8.2	1.87	3.8 - 16.0	S 9.88	2.03	5.6 - 13.0	S 9.32	1.23	7.9 - 9.6	S 8.75	0.27	6.7 - 8.8	S 7.75	0.35	4
Medonic M-Series	2	4.6 - 13.9	S 9.26	1.55	5.3 - 10.8	S 8.05	0.91	4.1 - 11.7	S 7.91	1.27	2.7 - 15.1	S 8.92	2.07	3.2 - 7.9	S 5.53	0.78	69
Mindray BC-3200	10	12.0 - 18.4	S 15.2	1.08	8.1 - 13.7	S 10.94	0.94	9.1 - 11.9	S 10.52	0.47	12.8 - 17.8	S 15.28	0.84	1.7 - 10.4	S 6.06	1.46	5
Initial Grouping bySensitivityor Principle																	
Abbott Cell-Dyn other impeded	14	10.7 - 29.0	S 19.84	3.05	8.4 - 17.0	S 12.7	1.44	8.5 - 17.2	S 12.82	1.45	11.5 - 27.9	S 19.69	2.75	5.4 - 8.6	S 7.01	0.54	112
Coulter/Nova impedance only	13	5.5 - 13.5	S 9.49	1.32	5.1 - 9.4	S 7.23	0.71	4.7 - 9.7	S 7.16	0.83	5.6 - 13.1	S 9.39	1.25	4.4 - 7.1	S 5.75	0.45	172
Danam/Infolab DC/EXCELL	15	6.4 - 17.3	S 11.87	1.81	3.1 - 12.7	S 7.93	1.6	3.5 - 12.1	S 7.78	1.43	6.5 - 17.9	S 12.21	1.89	0.4 - 7.7	S 4.07	1.21	26
Hor ABX 3 part non 8-9000	11	16.1 - 29.0	S 22.51	2.15	8.2 - 14.4	S 11.28	1.04	8.3 - 14.4	S 11.33	1.01	16.6 - 28.5	S 22.53	1.98	3.2 - 5.5	S 4.37	0.38	91
Other automated diff-based	12	4.1 - 14.1	S 9.1	1.67	4.5 - 11.6	S 8.08	1.19	3.9 - 12.1	S 7.98	1.36	2.9 - 14.9	S 8.91	2.01	3.0 - 8.2	S 5.62	0.86	78
Total Population																	
Whole Population	16	0 - 31.3	S 14.19	5.7	1.3 - 16.8	S 9.04	2.58	1.1 - 17.0	S 9.04	2.66	0 - 31.3	S 14.11	5.72	0.9 - 9.5	S 5.23	1.43	584

Neut/Gran % - Module A

Initial Grouping byReagent																	
Abbott Cell-Dyn 1700/2000	9	29.8 - 39.0	S 34.41	1.52	58.9 - 65.5	S 62.21	1.1	58.7 - 65.8	S 62.24	1.17	29.7 - 38.8	S 34.22	1.51	80.6 - 84.6	S 82.62	0.66	26
Abbott Cell-Dyn 1800 ser	4	30.4 - 39.6	S 34.96	1.53	59.7 - 66.5	S 63.08	1.14	59.4 - 66.3	S 62.85	1.15	30.7 - 40.0	S 35.35	1.55	80.6 - 84.7	S 82.65	0.69	83
Abbott Cell-Dyn Emerald	6	32.2 - 40.4	S 36.31	1.38	61.1 - 67.8	S 64.49	1.12	61.0 - 67.7	S 64.36	1.12	32.0 - 40.4	S 36.21	1.4	81.4 - 86.2	S 83.77	0.8	106
Coulter Ac*T Diff 2	5	27.2 - 35.5	S 31.36	1.38	57.7 - 63.8	S 60.78	1.01	57.7 - 63.8	S 60.76	1.02	27.0 - 36.2	S 31.57	1.53	79.2 - 82.9	S 81.03	0.61	125
Coulter Ac*T diff	3	27.7 - 35.0	S 31.36	1.21	57.6 - 63.1	S 60.35	0.91	57.7 - 62.9	S 60.29	0.86	28.3 - 34.5	S 31.37	1.04	79.1 - 82.4	S 80.78	0.55	46
Drew D3	7	30.4 - 36.7	S 33.55	1.06	59.3 - 65.6	S 62.48	1.05	59.5 - 66.3	S 62.89	1.13	28.4 - 39.2	S 33.84	1.8	79.7 - 86.4	S 83.01	1.12	20
Horiba ABX Micros	1	31.9 - 44.0	S 37.95	2.01	61.8 - 70.4	S 66.11	1.43	61.8 - 70.3	S 66.06	1.41	32.2 - 44.1	S 38.15	1.97	82.6 - 87.7	S 85.12	0.85	93
Medonic CA620/530	8	18.1 - 36.8	S 27.43	3.12	46.5 - 63.5	S 55.0	2.84	49.7 - 63.5	S 56.6	2.29	24.4 - 30.1	S 27.25	0.96	75.3 - 78.1	S 76.7	0.45	4
Medonic M-Series	2	23.3 - 34.8	S 29.06	1.92	55.1 - 63.9	S 59.5	1.47	54.1 - 65.1	S 59.59	1.83	21.6 - 37.6	S 29.57	2.66	76.9 - 82.6	S 79.74	0.95	69
Mindray BC-3200	10	30.8 - 36.5	S 33.66	0.96	59.4 - 64.3	S 61.86	0.82	58.8 - 64.8	S 61.8	0.99	30.3 - 36.5	S 33.38	1.04	76.9 - 85.1	S 81.02	1.37	5
Initial Grouping bySensitivityor Principle																	
Abbott Cell-Dyn other impeded	14	30.2 - 39.4	S 34.82	1.54	59.2 - 66.6	S 62.92	1.23	59.1 - 66.3	S 62.73	1.2	30.2 - 40.0	S 35.11	1.64	80.6 - 84.7	S 82.64	0.68	111
Coulter/Nova impedance only	13	27.3 - 35.3	S 31.34	1.34	57.7 - 63.7	S 60.67	1.0	57.7 - 63.6	S 60.64	0.99	27.2 - 35.7	S 31.48	1.42	79.1 - 82.8	S 80.96	0.6	175
Danam/Infolab DC/EXCELL	15	30.0 - 36.9	S 33.47	1.15	59.2 - 65.5	S 62.35	1.03	58.6 - 66.5	S 62.55	1.3	28.7 - 38.7	S 33.69	1.68	78.0 - 87.0	S 82.5	1.51	26
Hor ABX 3 part non 8-9000	11	31.9 - 44.0	S 37.95	2.01	61.8 - 70.4	S 66.11	1.43	61.8 - 70.3	S 66.06	1.41	32.2 - 44.1	S 38.15	1.97	82.6 - 87.7	S 85.12	0.85	93
Other automated diff-based	12	22.4 - 35.9	S 29.17	2.26	53.2 - 65.4	S 59.32	2.03	53.3 - 65.6	S 59.49	2.05	21.4 - 37.4	S 29.41	2.67	76.1 - 83.1	S 79.64	1.17	78
Total Population																	
Whole Population	16	20.0 - 47.3	S 33.63	4.55	47.4 - 76.9	S 62.17	4.92	45.7 - 78.4	S 62.04	5.45	18.9 - 48.6	S 33.78	4.95	63.8 - 99.8	S 81.79	6.0	593